



NORTHERN DIVER
SPORT. RESCUE. COMMERCIAL. MILITARY

PRODUCT CATALOGUE 2022/23

CONTENTS

DIVE WEAR

- 04 | TRI-LAMINATE DRYSUITS
- 06 | NEOPRENE DRYSUITS
- 07 | COMMERCIAL GRADE DRYSUITS
- 08 | RESCUE SUITS
- 12 | BOATING/TRANSIT SUITS
- 13 | WADERS
- 14 | CONTAMINATED DIVE SUITS
- 16 | HOTWATER SUIT SYSTEM
- 18 | SUIT ACCESSORIES
- 20 | SUIT MAINTENANCE
- 21 | THERMAL GARMENTS
- 27 | SOCKS AND RASH GUARDS
- 28 | SEMI-DRY WETSUITS
- 30 | STEAMER WETSUITS
- 31 | SHORTIE WETSUITS
- 32 | KIDS WETSUITS
- 32 | WETSUITS ACCESSORIES
- 33 | RESCUE WETSUITS
- 34 | MILITARY WETSUITS
- 36 | OPENWATER WETSUITS
- 37 | OPENWATER ACCESSORIES
- 38 | CUFF RING SYSTEMS
- 40 | 5-FINGER GLOVES
- 44 | COMMERCIAL MITTS
- 45 | NEOPRENE HOODS
- 46 | IN-WATER BOOTS

DIVE EQUIPMENT

- 48 | LIGHTWEIGHT HOLDALLS
- 50 | WHEELED TRAVEL BAGS
- 52 | WELDED ROLL TOP DRY BAGS
- 55 | WELDED ZIPPED DRY BAGS
- 56 | SMALL STORAGE BAGS
- 57 | HARD WATERPROOF CASES
- 59 | FULL FACE MASKS
- 62 | HALF FACE MASKS
- 64 | SNORKELS
- 65 | FINS
- 67 | BCDS
- 70 | REGULATORS AND ACCESSORIES
- 72 | GAUGES AND WRISTWEAR
- 74 | UNDERWATER LIGHTING
- 80 | TORCH SPARES
- 81 | KNIVES AND TOOLS
- 84 | WEIGHT SYSTEMS
- 86 | BUOYS, REELS AND ACCESSORIES
- 87 | CYLINDERS/TANKS
- 89 | CYLINDER/TANK ACCESSORIES

Front cover credit: @workingdiver, @uninur_dive, Eden Valley Divers, @alexandros_malagaris, @guillaume_le_cocq, County Durham & Darlington, Lydia Walker - Illkeston & Kimberly Sub Aqua Club, @erwanamice, @romanaszigeu, @giovanaibraia, Freshwater Lifeboat, @scuba.ry, Humberside Fire & Rescue Service and @roberto_macaluso

CONTENTS

COMMERCIAL KIT

- 90 | TEST EQUIPMENT
- 91 | OTS DIVER COMMUNICATIONS
- 94 | COLTRI COMPRESSORS
- 97 | COMPRESSOR ACCESSORIES
- 98 | RECOVERY VESTS AND HARNESSSES
- 100 | UNDERWATER TOOLS

RESCUE KIT

- 102 | PFDS AND ACCESSORIES
- 107 | LIFE JACKETS AND ACCESSORIES
- 110 | WATER RESCUE HELMETS
- 114 | SPECIALIST THROW BAGS
- 117 | REACH AND WADING POLES
- 118 | MEDICAL BAGS AND KITS
- 121 | OXYGEN RESUS KIT

"The best customer service experience of any company I have ever been in contact with."

"Great company, easy to order, happy to give advice and they sell high quality equipment!"

"Once again purchases made from Northern Diver, prices, service and speed of postage all excellent I have been and will continue to be a repeat customer."

INFLATABLE CRAFTS

- 123 | LEISURE BOATS
- 124 | ALLOY HULL PERFORMANCE BOATS
- 125 | COMMERCIAL BOATS (ALLY FLOOR)
- 128 | INFLATABLE HULL BOATS
- 131 | SLEDS AND RAFTS
- 134 | WALKWAYS AND TRACKS
- 135 | INFLATABLE TUBES
- 136 | LIFE BOARDS AND KAYAKS
- 138 | PADDLE BOARDS
- 140 | INFLATION OPTIONS
- 141 | INFLATABLE CRAFT ACCESSORIES

SERVICES & OTHER

- 144 | MADE TO MEASURE SUITS
- 144 | MULTI-PURPOSE DIVE FACILITY
- 145 | PERSONALISE YOUR KIT
- 146 | REPAIRS AND ALTERATIONS
- 150 | CYLINDER SERVICING FACILITY
- 151 | LIFE JACKET SERVICING
- 151 | REGULATOR SERVICING
- 151 | REPAIRS COURSES
- 152 | N-DIVER MERCHANDISE

TRI-LAMINATE DRYSUITS



CORTEX DRYSUIT

CODE: CORTEX RED EDITION SIZE

Fabric build: 450D Cortex tri-laminate
 Rear entry BDM metal dry zip (medium duty)
 Yamamoto neoprene neck and wrist seals
 Anti-slip overprint around cuffs for securing wrist wear
 Inflation/exhaust valves: standard positions
 2x transporter pockets (zipped closure)
 Integrated knife pocket
 Kevlar® knee/seat protection
 Red piping detail
 Rugged hardsole boots

STOCK SIZES: S, M, ML, MR, MLR, MLT, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXXL, XXXLR (UNISEX)

COLOURS: BLK/RED | **MTM SERVICE:** YES



HID DRYSUIT

CODE: HID-SIZE

Fabric build: 450D Aquatex tri-laminate
 Front entry BDM metal dry zip (medium duty)
 Neoprene neck seal with neoprene neck warmer
 Latex wrist seals and anti-slip equipment anchors on cuffs
 Inflation/exhaust valves: standard positions
 1x Flexi-Light stick arm pocket
 1x transporter pocket (zipped closure) with knife holder
 1x bellows pocket (Velcro closure)
 Kevlar® knee/seat protection
 Rugged hardsole boots

STOCK SIZES: S, M, ML, MR, MLR, L, LR, XL, XLR, XXL, XXLR, XXXL (UNISEX)

COLOURS: BLK | **MTM SERVICE:** YES



ARCTIC SURVIVOR DRYSUIT

CODE: ARCTIC SURVIVOR STYLE-SIZE

Styles available: PX and XR variants
 Fabric build: 110D tri-laminate
 Rear entry BDM metal dry zip (medium duty)
 Yamamoto neoprene neck and wrist seals
 Inflation/exhaust valves: standard positions
 1x Flexi-Light stick arm pocket - XR version only
 1x transporter pocket (zipped closure) - PX version only
 1x bellows pocket (Velcro closure)
 Double layer knee/seat protection
 Rugged hardsole boots

STOCK SIZES: S, M, ML, L, XL, XXL, XXXL (UNISEX)

COLOURS: YELL/NAVY, YELL/BLK, RED/BLK

MTM SERVICE: YES



@roberto_macaluso

NEOPRENE DRYSUITS



DIVEMASTER SPORT DRYSUIT

CODE: DIVE12-SIZE

Fabric build: 5.0mm neoprene
Rear entry BDM metal dry zip (medium duty)
Yamamoto neoprene neck and wrist seals
Inflation/exhaust valves: standard positions
1x transporter pocket (zipped closure)
1x bellows pocket (Velcro closure) with knife holder
Hard wearing shoulder and knee protection
Rugged hardsole boots

STOCK SIZES: S, M, ML, MLR, MLT, MR, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXLT, XXXL, XXXLR (GENTS) - S, M, ML, MR, MLR, L, LR, XL, XLR, XXL (LADIES)

COLOURS: BLK/RED | **MTM SERVICE:** YES



VOYAGER DRYSUIT

CODE: VOYAGER-SIZE

Fabric build: 4.0mm neoprene
Rear entry BDM metal dry zip (medium duty)
Yamamoto neoprene neck and wrist seals
Overprinted shoulders for extra protection
Inflation/exhaust valves: standard positions
1x transporter pocket (zipped closure)
Hard wearing knee pad for extra protection
Rugged hardsole boots

STOCK SIZES: S, M, ML, MLR, MLT, MR, L, LR, XL, XLR, XLT, XXL, XXLR, XXXL, XXXLR (GENTS) - S, M, ML, MR, MLR, L, LR, XL, XLR (LADIES)

COLOURS: RED/BLK | **MTM SERVICE:** NO



ORIGIN DRYSUIT

CODE: ORIGINCG-SIZE

Fabric build: 6.5mm neoprene
Liquid taped outer seams
Rear entry BDM metal dry zip (heavy duty)
Neck and wrist seals: neoprene or latex
Inflation/exhaust valves: standard positions
2x transporter pockets (zipped closure)
Kevlar® shoulders/elbows and knee protection
Overprinted seat area for extra protection
Rugged hardsole boots

STOCK SIZES: S, M, ML, MLT, L, LR, LT, XL, XLR, XLT, XXL, XXXL (UNISEX)

COLOURS: BLK | **MTM SERVICE:** YES



DIVEMASTER COMMERCIAL DRYSUIT

CODE: DIVE-COM-SIZE

Fabric build: 5.5mm neoprene
Liquid taped outer seams
Rear entry BDM metal dry zip (heavy duty)
Yamamoto neoprene neck and wrist seals
Inflation/exhaust valves: standard positions
1x transporter pocket (zipped closure)
1x bellows pocket (Velcro closure)
Rugged shoulders, Kevlar® knee and overprinted seat areas
Rugged hardsole boots

STOCK SIZES: S, M, ML, MLR, MLT, MR, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXLT, XXXL, XXXLR (UNISEX)

COLOURS: BLK | **MTM SERVICE:** YES



STORM FORCE 5 SURFACE SUIT

CODE: F5-375D-FE-SIZE

Fabric build: 375D heavy duty tri-laminate
Front entry BDM metal dry zip (medium duty)
Yamamoto neoprene neck and wrist seals (latex shown)
Reflective strips
1x Flexi-Light stick arm pocket
1x bellows pocket (Velcro closure)
Double layer knee/seat protection
Elasticated ankle gaiters
Latex socks (model wears Pro-safe boots)

STOCK SIZES: S, M, ML, L, XL, XXL, XXXL (UNISEX)

COLOURS: RED/BLK | **MTM SERVICE:** YES



STORM FORCE 4 SURFACE SUIT

CODE: F4 WILDWATER SIZE or F4 FE YELLOW SIZE or F4-320D-RED/NAVY-SIZE

Styles available: light and medium duty variants
Fabric build: 210D light duty trilaminate or
320D medium duty tri-laminate
Front entry BDM metal dry zip (medium duty)
Yamamoto neoprene neck and wrist seals (latex shown)
Reflective strips
Double layer knee/seat protection (V1 and V2)
Kevlar® knee/seat protection (V3 only)
Latex socks

STOCK SIZES: S, M, ML, L, XL, XXL, XXXL (UNISEX)

COLOURS: RED/NAVY, RED/BLK
MTM SERVICE: YES





RESPONDER SURFACE SUIT

CODE: RESPONDER-SUIT-SIZE

Fabric build: coated nylon
Rear entry YKK® Aquaseal® plastic dry zip
Latex neck and wrist seals
Reflective strips
1x light stick arm pocket
Double layer knee/seat protection
Elasticated ankle gaitors
Latex socks

STOCK SIZES: S, M, L, XL, XXL, XXXL (UNISEX)

COLOURS: RED | **MTM SERVICE:** NO

2 PIECE FLOOD SUIT

CODE: FLOOD-SUIT-SIZE

Fabric build: coated nylon

Overjacket:

Neoprene neck and wrist seals
Adjustable Velcro closure on the neck
1x light stick arm pocket
Adjustable Velcro waistband

Salopette:

Adjustable quick release braces and belt
Splash proof zip
Gusseted zipped chest pockets
Elasticated ankle gaitors and latex socks (neoprene shown)

STOCK SIZES: S, M, ML, L, XL, XXL (UNISEX)

COLOURS: RED/BLK | **MTM SERVICE:** NO

MADE TO MEASURE SERVICE AVAILABLE





BOATING OPERATIONS SUIT

CODE: BOATING-OPS-MTM

Fabric build: 320D embratex breathable tri-laminate
 Front entry YKK® Aquaseal® plastic dry zip
 Yamamoto neoprene neck and wrist seals
 Fleece lined collar with integrated high vis hood
 Cuff protectors (Velcro closure)
 2x zipped fully dry arm pockets
 4x bellows arm/leg pockets (Velcro closure)
 YKK® Aquaseal® plastic dry fly zip
 Kevlar® knee/seat protection
 Adjustable ankle protectors (Velcro/zip closure)
 Breathable socks

STOCK SIZES: NONE

COLOURS: NAVY, BLK | **MTM SERVICE:** YES



TRANSIT SUIT

CODE: TRANSIT-SUIT-SOLAS-SIZE

Fabric build: 320D embratex breathable tri-laminate
 Front entry YKK® Aquaseal® plastic dry zip
 Yamamoto neoprene neck and wrist seals
 Fleece lined collar with integrated high vis hood
 Cuff protectors (Velcro closure)
 2x fully dry chest pockets and 1x removable radio pocket
 2x integrated glove arm pockets (5.0mm neo gloves included)
 1x Flexi-Light stick arm pocket
 2x bellows leg pockets (Velcro closure)
 Kevlar® knee/seat protection
 Kevlar® coated breathable lightweight socks

STOCK SIZES: S, M, L, XL, XXL, XXXL (UNISEX)

COLOURS: RED/BLK | **MTM SERVICE:** NO



PROWADE NEOPRENE WADERS

CODE: WADERS-PRO-SIZE

Designed around a high body cut these neoprene waders offer added protection from the elements.

Fabric build: 5.0mm neoprene
Adjustable, elasticated quick release braces
1x large central chest pocket
Integrated hand warmers pouches
Double layer neoprene knee pads with silicone overprint
Lightweight PVC boots fitted as standard
Other boots or socks can be fitted upon request

STOCK SIZES: S, M, L, XL, XXL, XXXL

COLOURS: BLK | **MTM SERVICE:** YES



Taylor Grote

CONTAMINATED WATER DIVING SUITS



THOR CONTAMINATED WATERS SPECIALIST RUBBER DIVING DRYSUIT AVAILABLE IN 1000G + 1600G

CODE: 1000-THOR R/E SIZE or 1600-THOR-SIZE

The ideal suit for toxic incidents, chemical diving environments and contaminated waters.

Styles available: 1000g and 1600g

Fabric build: Vulcanised laminated polymer sheets, polyester, high-grade rubber and EPDM which gives excellent strength, protection & durability

Rear entry BDM metal dry zip (heavy duty)

Latex neck and wrist seals

Commercial grade inflation/exhaust valves: standard positions

Reflective strips located on upper arms

Heavy duty boots

Rubber boots fitted to the 1000g

Safety boots fitted to the 1600g

STOCK SIZES:

S, M, ML, MLR, L, LR, XL, XLR, XXL, XXLR (UNISEX)

COLOURS: RED, BLK | MTM SERVICE: NO



@southerndivers38



@victor_valenzuela_p

THOR COMPATIBLE SPARE PARTS

All the spare parts listed can be bought as separate items or bought and fitted by Northern Diver's experienced repair and alterations department. For information on fitting prices for the Thor spare parts visit page 144.



DESCO NECK YOKE

CODE: NECK DAM DESCO

SIZE: ONE



GENESIS NECK YOKE

CODE: NECK DAM GENESIS

SIZE: ONE



KM NECK YOKE

CODE: NECK DAM-KM

SIZE: 17C - 77



AH NECK YOKE

CODE: NECK DAM-AH3/5

SIZE: ONE

THOR COMPATIBLE SPARE PARTS



BEANIE HOOD

CODE: THOR-BEANIE-SIZE

SIZE: L, XL



INFLATION VALVE

CODE: VALVE-ND-INFLATOR-CEJN

SIZE:
80*80*45mm (3.1*3.1*1.8")



MUSHROOM EXHAUST VALVE

CODE: VALVE-ND-EXHAUST-COMM

SIZE:
85*85*35mm (3.3*3.3*1.4")



LOCKING CUFF DUMP

CODE: ND0000878

SIZE:
60*60*30mm (2.4*2.4*1.2")



DRY GLOVE RING SYSTEM

CODE: GLDRY-SYSTEM-V4-SIZE

SIZE: S, M, L, XL



CUFF SYSTEM GLOVES

CODE: CUFF RING-GLOVE-SIZE

SIZE: M, L, XL



CUFF SYSTEM W/SEALS

CODE: CUFF RING + CUFF RING
-LATEX SIZE + CUFF RING-O RING

SIZE: M, L, XL



LATEX WRIST SEALS

CODE: SEAL-W-STYLE-SIZE

SIZE: S, M, L, XL



RUBBER BOOTS

CODE: THOR-SOFT-BOOT-SIZE

SIZE: UK 7-12



SAFETY BOOTS

CODE: THOR-BOOT-SIZE

SIZE: UK 7-12



SAFETY OVER BOOTS

CODE: THOR-OVERBOOT

SIZE: ONE



LEAD INSOLES

CODE: LEAD-INSOLES

SIZE: 2.6kg (5.7lbs) ea



EVO 8 HOTWATER SUIT

CODE: HWS-EVO-8-SIZE

CE approved suit for use in excess of 50 metres depth
 Fabric build: 4.0mm high grade yamamoto non-shrink neoprene,
 outer lining: durable Swiss pique canvas
 Front entry YKK® plastic zip
 Fleece lined collar (Velcro closure)
 Loop Velcro strips on cuffs and upper arm reflective detailing
 2x large bellows leg pockets with marine grade eyelets
 Anodized aluminium water distribution valve with 360 degree
 stainless steel quick connector
 Water flows along an anti-kink rubber pipe system built into suit
 Protective overprinted neopads on shoulders, elbows and knees
 Zipped gusset ankle closure

STOCK SIZES: S, M, ML, MT, L, LT, XL, XLT, XXL, XXLT,
 XXXL (UNISEX)

COLOURS: BLK | **MTM SERVICE:** NO



HOTWATER UNDERSUIT

CODE: HWS-WETSUIT-SIZE

A multi-purpose item that can be used as an undersuit providing
 an additional layer of thermal protection for colder dives or as a
 wetsuit in warmer climates
 Fabric build: 3.0mm 4-way superstretch neoprene
 Finished with an anti Velcro lining
 Triple glued and blind stitched seams
 Front entry YKK® plastic zip
 Velcro closing collar
 Ndiver printed branding

STOCK SIZES: S, M, L, XL, XXL (UNISEX)

COLOURS: BLK | **MTM SERVICE:** NO

HOTWATER SUIT COMPATIBLE SPARE PARTS



GAUNTLET KEVLAR® GLOVE

CODE: GLM-GAUNTLET-KEVLAR-SIZE

5.0mm neoprene with reinforced Kevlar® palm and finger tips
Plush inner lining
Liquid taping and over printed panels on finger tips
50*50mm (2*2") hook Velcro panel fitted inside gloves

SIZE: M, L, XL, XXL



HOT GRABBER GLOVE

CODE: GL HOT GRABBER SIZE

EN420, EN388, EN374
Cut resistant and hard wearing
Excellent resistance to abrasion
Resistance to chemicals, acids, alkalis, cutting oils and petrol
Neoprene cuff with adjustable Velcro strap to reduce flushing

SIZE: M, L, XL



HOTWATER BOOT

CODE: BOOT-HOTWATER-SIZE

5.0mm neoprene
Drain holes on inner side of boots
50*50mm (2*2") hook Velcro panels fitted inside boots (x2)
Flexible rubber sole

SIZE: S (UK 7-8), M (UK 9-10), L (UK 10-11), XL (UK 11-12), XXL (UK 12-13)



HOTWATER SERVICE KIT

CODE: HWS-SERVICE KIT

For use with the Hotwater manifold. Should be serviced every 3-6 months, or yearly if used less than once a year.

SIZE: N/A



NORTHERN DIVER

@sub.nor



apollo bio seals

DO YOU GET NECK & WRIST TRICKLE?

Heralded by DIVER magazine as "truly keeping the water out". Some divers may experience a trickle of water down their seals now and again, usually as a result of a channel caused by a tendon. Hopefully not for much longer.

Apollo bio seals combat water ingress and work excellently. The seals simply slide over your neck and wrists, and form an effective bond with your drysuit seal, whether you use neoprene or latex seals.

The Cosmo-gel that the seals are made from is super soft and super stretchy (1300% - 1500% stretch). As you could deduce, they are very comfortable and mould to your skin brilliantly. On top of this, durability isn't compromised. This product is latex free.

BIO NECK SEAL

CODE: SEAL-NECK-BIO-BLACK-SIZE

SIZE: M (11"-14"), L (15"+)

BIO WRIST SEALS

CODE: SEAL-WRIST-BIO-BLACK

SIZE: ONE



INFLATION VALVE

CODE: VALVE-ND-INFLATOR-STYLE
Ultra Low Profile
TUV-RHEINLAND Test Rating
Style/colours may vary
COLOUR: WHITE, YELL



EXHAUST VALVE

CODE: VALVE-ND-EXHAUST-COLOUR
Ultra Low Profile
TUV-RHEINLAND Test Rating
Fully adjustable 'auto dump'
COLOUR: WHITE, YELL

SPECIALIST COMMERCIAL VALVES

CODE: VALVE-ND-INFLATOR-CEJIN or VALVE-ND-EXHAUST-CEJIN or VALVE-ND-EXHAUST-COMM

We supply valves that are specially designed for harsher diving environments. Perfect for contaminated waters with chemical, impact and heat resistance, these valves are available in inflation, exhaust and double mushroom exhaust models. Ultra Low Profile with a TUV-RHEINLAND Test Rating.



LOCKING CUFF DUMP

CODE: ND0000878

SIZE:
60*60*30mm (2.4*2.4*1.2")



BLOWGUN SYSTEM

CODE: VALVE-BLOWGUN-VALVE + VALVE-BLOWGUN-INFLATOR

Features a sealing Hanson style quick release connector, located on the swivel valve body. An easy to use push-button system, which quick-connects to your drysuit valve. Users can disconnect the blowgun underwater for uses such as inflating lifting bags, marker buoys and other equipment.

COLOUR: BLK/WHITE

SUIT ACCESSORIES



STANDARD HOSES

CODE: NDA-NEW NDA HOSE STD or NDA-NEW NDA 40" HOSE

Low pressure drysuit inflation hose

SIZE: 33" and 40" (83.8 and 101.6cm)



VTEC HOSE

CODE: NDA-NEW NDA HOSE VTECH

Low pressure drysuit inflation hose

Compatible with our VTECH valves

SIZE: 33" (83.8cm)



CEJN HOSE

CODE: NDA-NEW-CJEN HOSE

Low pressure drysuit inflation hose

Quick Connect couplings

SIZE: 40" (101.6cm)



AC-11-2 HOSE COVER

CODE: HOSE PROTECTOR BLACK

SIZE: ONE



AC-11-4 HOSE COVER

CODE: HOSE PROTECTOR BLACK

SIZE: ONE



AC-11-5 HOSE COVER

CODE: HOSE PROTECTOR BLACK

SIZE: ONE

Hose protectors: protects the delicate junction where the hose screws into the 1st stage. Durable material with self-draining vented design for thorough rinsing/ drying.



SUIT HANGER

CODE: HANGER-DRYSUIT

Specifically designed for drysuits, inverted drying, manufactured from lightweight heavy-duty plastic

SIZE: ONE




SUIT STORAGE BAG

CODE: NDB8

Large enough for any Northern Diver drysuit, with a water resistant lining that keeps moisture within the bag. Opens out to create a handy changing mat. Supplied as standard with all new Northern Diver drysuits.

SIZE: 76*50*20cm (29.9*19.7*7.9")



WAX FOR METAL ZIPS

CODE: ZIP WAX

Easy, effective suit zip lubrication
Ensure smooth action &
prolonged zip life

SIZE: 10*2cm (3.9*0.8")



LUBE FOR PLASTIC ZIPS

CODE: AQUASEAL ZIP LUBE

Additional protection and grease
for YKK® Aquaseal®, Flexseal
and Proseal zips

SIZE: 4.8g (0.2oz)



NEOPRENE SEAL LUBE

CODE: SEAL-LUBRICANT

A water based seal lubricant that
will extend the life of neoprene
seals and ease getting in and out
of any suit

SIZE: 200ml (7.04oz)



LATEX SEAL - TALC

CODE: SEAL SAVER

Pure (unscented) talcum powder
specially formulated to lubricate
and help extend the life of latex
seals on any suit

SIZE: 100g (3.5oz)



SILICONE SPRAY

CODE: SILICONE SPRAY

A water repellent, protectant or
lubricant for rubber, plastic and
metal parts

SIZE: 200ml (7.04oz)



SUIT SEAL

CODE: SUITSEAL REPAIR SET

Used for repairs to holes and
tears in suits, used to seal our dry
glove ring system to neo cuffs

SIZE: 21g (0.74oz)

Suit Repairs & Alterations.

Book your suit in online.

We offer a full ONLINE repair and alterations service
for our suits. All you need to do is log in to your online
account to get started with the 8 steps to book your repair

Find out more at www.ndiver.com/repairs

Photo credit: Louise, one of our Repairs Team Leaders in action. Using her
27 years' experience to cut and custom fit repairs & alterations.



ELECTRACORE

3.0mm Rechargeable Heated Vest provides heat to give complete warmth to the body when working in cold conditions.

The Northern Diver 'Electracore' heated vest has been designed and manufactured with your comfort and warmth in mind. The three heat settings allow you to pick a temperature that suits you and if it happens that you want to raise or lower the temperature, the switch has been positioned in an easy to reach position to the left of your midriff – ensuring that even when you're wearing your rescue suit, the button remains easy to access.

The 'Electracore' has been made using a flexible 3.0mm black neoprene shell along with a snug fleece inner lining maintaining comfort for the user, whilst also insulating and reflecting the heat back on to the body, so even if the vest is turned off, there will still be noticeable thermal benefits.

The colour of the On/Off button will identify the heat of the vest. With up to a ten-hour run time, the 'Smart' Lithium-Ion battery will last for several dives.

The built in heat panels are waterproof, CE approved and conforms to EN 61000-6-1:2019, EN 61000-6-3:2007/A 1 :2011/AC:2012. Note the battery is not waterproof. This garment has been designed to be worn underneath a dry suit when being used in and around water.

Why use a heated vest?

Working efficiency increases
Working safety increases
Mobility is better (no need for multiple layers)
Comfort increases

CODE: HEATED-VEST-SIZE

SIZE: S, M, L, XL, XXL (UNISEX)

COLOUR: BLK

1000 MA	High Setting	Mid Setting	Low Setting
Temperature	50 degrees	40 degrees	25 degrees
Run Times	3hrs 10mins	4hrs 30mins	6hrs 30mins
Colour Of Light	Red	Blue	Green

METALUX



THERMALUX



METALUX ARCTIC & TEMPERATE

CODE: METALUX 330g ARCTIC SIZE or METALUX TEMP SIZE
or METALUX ARCTIC SIZE

Designed to reflect thermal radiation and reduce air movement, even when wet or compressed
Fabric build: lightweight, high-performance ripstop nylon outer shell with a fleece-lined inner over the metalux insulating layer
Quick-drying
Bacteria and fungus resistant
Stretch thermalskin cuffs and foot stirrups
Non magnetic two way YKK® zip
1x zipped chest pocket and 2x hip pockets

SIZE: S, M, ML, MLR, MR, MLT, L, LR, LT, XL, XLR, XLT, XXL, XXLR, XXXL, XXLR (UNISEX)

100g Temperate
TOG: 4.2

200g Arctic
TOG: 4.3

300g Arctic
TOG: 4.4

THERMALUX

CODE: THERMALUX-SIZE

Comfortable and incredibly flexible
Fabric build: outer nylon shell, absorbing micro-fleece lining
Quick-drying & ultra lightweight
Bacteria & fungus resistant
Stretch lycra panels provide flexibility in shoulders, lower back & under arms to give exceptional freedom of movement, without sacrificing warmth
Thermalskin cuffs, elasticated thumb loops & foot stirrups
Non magnetic two way YKK® zip
2x hip pockets

SIZE: XS, S, M, ML, MLR, L, LR, XL, XLR, XXL, XXLR (UNISEX)

TOG: 2.3

THERMICORE



BODYCORE



THERMICORE

CODE: THERMICORE-V2-SIZE or THERMICORE-V2-SUB-ZERO-SIZE

Styles available: Thermicore and a double thickness Sub Zero
 Fabric build: printed outer shell and a fleece inner, the Thermicore has 1 fleece layer whilst the Sub Zero has 2 fleece layers
 Seams are flat lock stitched
 Super-soft fleece comfort collar
 1x zipped arm pocket (sub zero only)
 Elastic thumb stirrups
 Integrated foot stirrups
 Elasticated adjustable waistband
 Includes HotSox

SIZE: S, M, ML, L, XL, XXL, XXXL (UNISEX)

Thermicore
TOG: 0.6

Thermicore Sub Zero
TOG: 1.4

BODYCORE

CODE: BODYCORE-SRE-SIZE or BODYCORE-SUB-ZERO-SIZE

Styles available: Bodycore and a double thickness Sub Zero
 Fabric build: durable outer shell and fleece inner, the Bodycore has 1 layer and the Sub Zero has 2 layers of fleece
 Seams are flat lock stitched
 Super-soft fleece comfort collar
 Velcro neck closure in some styles
 Front entry 2-way zip
 Elastic thumb stirrups
 Integrated foot stirrups
 Suit branding may vary dependant on style

SIZE: S, M, ML, L, XL, XXL, XXXL (UNISEX)

Bodycore
TOG: 0.6

Bodycore Sub Zero
TOG: 1.4

THERMALSKIN



TECHNICAL BASE LAYER



THERMALSKIN BODYLINE

CODE: MOD-BODY-U/SUIT-SIZE

Close fitting - fits like a "second skin" - can be used as a tropical swimming suit or as a base layer with our undersuits
 Fabric build: moisture wicking fleece & stretch lycra
 Front entry 2-way plastic zip
 Velcro closing neck tab
 Breathable & lightweight
 Reliable blind stitched seams
 Elasticated thumb loops
 Built in foot stirrups

SIZE: S, M, L, XL, XXL (UNISEX)

TOG: 0.2

TECHNICAL BASE LAYER

CODE: BASE-LAYER-SIZE

An increasingly popular thermal...
 Helps maintain core body temperature
 Can be worn on its own or layered up with other undersuits
 Fabric build: 67% polyamide, 30% polyester, 3% spandex
 Breathable and moisture wicking
 Ergonomic design
 Lightweight and durable
 Thumb stirrups for use when fitting wrists through suit wrist seals
 Foot stirrups to keep long johns in place

SIZE: S, M, L, XL (UNISEX)

TOG: N/A



EXTREME THERMAL SAT

CODE: THERMAL-SAT-SUIT-SIZE

Fabric: a hydrophobic outer layer helps repel water, retain heat and dries quickly, a padded middle and a soft inner lining
 Front entry two-way YKK® zip
 1x chest pocket with removable ID badge
 2x hip pockets
 Integrated elasticated thumb holes
 Toughened panels to protect high wear areas – all round middle section of arms, back of shoulders and front of knees
 Split design at the ankles with Velcro adjustable closure allows for swift donning and the use of different types of footwear
 Compressible to allow suit to be stowed away tightly

SIZE: M, MT, L, LT, XL, XLT, XXL, XXLT, XXXL (UNISEX)

TOG: N/A

HOTWATER - DUAL USE SUIT

CODE: HWS-WETSUIT-SIZE

A multi-purpose item that can be used as an undersuit providing an additional layer of thermal protection for colder dives or as a wetsuit in warmer climates
 Fabric build: 3.0mm 4-way superstretch neoprene
 Finished with an anti Velcro lining
 Triple glued and blind stitched seams
 Front entry YKK® plastic zip
 Velcro closing collar
 Ndiver printed branding

SIZE: S, M, L, XL, XXL (UNISEX)

TOG: 0.2



CHANGING ROBE

CODE: ND-CHANGING-ROBE-SIZE

Changing out of your wet kit just got a whole lot easier with this cosy Changing Robe. Perfect for keeping you warm, dry and covered up, the oversized design ensures that there is plenty of space inside the robe to allow you to easily change whilst protecting your modesty.

The changing robe is fully waterproof and windproof with 300gsm fleece insulation, ensuring you can get changed in comfort – or to just keep warm and dry once you're out of the water.

The robe also boasts an adjustable hood, hand warmer pockets, a chest pocket and roll sleeve tabs, so you can achieve your perfect level of comfort.

- Fully waterproof and windproof fabric
- 300gsm internal fleece insulation
- Chest pocket (zipped closure)
- Waterproof front entry zip
- Roll sleeve tab to allow short sleeve and long sleeve configuration
- Adjustable Velcro tabs on the cuffs
- Integrated hood with drawstring adjustment
- Hand warmer pockets (zipped closure)

SIZE: S/M, L/XL (UNISEX)



FLEECE INSULATION



ROLL SLEEVE TABS



WATERPROOF | BREATHABLE | ANTIBACTERIAL

CODE: DRYSOX-SIZE

Certified to: BS EN ISO 12947-2

Moisture-wicking, anti-bacterial, breathable & 100% waterproof socks, designed with a tri-layer fabric for top performance. Perfect for countless applications in wet conditions where it's essential to keep your feet warm, dry & comfortable. Lightweight, high performance, easy to wash & a seamless perfect fit. Designed to stop ingress of water, dirt or sand.

Available in calf length, Oeko-Tex 100 certified. Fabric build: outer: abrasion resistant nylon, elastane, spandex, mid: waterproof, breathable membrane, inner: Coolmax, cotton, nylon, spandex

SIZE: S (UK 4-6), M (UK 6-8), L (UK 8-10), XL (UK 10-12)



HOTSOX

CODE: HOTSOX-SIZE

They keep your feet warm
Mid length with high wicking fleece
Flat lock stitched with no raised seams

SIZE: UK 3-14



TEMPERATE SOCKS

CODE: MOD-TEMP-SOCKS-SIZE

3.0mm superstretch neoprene
Low profile flat lock stitched seams
Smooth finish & comfortable fit

SIZE: UK 5-10



BODYLINE SOCKS

CODE: MOD-BODY-SOCK-SIZE

Keep your feet even warmer
Flat lock stitched with no raised seams
Heel protector & cut to fit perfectly

SIZE: UK 5-13



SHORT SLEEVED RASH VEST

CODE: RASH VEST-GENDER-SIZE

SIZE: S, M, L, XL, XXL

COLOUR: VARIOUS (random draw)



LONG SLEEVED RASH VEST

CODE: RASH VEST-GENDER-SIZE -LONG

SIZE: S, M, L, XL, XXL

COLOUR: VARIOUS (random draw)



MILITARY ALL BLACK RASH VEST

CODE: MOD-RASH-VEST-SIZE

SIZE: S, M, L, XL, XXL

COLOUR: BLK

Rash vests are ideal beneath your undersuit or wetsuit to glide with your body movements, colours vary dependent on stock



SEMI DRY 1 PIECE WITH SEPARATE HOOD

CODE: MOD-SEMI DRY-SIZE

Fabric build: superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple-glued & blind-stitched seams
Rear entry, horizontal YKK® plastic zip
Smooth-skin neoprene neck with adjustable Velcro collar
Smooth-skin neoprene wrist and ankle seals with neo warmers
1x large leg pocket (Velcro closure)
Strong pad knee and seat areas

SIZE: S, M, ML, L, XL, XXL (UNISEX)

SEMI TECH 2 PIECE WITH SEPARATE HOOD

CODE: SEMI-TECH-GENDER-SIZE

Suit can be layered in colder waters or used as separates
Pieces: 5.5mm long john, 6.5mm shortie and 5.0mm hood
Fabric build: 5.5mm/6.5mm superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple-glued & blind-stitched seams
Integrated Thermal Shield vest (long john)
YKK® plastic zip (rear entry on long john, front entry on shortie)
Smooth-skin wrist/ankle seals with zipped closure (long john)
Protective over print on shoulders and knees

SIZE: S, M, L, XL, XXL (GENT + LADIES)



DELTA FLEX 2 PIECE WITH SEPARATE HOOD

CODE: DELTA-FLEX-SIZE

Pieces: 5.0mm long john, over jacket and hood
Fabric build: 5.0mm superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple glued, blind stitched seams
Collar with Velcro closing neck tab
Front entry YKK® plastic zip (long john and over jacket)
Smooth-skin wrist/ankle seals with zipped closure (long john)
Pre-formed knee and elbow areas
Protective over print on lower arms, knees and ankles

SIZE: M, ML, MLT, L, LT, XL, XXL (UNISEX)



HELIOS 1 PIECE WITH ATTACHED HOOD

CODE: N/A

Fabric build: 7.0mm superstretch neoprene
High vis yellow panelling
Ti-Ax Thermacote titanium lining
Triple glued, blind stitched seams
Attached neoprene hood
Front entry YKK® plastic zip
Smooth-skin wrist/ankle seals with zipped closure
Pre-formed knee and elbow areas
Strong pad elbow, knee and seat areas

SIZE: MTM



STORM 1 PIECE WITH SEPARATE HOOD

CODE: W-STORM-FE-SIZE

Pieces: long john and hood
Fabric build: 6.0mm superstretch neoprene with 4.0mm underarms, elbows, knees and crotch for extra flexibility
Ti-Ax Thermacote titanium lining
Triple-glued & blind-stitched seams
Front entry YKK® zips with non-chafe Velcro tab collar
Smooth-skin wrist and ankle seals
Strong pad knee and seat areas

SIZE: S, M, ML, MLT, L, LT, XL, XLT, XXL, XXXL (GENTS)
S, M, L, XL, XXL (LADIES)



SHARK STEAMER 1 PIECE LONG JOHN

CODE: W-STEAMER BLACK - SIZE

Fabric build: 3.0mm superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple-glued & blind-stitched seams
Rear entry YKK® plastic zip
Smooth-skin neoprene neck
Adjustable Velcro neck tab
Smooth-skin neoprene wrist and ankle seals
Bold Storm branding

SIZE: S, M, L, XL, XXL (UNISEX)



WILDWATER 1 PIECE SHORTIE SUIT

CODE: W-SHORTIE-G-SIZE or W-SHORTIE-L-SIZE

Fabric thickness: 3.0mm
Fabric build: 4-way superstretch neoprene
Warm, plush Ti-Ax Thermacote titanium lining
Triple-glued & blind-stitched seams
Rear entry YKK® plastic zip with long leash for ease of use
Smooth-skin neoprene neck/arm/leg seals
Secure Velcro closing neck tab
Protective overprint on the shoulders/thighs

SIZE: S, M, L, XL, XXL (MENS + LADIES)
COLOUR: BLUE/BLK, PURPLE/BLK



SHARK 1 PIECE SHORTIE

CODE: W-SHORTIE BLACK-S

Fabric build: 3.0mm superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple-glued & blind-stitched seams
Rear entry YKK® plastic zip
Smooth-skin neoprene neck
Adjustable Velcro neck tab
Smooth-skin neoprene wrist and ankle seals
Bold Storm branding

SIZE: S, M, L, XL, XXL (UNISEX)

SHORTIE WETSUITS, KIDS WETSUITS & ACCESSORIES



X-FIRE 1 PIECE SHORTIE SUIT

CODE: WETSUIT-SHORTIE-SIZE

A great option for low profile wetsuit protection in warm conditions whether you're scuba diving, pool training or snorkelling
Fabric build: 3.0mm neoprene
Ti-Ax Thermacote titanium lining
Triple glued, blind stitched seams
Rear entry zip with long leash for ease of use
Secure Velcro closing neck tab
Blue stitch detailing

SIZE: S, M, L, XL (UNISEX)



KIDS STORM WETSUIT

CODE: WETSUIT-STEAMER-AGE

Superstretch neoprene build
Seams triple glued/blind stitched
Rear entry high quality YKK® zip
Inner protective zip flap
Long zip puller with securing fastener and subtle Northern Diver detailing
Reflective Northern Diver and X-Fire logos
Smooth skin neoprene neck, wrist and ankle seals

SIZE: 3-14yrs



WETSUIT HANGER

CODE: HANGER-WETSUIT

Designed for the upright drying of a wetsuit
Also compatible with drysuits or BCDs
Manufactured from lightweight heavy-duty plastic
Ergonomic and compact design for easy storage

SIZE: ONE



DELTA WETBOOT

CODE: WETBOOT07-DT-SIZE

Fabric build: 5.0mm neoprene
Titanium internal warm lining
Anti-slip rubber sole
Heel and toe protection
Heavy duty durable side zip
Alterations can be made for a wider fit (extra fee may apply)

SIZE: UK 3-13



EMERGENCY SERVICES RESPONSE (ESR) 1 PIECE WITH SEPARATE HOOD

CODE: W-ESR-THICKNESS-SIZE

Pieces: long john and hood
Fabric build: high vis orange 4-way superstretch neoprene available in 1.5mm, 3.0mm and 5.0mm
Ti-Ax Thermacote titanium lining
Reflective strip print detailing
Front entry YKK® plastic zip with secure Velcro collar tab
Smooth-skin seals with zipped closure on wrists and ankles
Strong pad elbow, knee and seat areas

SIZE: S, M, L, XL, XXL



SEARCH AND RESCUE 1 PIECE WITH SEPARATE HOOD

CODE: W-SAR-SIZE

Ideal for helicopter/search and rescue operations
Pieces: long john and hood
Fabric build: 4.0mm high vis superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple glued, blind stitched seams
Collar with Velcro closing neck tab
Front entry YKK® plastic zip
Smooth-skin neck, wrist and ankle seals
Strong pad elbows, knees and seat areas
RESCUE printed down left thigh

SIZE: S, M, L, XL, XXL (UNISEX)



TROPICAL & TEMPERATE 2 PIECE MILITARY GRADE SYSTEMS

CODE: MOD-TROP-LONG-SIZE + MOD-TROP-SHORT-SIZE or
MOD-TEMP-SLEEVED-SIZE + MOD-TEMP-SHORT-SIZE

Suit can be layered in colder waters or used as separates
Tropical: 5.0mm long john and 3.0mm shortie
Temperate: 5.0mm long john and 5.0mm shortie
Fabric build: superstretch neoprene with liquid taped seams
Ti-Ax Thermacote titanium lining
YKK® plastic zip (rear entry on long john, front entry on shortie)
Smooth-skin neck, wrist and ankle seals
Strong pad elbow and knee areas

SIZE: S, M, MT, ML, MLT, L, LT, XL, XLT, XXL (UNISEX)



BEAVERTAIL 2 PIECE WITH ATTACHED HOOD

CODE: WETSUIT-BELGIUM SIZE or WETSUIT-BELGIUM 7MM SIZE

Thickness options: 5.0m or 7.0mm
Pieces: long john (sleeveless) and over jacket
Fabric build: superstretch neoprene
Ti-Ax Thermacote titanium lining
Triple glued, blind stitched seams
Integrated superstretch neoprene hood (over jacket)
Adjustable Velcro shoulder straps (long john)
Front entry YKK® plastic zip (over jacket)
Smooth-skin wristseals with zipped closure (over jacket)
Kevlar® knee protection (long john)

SIZE: S, M, L, XL, XXL (UNISEX)



REAR ENTRY 1 PIECE MILITARY SUIT

CODE: MILITARY FULL SUIT SIZE - 5MM or MILITARY FULL SUIT SIZE

Thickness options: 3.0mm or 5.0mm
 Fabric build: superstretch neoprene
 Ti-Ax Thermacote titanium lining
 Triple glued, blind stitched seams
 Smooth-skin neck with Velcro closing neck tab
 Rear entry, vertical YKK® plastic zip
 Smooth-skin wrist and ankle seals
 Strong pad protective elbow and knee pads

SIZE: S, M, ML, L, XL, XXL (UNISEX)





MARLIN OPENWATER TRIATHLON WETSUITS

CODE: TRIATHLON-G-SIZE or TRIATHLON-L-SIZE

We have been designing and producing world-class wetsuits for over 45 years and are proud to present our latest innovation, the Marlin Triathlon suit.

Our men's suit has been intricately designed to perfectly work in conjunction with the male body, ensuring unparalleled freedom of movement, comfort, and ultimately, performance. It is the ideal suit for triathlons and all open water swimming.

We created two versions of the suit as it was vital to consider the differences between the male and female body frame and shape, a one-size-fits-all approach would not suffice for the serious triathlete and open water swimmer.

FEATURES

- Constructed from Yamamoto #30, #40 SCS and Aerodome neoprene
- Wetsuit panels range from 2.0mm to 5.0mm
- Triple glued & taped seams
- Glide through the water more efficiently and with zero drag
- Reduces body heat loss with the metallic alloy barrier
- Cuffs and ankles designed to be trimmable
- YKK® zip with long zip puller & Velcro to secure
- Protective inner zip flap
- Open water visibility with bright blue shoulder/arm panels
- Quick easy on. Easy off – which eases frustration
- Smooth overprint pattern on cuffs, back panel and underarms
- Mesh storage bag included
- Available in mens and womens cuts

SIZE: S, M, L, XL, XXL



WHY THE MARLIN TRIATHLON WETSUIT?

The Marlin Triathlon suit has an impressive history of success – providing a solid foundation on which we have built upon. In the early 2000's the previous design of this suit was worn by top triathletes such as Faris Al Sultan (2005 Ford Ironman Kona World Champion), and Christof Wandratsch, who set the (then) world record for the fastest ever swim of the English Channel in 2005.

You can expect even more from our brand-new suit. We have taken our old design and revolutionised it, incorporating the latest features and high-end construction to create a modern-day, world-class triathlon suit.



MARLIN SWIM CAPS

CODE: MARLIN-CAP-COLOUR-SIZE

High vis panel (yellow, pink, blue)
3mm neoprene with Velcro chin strap
Sizes: S, M, L



HYDRO-GLIDE SWIM GLOVES

CODE: GL-MARLIN-HYDRO-GLIDE-SIZE

Stretchy 2.0mm neoprene
Glued & blind stitched
Sizes: XS, S, M, L, XL



MARLIN SWIM GOGGLES

CODE: MARLIN-GOGGLES-COLOUR

Leak resistant seal
Panoramic field of vision
Available in blue or black



SWIM SOCKS

CODE: MOD-TEMP-SOCKS-SIZE

Superstretch neoprene construction
Snug fit - like a 'second skin'
Sizes: S, M, L, XL



CHANGING ROBE

CODE: CHANGING-ROBE-SIZE

Fully waterproof/windproof fabric
300gsm fleece insulation
Sizes: S/M and L/XL



MARLIN TOW FLOAT BAG

CODE: MARLIN-SWIM-FLOAT

Highly visible waterproof PVC
Roll top dry bag with oral tube
Includes waist strap and whistle



40L KIT BAG

CODE: DRYBAG-40L-SRE

Durable waterproof material
Welded construction
Dims: 52*32*26cm (20.5*12.6*10.2")



WET BOOTS

CODE: WETBOOT07-DT-SIZE

5mm neoprene, titanium lined
Anti-slip rubber sole
Sizes: UK3-12 (EU 36-46)



FLEXI-LIGHTS

CODE: FLEXI-LGT-COLOUR

100% waterproof, 100m depth rated
Visible from up to 3km away
Low, high power and flashing modes

DRY GLOVE RING SYSTEM

Suitable for both arctic conditions & contaminated water environments.

CODE: GLDRY-SYSTEM-VERSION-SIZE

SIZE: S, M, L, XL

Loss of movement or manual dexterity, due to cold hands, can be dangerous during a dive, as well as being uncomfortable for the diver. Maintaining hand warmth and a divers ability to efficiently operate their essential diving equipment, is vital to safe diving and maintaining a high level of dive comfort. Northern Diver are proud to manufacture and continue to innovate our revolutionary concept in dry diving glove systems.

Fitting this dry glove system to your own drysuit is easy, as the package includes the unique bespoke fitting tool, sealing adhesive and a sealing adhesive application brush.

Compatible with neoprene or membrane drysuits, using latex or neoprene wrist seals. Once fitted to a divers suit, the unique twin-safe locking ring mechanism, allows quick and easy glove engagement and the equally quick release of the dry gloves, without the need for assistance.

Gloves conform to the requirements of European Directive 89/686/EEC and to the European standards EN420:2003 + A1:2009 and EN374:2003, EN388:2003

Ansell Extra™ glove

Extremely high resistance to many ketones, salts, detergents, alcohols, alkalies and fats
100% cotton flock lining provides a softer more comfortable glove that helps absorb perspiration

100% natural rubber with no filters

Excellent resistance to mechanical hazards plus increased chemical protection

Chlorinated for better grip and increased chemical resistance

Heavy duty handling where sensitivity is also required

Thermal fleece inner glove

Thermal 4-way stretch fleece

Flat lock stitched seams for comfort

Snug fit around wrist area for additional thermal protection

Removable for warmer waters or for use post dive

Package includes


Ansell Extra™ and thermal fleece inner gloves

2 (smaller lightweight) glove modules

3 sealing rings

Locking tool and adhesive sealant

Instructional video available online



What's in the kit:



Ansell Extra™ gloves



Fleece inner gloves



Dry glove ring modules



Locking tool and sealing rings



Suit seal and application brush

CUFF RING SYSTEMS

DRY GLOVE RING SYSTEM COMPATIBLE SPARE PARTS



ANSELL GLOVE (SPARES)

CODE: GLDRY-OUTER-K-SIZE
SIZE: M, L, XL



INNER GLOVE (SPARES)

CODE: MOD-0273-ITEM SIZE
SIZE: M, L, XL



DRY GLOVE RINGS (SPARES)

CODE: GLDRY-LOCKING-RING
SIZE: ONE

DRY GLOVE RING SYSTEM ALTERNATIVES

If you do not have a dry glove system fitted to your drysuit you can use these heavy-duty gloves.

They are puncture resistant and offer plenty of room to fit a pair of warm fleece gloves underneath them.

They have a latex seal which sits on top the latex seals fitted to your suit



DRYTEK GLOVE

CODE: GL-DRYTEK-SIZE
SIZE: S, M, L, XL



HELIOS GLOVE

CODE: GLDRY-HELIOS-SIZE
SIZE: S, M

CUFF RING SYSTEM AVAILABLE WITH LATEX WRIST SEALS OR PROTECTIVE CUT RESISTANT GLOVES

Developed to ensure that a user can quickly and easily remove the seals from a drysuit and replace with new seals/gloves in the field. Attached directly to the drysuit the permanent wrist rings mate with seals or gloves. The gloves have excellent resistance to abrasion, acids, alkalis, cutting oils and petrol.



CUFF SYSTEM WITH LATEX SEALS

CODE: CUFF RING + CUFF RING-LATEX SIZE + CUFF RING-O RING
SIZE: M, L, XL



CUFF SYSTEM WITH GLOVES

CODE: CUFF RING + CUFF RING-LATEX SIZE + CUFF RING-O RING + CUFF RING-GLOVE-SIZE
SIZE: M, L, XL



CUFF SYSTEM GLOVE (SPARES)

CODE: CUFF RING-GLOVE-SIZE
SIZE: M, L, XL



NEW



This product is still in development and may change in appearance

Well-suited for extremely cold environments and underwater use
 Disperses heat evenly throughout the hand
 Great to keep areas that are especially vulnerable to cold, such as fingertips, supplied with ample heat
 Adjustable temperature/heat levels
 Evenly distributed heating elements allow for freedom of movements in palms
 Superstretch neoprene keeps you warm even when the heating is off
 Inclusive waterproof battery and charger

SIZE: S, M, L, XL, XXL

COMING SOON!



DRYSKIN GLOVE

CODE: GL5-DRYSKIN-SIZE

Thickesses available: 5.0mm
 Fabric build: superstretch neoprene with anti-Velcro lining
 Liquid taped seams, sealed for extra protection
 Finex thermal inner lining
 Internal dry seal ring to keep water out, keeps hands dry and warm
 Silicone printed palms add extra grip

SIZE: S, M, L, XL, XXL



ARCTIC SURVIVOR GLOVE

CODE: GL01 S/S SIZE or GL01 S/S-HD-SIZE

Thickesses available: 5.0mm
Styles: superstretch and heavy duty supertretch
 Fabric build: superstretch neoprene with anti-Velcro lining
 Liquid taped seams, sealed for extra protection (heavy duty style only)
 Neotex wrist seals form a 'water lock' system
 This seal system ensures no flush from the gloves, keeping your hands warm
 A comfortable, close fit for optimal dexterity
 The textured overprint gives additional abrasion resistance

SIZE: S, M, L, XL, XXL

5-FINGER GLOVES



OPTIMUM ZIPPED GLOVE

CODE: GL5-OPTIMUM BLACK-SIZE

Thicknesses available: 5.0mm
Fabric build: superstretch neoprene with anti-Velcro lining
Triple glued and blindstitched seams
Ti-Ax® Thermacote® heat-reflecting lining
Additional protective Diamondflex on back of hand
Overprinted palms and fingers for heightened control and grip
A wrist zip to allow the necessary expansion when required

SIZE: S, M, L, XL, XXL



SRE ZIPPED GLOVE

CODE: GL3-OPTIMUM-SRE-SIZE

Thicknesses available: 3.0mm
Fabric build: superstretch neoprene with anti-Velcro lining
Nylon lining with glideskin seal
Triple glued and blindstitched seams
Overprinted back of hand, palm and fingers
Long plastic zip with velcro closing zip tab

SIZE: S, M, L, XL, XXL

3D SHAPED OPTIMUM ZIPPED GLOVES

Available in:
5.0mm Temperate
3.0mm Tropical

Catering for
both extremes of
temperature without
the loss of dexterity
and warmth.

Sizes:
S, M, L, XL, XXL



A moulded shape fit along with our Glideskin seal makes donning easy for the user. Factors complemented by the added security of a Long YKK® plastic zip with velcro closing zip tab.

With pre-bent fingers and anti-slip grip, the gloves perform really well. Super comfortable because of the pattern and the unique four-way stretch neoprene. Flat-locked stitched and triple glued seams ensure the durability and longevity of the glove is maximised to the fullest.

3.0mm Tropical

CODE: GL3-TROP-
SIZE

5.0mm Temperate

CODE: GL5-TEMP-
SIZE

5-FINGER GLOVES



STORMFORCE GLOVE

CODE: GL4-STORMFORCE-SIZE

Thicknesses available: 4.0mm

Fabric build: superstretch neoprene with a shark skin rubber palm

Thermal inner lining

Textured rubber palm gives excellent grip and does not compromise on flexibility

Water migration is minimised with the elasticated Velcro fastening wrist strap

SIZE: S, M, L, XL, XXL



KEVLAR® SUPERSTRETCH GLOVE

CODE: GLTHICKNESS-K-SIZE

Thicknesses available: 3.0mm, 5.0mm

Fabric build: superstretch neoprene with anti-Velcro lining

Triple glued and blindstitched seams

KN203 Kevlar® finger tips and palm give this glove double the strength

Overprinted fingertips for extra protection and abrasion resistance

For more extreme conditions, these gloves give extra strength and protection, without compromising on hand comfort, ease of use or underwater dexterity

SIZE: S, M, L, XL, XXL



SUPERSTRETCH NEOPRENE GLOVE

CODE: GLTHICKNESS S/S-SIZE or GLTHICKNESS S/S-HD-SIZE

Thicknesses available: 2.0mm, 5.0mm, 7.0mm

Styles: superstretch and heavy duty superstretch

Fabric build: 4-way superstretch neoprene with anti-Velcro lining

Reported to be the easiest of all our gloves to put on and take off

Liquid taped seams (heavy duty style only)

Ti-Ax™ super-warm titanium inner lining

Finished with an abrasion resistant overprinted pattern

Additional overprint on the fingers for extra protection (heavy duty style only)

Super flexibility and comfort

SIZE: S, M, L, XL, XXL





AMARA PALM GLOVE

CODE: GL-SRE-SIZE

Thicknesses available: 2.0mm
Fabric build: nylon, neoprene and amara construction
Triple glued and blindstitched seams
Designed specifically for rescue services
A layer of amara suede on the finger areas with a double layered palm
Velcro wrist strap enhances security and keeps flushing to a minimum

SIZE: S, M, L, XL, XXL



AMARA PALM ZIPPED GLOVE

CODE: GL-SRE-ZIP-SIZE

Thicknesses available: 2.0mm
Fabric build: nylon, neoprene and amara construction
Super soft plush thermal lining
A glove based on our original, very popular, amara palm SRE glove
A layer of amara suede on the finger areas with a double layered palm
Additional internal padded panels provide improved comfort
Overprinting on the palm and fingers give non-slip grip and abrasion protection
Long YKK® plastic zip for ease of donning

SIZE: S, M, L, XL, XXL



NEOPRENE GLOVE

CODE: GL5-08-SIZE

Thicknesses available: 5.0mm
Fabric build: neoprene
Soft, comfortable inner lining
Gloves combine comfort, warmth and flexibility
Triple glued and blindstitched seams
Palm, fingers and thumb feature a hard-wearing protective coating
an elasticated Velcro wrist strap reduces water flushing

SIZE: S, M, L, XL, XXL

GLOVES FOR ALL CONDITIONS



BUILT FOR COMMERCIAL USE

COMMERCIAL 3 FINGER MITT

CODE: GL5-MITT-SIZE



Ideal for cold water diving
 Thicknesses available: 5.0mm
 Fabric build: 4-way superstretch neoprene with anti-Velcro lining
 Thermal plush inner lining
 Glued & blind-stitched seams
 1.0mm to 2.0mm skin/skin neoprene internal wrist seal
 3 finger mitt perfect for extra warmth keeping your fingers closer together
 Gauntlet style cuffs gives extra protection up the forearm
 Adjustable Velcro strap ensures minimal water exchange

SIZE: S, M, L, XL, XXL

KEVLAR® COMMERCIAL 3 FINGER MITT

CODE: GL7-K-SIZE



For extreme cold water use
 Keeps your hands warm and protected
 Thicknesses available: 7.0mm
 Fabric build: 4-way superstretch neoprene with anti-Velcro lining
 Triple glued and blindstitched seams
 Additional liquid taped external seams, sealed for extra protection
 KN203 Kevlar® from the tips of the fingers right down to the palm
 1.0mm to 2.0mm skin/skin neoprene internal wrist seal
 Adjustable Velcro strap ensures minimal water exchange

SIZE: S, M, L, XL, XXL

KEVLAR® COMMERCIAL GAUNTLET GLOVE

CODE: GLM-GAUNTLET-KEVLAR-SIZE



Thicknesses available: 5.0mm
 Plush inner lining
 Fabric build: superstretch neoprene
 Triple glued and blindstitched seams
 Liquid taped around the finger tips for extra protection
 KN203 Kevlar® finger tips and palm give this glove double the strength
 Overprinted fingertips for extra protection and abrasion resistance
 50 x 50mm hook Velcro panel fitted inside helps to secure to our Hotwater suit

SIZE: M, L, XL, XXL



5MM SV NEOPRENE DIVE HOODS WITH LINED OR GLIDESKIN OUTER FACE SEAL

CODE: HD-HOOD-ND-SIZE or SKIN SKIN HOOD SIZE

Improved design with superior fit and unrivalled comfort
Innovative cut, sewn from a very flexible neoprene
Fits like a comfortable second skin
Perfectly adapts to the shape of the head
Works well with both dry and wetsuits

BUILD FEATURES

Supple, 5mm superstretch neoprene
Plush internal lining
Internal skin neoprene face seal
Supervent to allow for release of trapped air
Unique Ti-Ax® Coating
Glued and blind-stitched seams to minimize water exchange and keep you warm

SIZE: S, M, L, XL, XXL



6.5MM SUPERVENT HOOD W/LINED OUTER FACE SEAL

CODE: HD-S/S-SIZE

6.5mm superstretch neoprene
Plush thermal inner layer and vents for pressure equalisation

SIZE: S, M, L, XL, XXL
COLOUR: BLK



6.5MM SUPERVENT HOOD W/SKIN OUTER FACE SEAL

CODE: HD-SKIN-SKIN-SIZE

6.5mm superstretch neoprene
Plush thermal inner layer and vents for pressure equalisation

SIZE: S, M, L, XL, XXL
COLOUR: BLK



2MM COMMS HOOD W/LINED OUTER FACE SEAL

CODE: MOD-HOOD-COMMS-2MM-SIZE

Comm cable fixtures for a radio headset and internal pocket to house equipment
Perforated ear pieces and vents for pressure equalisation

SIZE: S, M, L, XL, XXL
COLOUR: BLK



5MM COMMS HOOD W/LINED OUTER FACE SEAL

CODE: MOD-HOOD-COMMS-5MM-SIZE

Comm cable fixtures for a radio headset and internal pocket to house equipment
Perforated ear pieces and vents for pressure equalisation

SIZE: S, M, L, XL, XXL
COLOUR: BLK



6MM BOATING OPS HOOD W/LINED OUTER FACE SEAL

CODE: MOD-HOOD BOAT OPS-SIZE

Nose, mouth & ear vents allow for comm systems to be used
Vents for pressure equalisation

SIZE: S, M, L, XL, XXL
COLOUR: BLK




4MM REVERSIBLE HOOD W/SKIN OUTER FACE SEAL

CODE: HOOD-REVERSIBLE-SIZE

Yellow high vis for training use
Reflective banding on yellow side
Reverse to black for covert ops
Vent for pressure equalisation and communications

SIZE: S, M, L, XL, XXL
COLOUR: BLK/HIGH VIS YELL

PRO-SAFE WATER RESCUE BOOTS



CERTIFIED TO EN 20345:2011

CODE: BOOT-PROSAFE-SIZE

Our latest design of water safety boot. Provides exceptional comfort, control, grip and protection in water and on land. Featuring the FreeLock fast lace system and wide opening makes the process of putting on the boots super quick.

Composite mid-sole and toe protection make the boots extremely lightweight and additional layers along the side of the boot keeps the foot securely in place. The lacing system is a super strong synthetic weave which will last the life of the boots. Layers along the front and sides of the boot help withstand knocks and sharp objects from puncturing or scraping the boots.

Build: synthetic leather, PU heel, mesh inner
Anti-static, oil resistant/slip resistant outsole
Double stitched seams for added strength
Lightweight composite mid-sole/toe protection
Penetration-resistant mid sole
Padded ankle collar for extra ankle protection
Reinforced PU outer heel cage
FreeLock fast lace system
Low-profile to ensure no snag hazards
3 generous reinforced mesh drainage holes
Ventilated & moulded foot bed
Extra long pull on loop - easy use with gloves
Weight: 600g (1.3lbs) per boot

SIZE: UK 4-14



FREESTYLE SAFETY WATER RESCUE BOOT

CODE: BOOT-CANYON-SIZE

Provides comfort, control and protection, allowing rescue professionals to feel confident to perform their tasks on dry land or in/around water. Built using both synthetic and natural materials, which conform to EN ISO 20345:2011.

Lightweight, protected toe-caps
S3 slip resistance
Conform to the SB, S1 and S2 requirements
High quality rubber EVA non-slip sole and composite toe
Exceptional grip on wet or unstable surfaces, moss, seaweed and many other hazardous surfaces
Impact resistant to 200 joules, antistatic and have water absorption/water penetration properties
Energy absorption around the heel
Strengthened stitch seams for long term durability
Abrasion resistant with external heel protection
Wicked inner lining and drain holes on the inner side
Neoprene insoles provide extra comfort
Velcro closing straps for a quick release system

SIZE: UK 3-14

ROCK SWIM SAFETY BOOTS

CODE: BOOT-COMPOSITE2-SIZE

Complies with the EC directive for Personal Protective Equipment (Directive 89/686/EEC) and meets the requirements of the European standard EN ISO 20345:2004.

All terrain boots
Expels water through the side vents to increase comfort
Allows wearer to perform tasks on dry land, in/under water
Can be worn with/without socks
Fins can be directly fitted over the boots
Far greater protection than the standard rock swim boots, essential when more substantial PPE is required
Maximum comfort & control
Composite toe & mid-sole foil
Rugged hi-grip heavy-duty outer sole
Oil and chemical resistant
Suitable for use in/out of water (fitted with drain holes)
Multi-point Velcro securing straps
External ankle protection
Cladding protection on heel, toe & sides
Fabric: nylon and synthetics

SIZE: UK 5-13

ROCK SWIM BOOTS

CODE: MOD-BOOT2-SIZE

Designed to be used with most models of drysuit, with attached latex or neoprene socks or material socks. These boots expel water post-dive, for additional foot protection (after diving) on a boat deck or back on land.

Offers the user excellent grip on boats & boarding ladders. Comfortable to wear for swimming and diving. Ideal for all terrains and our ISBO military fins are ideal to wear with these boots.

Suitable for use in/out of water
Lace up
Multi-point 'Velcro' securing straps & ankle strap
Fitted internal neoprene socks
Rugged hi-grip heavy-duty outer sole
Oil and chemical resistant
External ankle protection
Cladding protection on heel, toe & sides
Drainage points on both sides of the boot
Fabric: nylon and synthetics

SIZE: UK 5-13

WETSUIT BOOTS

AVAILABLE IN SIZES UK3-13



160L + 110L NDB5 MILITARY HOLDALLS

CODE: NDB5-COLOUR-HOLDALL or NDB5-COLOUR-SHORT

Our NDB5 bag range is constructed from PVC top spec material and is fully washable inside and out. This strong and spacious holdall is ready for action across a wide range of transport scenarios. It's capacity should swallow up your bulky gear with ease.

These bags are renowned for their robust construction and durability making them the first choice for countless divers all over the world and are also supplied to the UK MOD who only use the best.

Spacious main and smaller end compartments
D-zip opening with weather protective zipper flap
Internal mesh pockets
Additional reinforcement on the base
Comfortable top-mounted carry handle
Adjustable, removable alpine-cut shoulder straps with an ergonomic fit - now with extra padding for additional comfort and an adjustable chest strap
Webbing loops running down both sides of the bag can be used with carabiner or similar to attach items
Twin haul handles on either end - now padded with neoprene covers for extra comfort
Water-resistant, rugged design with extra bartacs and double stitching to strengthen high wear areas
ID pouch on the front of the holdall
Washable inside and out
PU and nylon stitched construction

STYLES: 160L and 110L

COLOUR: RED, BLUE, BLK



SUPPLIED WITH: nylon bag - great for storing the NDB5 when not in use and dry clothes when in use
LxWxH: 48*44*12cm (18.8*17.3*4.7")

160L NDB5

SIZE: LxWxH: 87*46*40cm (34.3*18.1*15.7")

WEIGHT: 3.5kg (7.7lb)

110L NDB5

SIZE: LxWxH: 60*46*40cm (23.6*18.1*15.7")

WEIGHT: 3kg (6.1lb)



OPTIONAL: roll up changing mat can be stored on the side of an NDB5 when not in use

SIZE: LxW: 100*60cm (39.4*23.6")





170L WELDED NDB5

CODE: NDB5-W-BLACK

Spacious main compartment with D-zip splash proof zip opening
Internal welded seam construction and x3 mesh pockets
Comfortable top-mounted handle and x2 haul handles on ends
Alpine-cut padded shoulder straps, adjustable and removable
Equipment loops running down both sides of the bag
ID pouch on the front of the holdall, washable inside and out
Changing mat storage straps (changing mat can be sold separate)

SIZE: LxWxH: 98*50*35cm (38.6*19.7*13.8")

WEIGHT: 2.8kg (6.1lb)

SUPPLIED WITH: welded inner bag with 2-way splash proof zip
LxWxH: 56*44*12cm (22*17.3*4.7")



45L NDB5 MINI

CODE: NDB5-MINI

Highly vis ripstop nylon material with reflective silver trim
D-zip opening with a weather protective zipper flap
Internal mesh pockets
Comfortable top-mounted handle
Adjustable alpine-cut shoulder strap for use on the left or right
Twin haul handles on either end

SIZE: LxWxH: 50*29*25cm (19.7*11.4*9.8")

WEIGHT: 0.8kg (1.8lb)

SUPPLIED WITH: a wash bag



80L NDB10 SCUBA HOLDALL

CODE: NDB10

Hard-wearing Cordura® construction, designed for military use
Large capacity main pocket with separate end zipped pocket
Additional fin pocket with plastic buckle closure
Heavy duty top carry padded handle
Removable webbing shoulder strap
Corrosion resistant zips

SIZE: LxWxH: 73*34*30cm (28.7*13.4*11.8")

WEIGHT: 1.5kg (3.3lb)



80L LIGHTWEIGHT MESH HOLDALL

CODE: MESH-BAG

Compact and durable with padded air mesh walls
Quick drying time, easy to travel with/carry and store
Front sleeve/pocket
Padded carry handles and D-rings for a shoulder strap
Corrosion resistant zips

SIZE: LxWxH: 74*34*32cm (29.1*13.4*12.6")

WEIGHT: 1.0kg (2.2lb)

WHEELED TRAVEL BAGS



40L VOYAGER CABIN

CODE: VOYAGER CABIN

Ideal for Ryanair and other low cost airlines

Complete with smooth roll wheels and telescopic handle
Ripstop nylon fabric

Top-mounted 'comfort' carry handle

Metallic red two stage telescopic handle and four smooth wheels

Shoulder strap - attaches to either side of the bag

Generous main compartment with tablet pocket

Velcro closing documents side pockets

Discreet back zipped pocket - perfect for passport and wallet

SIZE: LxWxH: 20*38*54cm (7.9*14.9*21.2")

VOLUME: 40L, **WEIGHT:** 3kg (6.1lb)

Includes: tablet case, airport friendly liquids bag and luggage tag



114L VOYAGER QUEST

CODE: VOYAGER QUEST

Clamshell opening travel bags with rugged all terrain wheels

Ultra-durable Cordura® and ripstop nylon fabrics

Top-mounted 'comfort' carry handle

Extra-reinforced lockable telescopic pull handle

Zippered top fin compartment

Zippered side and end pocket

Rigid heavy duty PVC curved base

Two heavy duty wheels

Wheel and corner guards

Includes: wash bag and luggage tag

SIZE: LxWxH: 72*36*44cm (28.3*14.2*17.3")

VOLUME: 114L, **WEIGHT:** 5.4kg (11.9lb)



136L VOYAGER ALL TERRAIN

CODE: VOYAGER ALL TERRAIN

With handy 'trunkie' tow handle and smooth roll wheels

Washable hard-duty PVC fabric

Top-mounted carry handle and handles at both ends

Removable tow strap

Protective PVC with plastic runners on base

Wheel and corner guards

Two zippered compartments

One large main compartment and one small end pocket (zippered)

ID card window

Includes: wash bag

SIZE: LxWxH: 81*40*42cm (31.9*15.7*16.5")

VOLUME: 136L, **WEIGHT:** 4.1kg (9.0lb)



144L PRO-SAFE

CODE: PRO-SAFE-HOLDALL

Specifically designed large equipment holdall

Red cordura with PVC backing

Zip opening for one large main compartment

Padded carry handles

316 stainless steel salt water resistant D-rings

Zippered gusset pockets

316 stainless steel D-ring for use with removable tow strap

Heavy duty all terrain rugged wheels

Plastic reinforcement on the base and around the wheels for added protection

SIZE: LxWxH: 80*45*40cm (31.5*17.7*15.7")

VOLUME: 144L, **WEIGHT:** 6.1kg (13.4lb)



136L VOYAGER LIGHTWEIGHT WHEELED TRAVEL HOLDALL KIT BAG

CODE: VOYAGER-LIGHTWEIGHT-BLUE/GREY

Its lighter design makes travelling a breeze and plastic zips eliminate the chance of corrosion

Water resistant Ripstop nylon fabric
Reinforced pull handle is telescopic and fully retractable
2 compartments, 1 main large and 1 smaller end pocket
Strong plastic corrosion resistant zips with lockable sliders
Option to pull with removable, adjustable tow strap
Heavy duty, all terrain wheels & coiled corner/wheel guards
Includes: wash bag

SIZE: LxWxH: 81*40*42cm (31.8*15.7*16.5")

VOLUME: 136L, **WEIGHT:** 3.2kg (7.05lb)

139L VOYAGER MAXI-QUEST WHEELED CLAMSHELL TRAVEL BAG

CODE: VOYAGER-MAXI-QUEST-BLUE/GREY


Clamshell opening making packing so much easier - use it for yourself or share with a buddy/partner

Water resistant Ripstop nylon fabric
Salt water resistant fittings
Robust telescopic handle for easier transportation
Large zipped front pocket, 2 zipped internal compartments
Adjustable compression straps prevent contents moving
Heavy duty, all terrain wheels, coiled corner and wheel guards
Strong, reinforced textured PVC base with double rails

SIZE: LxWxH: 81*39*44cm (31.8*15.4*17.3")

VOLUME: 139L, **WEIGHT:** 5.2kg (11.5lb)

DRYBAGS IDEAL FOR DIVING, WATERSPORTS & OUTDOORS





TPU DRY SEAL ROLL TOPS

CODE: DRYBAG-SIZE-COLOUR

Dry seal bags are sure to keep your kit safe and dry designed for anything from recreational to rescue to military use.

High quality 420D TPU
Durable, strong and flexible
Secure 100% watertight closure
Closure creates a vacuum seal that is watertight
Completely leak-proof
Fitted with an air purge valve to help compress kit inside
Quick release buckles and high quality plastic D-rings
2x adjustable removable shoulder straps

COLOUR: red, black (others colours upon request)

120L

SIZE: HxWxD: 103*37*37cm
(40.6*14.6*14.6")
WEIGHT: 1.2kg (2.6lb)

20L

SIZE: HxWxD: 60*23*23cm
(23.6*9*9")
WEIGHT: 0.6kg (1.3lb)

50L

SIZE: HxWxD: 76*28*28cm
(29.9*11*11")
WEIGHT: 0.8kg (1.8lb)

10L

SIZE: HxWxD: 48*18*18cm
(18.9*7*7")
WEIGHT: 0.5kg (1.1lb)



PVC ROLL TOPS

CODE: DRYBAG-SIZE-COLOUR

Heavy-duty PVC
Roll-top quick release buckle system
Securely close and seal
Convenient carry handle
Keeps the water out or in (for wet items)
12L is perfect for stowing inside a canoe/kayak
51L and 117L include a detachable shoulder strap to assist with transporting a heavier load
Bags can be branded with teams crests/logos if required
examples (right) show Surrey Search & Rescue Team and BARB SAR

COLOUR: red, black, orange, yellow

117L (LARGE)

SIZE: HxWxD: 75*38*38cm
(29.5*15*15")
WEIGHT: 0.7kg (1.54lb)

12L (SMALL)

SIZE: HxWxD: 35*20*20cm
(13.8*7.9*7.9")
WEIGHT: 0.2kg (0.44lb)

51L (MEDIUM)

SIZE: HxWxD: 54*30*30cm
(21.6*11.8*11.8")
WEIGHT: 0.4kg (0.88lb)

WELDED ROLL TOP RANGE - 100% DRY BAGS



90L SUBSAC HOLDALL/RUCKSACK

CODE: DRYBAG-SUBSAC90-K

Manufactured from black 420D TPU that our latest dry bag range is made from

Fitted with a 100% water/air tight roll top dry seal closure

Completely leak proof this bag will not fail you in any scenario

Fitted with an air purge valve to help compress your kit

Adjustable alpine-cut shoulder straps with built in quick release buckles for when you want to remove and store straps away

One large spacious compartment

Multiple compression straps to reduce the size

High quality plastic D-rings and equipment webbing loops

SIZE: LxWxH: 74*40*30cm (29.5*15.7*11.8")

WEIGHT: 1.7kg (3.74lb)



40L SRE HOLDALL

CODE: DRYBAG-40L-SRE

A wide top opening which allows easy access to your gear

Velcro sealing roll top closure system

Quick release buckles to secure

Durable waterproof material and RF-welded seams

Strong and completely watertight

2x side grab handles and 1x top padded carry handle

A strong removable padded shoulder strap for easy transport

SIZE: LxWxH: 52*32*26cm (20.5*12.6*10.2")

WEIGHT: 1.5kg (3.3lb) need to check



78L VOYAGER RUCKSACK

CODE: NDB6

Heavy duty PVC backed Cordura® material

Excellent abrasion resistance with a fully washable interior

Roll-down top to keep the water in or out

Includes a 4-point compression strap system to reduce the height (if the bag is not filled to capacity)

Easy carrying, using the fixed padded/adjustable rucksack straps Can be fitted with inflation and exhaust valves

Left: example of a custom logo for SENVION wind energy solutions company, contact to discuss branding options

SIZE: LxHxW: 26*75*40cm (10.2*29.5*15.7")

WEIGHT: 0.7kg (1.54lb)



60L ZIPPED DAYSACK

CODE: DRYBAG ZIPPED or DRYBAG ZIPPED-RED

Large, watertight and airtight bag
Manufactured from 500 denier PVC
Welded seams for extra reinforcement
YKK® high compression dry zip
Press stud to secure zip puller in place when closed
Adjustable, padded shoulder straps
Load tested to 100kg (220lb)
Can be fitted with inflation and exhaust valves

Black version shown was branded for
Mauritius Fire & Rescue Service

SIZE: LxHxW: 24*62*39cm (9.4*24.4*15.3")

WEIGHT: 0.85kg (1.87lb)

COLOUR: RED (SRE logo), BLK (NDiver logo)



ZIPPED RUCKSACKS WITH MOLLE

CODE: MOD-ITEM-468 DAYSACK or DRYBAG-BERGEN BAG

Available in a 60L and 240L
Manufactured from a black nylon TPU CN
High frequency welded seams for extra reinforcement
Lightweight bag with integrated MOLLE system*
Fixed, adjustable, padded shoulder straps
Load tested to 100kg (220lb)
x2 compression straps and 50mm (2") plastic d-rings
Reinforced corners and an inflation/deflation tube
(lockable to prevent accidental deflation)

Designed with MOLLE system panels welded to the front
and sides, making it easy for users to effortlessly attach
any MOLLE compatible bag or equipment to it.

*MOLLE System
(Modular Lightweight Load-carrying Equipment)

60L ZIPPED DAYSACK WITH MOLLE

SIZE: LxHxW: 69*37*23cm (27.2*14.6*9.0")

WEIGHT: 1.6kg (3.5lb)

COLOUR: BLK

240L ZIPPED BERGEN WITH MOLLE

SIZE: LxHxW: 100x60x40cm (39.3"x 23.6"x 15.7")

WEIGHT: 3.9kg (8.6lb)

COLOUR: BLK



WELDED ZIPPED RANGE - 100% DRY BAGS



3L UTILITY POUCH

CODE: DRYBAG-UTILITY or DRYBAG-UTILITY-SRE

Depth rated to 30m (98.4')
Ideal for dry storage and carriage of equipment such as radios, flares, and personal, electrical or medical belongings
Manufactured from high frequency welded TPU
YKK® Aquaseal® dry zip
Oral inflation tube
x2 heavy duty plastic d-rings
Threads easily through any belt
X2 MOLLE compatible straps on the back of the bag
Black version shown with custom branding: call to discuss

SIZE: LxHxW: 25*15*8cm (9.8*5.9*3.1")

WEIGHT: 0.2kg (0.44lb)

COLOUR: RED (SRE logo), BLK (no logo)

SMALL STORAGE BAGS



5.9L COMPUTER SAFE

CODE: NDB21

EVA Foam and heavy-duty nylon
Zipped 'clamshell' closure
Removable impact-foam insert
Suitable for most wrist mounted dive computers

SIZE: 10*10*8cm (3.9*3.9*3.15")

WEIGHT: 0.07kg (0.15lb)

COLOUR: BLK



9L DIVE KIT STORAGE BAG

CODE: MOD-AGA-BAG-COLOUR

Heavy duty nylon fabric with drawstring closure
Velcro side panel opens to expand to easily put items in
Fully padded and finished in a soft plush interior to protect your equipment from scratches, use for safe carrying

SIZE: 18*18*35cm (7.09*7.09*13.8")

WEIGHT: 0.4kg (0.88lb)

COLOUR: BLK, CAMO/MTP



ND PARTNERS

**WATERPROOF MULTI-PURPOSE STORAGE CASES
FOR RECREATIONAL AND PROFESSIONAL SCENARIOS**
Enquire



R.A.I.D Cases provide the ultimate protection for transporting equipment that includes weapons, ammunitions, equipments for communication, EOD medical, laptops, rifles, shot guns, cameras, radios, rescue kit, specialist military equipment and more.

Injection moulded cases that can withstand the strains of floodwaters and can even be submerged* and still keep all valuable devices safe and dry. They protect your delicate equipment from handling abuse and the most extreme and hazardous conditions.

Shock proof, dust proof, waterproof, un-crushable, anti-chemical corrosion, high temperature resistance. High performance against breakage and defects from outdoor use.



Northern Diver also offers a complete customisation service, we have a professional team of engineers with years of experience managing complex projects, from design to final product, we are here to help. Injection moulded cases can withstand the strains of floodwaters and can even be submerged and keep all valuable devices safe and dry. We can accept your own design, or we can work with you to create the design for you all according to your budget and requirements.

See next page for pricing and stock sizes available



**IP67 - protected from dust and capable of withstanding water immersion between 15cm and 1metre for 30 minutes*

WATERPROOF HARD CASES



3L R.A.I.D. CASE

CODE: CASE-RAID-3L-191213
External dims:(L*W*D):
219*185*154mm (8.6*7.3*6.1")
Weight: 1.1kg (2.42lbs)
Wheels and retractable handle: No



6.5L R.A.I.D. CASE

CODE: CASE-RAID-6.5L-231815
External dims:(L*W*D):
270*231*180mm (10.6*9.1*7.1")
Weight: 1.3kg (2.86lbs)
Wheels and retractable handle: No



15L R.A.I.D. CASE

CODE: CASE-RAID-15L-433015
External dims:(L*W*D):
450*350*160mm (17.7*13.8*6.3")
Weight: 2.3kg (5.1lbs)
Wheels and retractable handle: No



17.9L R.A.I.D. CASE

CODE: CASE-RAID-17.9L-382718
External dims:(L*W*D):
410*342*204mm (16.1*13.5*8")
Weight: 3.74kg (8.2lbs)
Wheels and retractable handle: No



35.5L R.A.I.D. CASE

CODE: CASE-RAID-35.5L-483720
External dims:(L*W*D):
530*435*240mm (20.9*17.1*9.4")
Weight: 6.5kg (14.3lbs)
Wheels and retractable handle: Yes



54L R.A.I.D. CASE

CODE: CASE-RAID-54L-1133513
External dims:(L*W*D):
1189*405*160mm (46.8*15.9*6.3")
Weight: 9.6kg (21.1lbs)
Wheels and retractable handle: Yes



84L R.A.I.D. CASE

CODE: CASE-RAID-84-584433
External dims:(L*W*D):
670*508*355mm (26.4*20*14")
Weight: 10.92kg (24lbs)
Wheels and retractable handle: Yes



113L R.A.I.D. CASE

CODE: CASE-RAID-113L-764830
External dims:(L*W*D):
830*565*325mm (32.7*22.2*12.8")
Weight: 13.9kg (30.58lbs)
Wheels and retractable handle: Yes



154L R.A.I.D. CASE

CODE: CASE-RAID-154L-764840
External dims:(L*W*D):
830*565*429mm (32.6*22.2*16.9")
Weight: 15.4kg (33.8lbs)
Wheels and retractable handle: Yes

FULL BROCHURE WITH MORE SIZES AVAILABLE UPON REQUEST - CONTACT US!



ND PARTNERS

OTS GUARDIAN

CODE: OTS-GRD-COLOUR

Designed to meet the demanding needs of today's Commercial/Professional Diver, it leverages the best features found on other FFMs with unique features designed by OTS.

Removable 2nd stage for easy cleaning and storage (can't be used w/o mask)

Made of a one-piece, non-rigid silicone skirt combined with injection-moulded, high-impact, glass-filled ABS plastic frame and regulator housing

A double face seal and slightly smaller oral nasal cavity to fit most faces

Equalization occurs through a nose block.

Air flow is directed up over the visor to eliminate fogging and through one-way valves in the oral nasal pocket to reduce CO2 retention.

2nd stage comes off the right shoulder and uses a standard LP hose

Includes a communications port for easy installation of a Buddy Phone® or ear/microphone assembly to connect an Diver Communications Unit such as the Aquacom® SSB-2010

INCLUDES:

Ambient breathing valve®, mask bag and LP hose

COLOUR: BLK/YELL, RED/BLK, BLUE/BLK, BLK.BLUE, PINK/BLK, BLK/BLK



FULL FACE MASKS



@hd.stunts



OTS SPECTRUM

CODE: OTS-SFM-BB-920036-MODEL

The Spectrum Mask from OTS has created the best of both worlds for divers. You can enjoy the benefits and luxury of a FFM while also using your own regulators, thus eliminating the large costs usually associated with Full Face Masks. Ocean Technology Systems say they've created the best FFM on the market and it's the Spectrum.

- Easily avoid having a dry mouth or jaw fatigue
- Offers clear communications (optional)
- Improved fit due to the double seal
- Five-point head harness provides a comfortable and adjustable fit, but still allows easy release in the event of an emergency
- Full Face Mask (FFM) design
- Visor provides an exceptional and wide field of vision
- Secure 5-point head harness
- Suitable for cold water diving applications
- Coated tempered glass/Iridium safety visor
- Silicone skirt
- Polyphenylene sulfide (PPS) upper/lower visor clamps
- Tempered glass or Iridium visor/lens
- EPDM (natural rubber blend) strap and mask
- Glass filled Zytel® buckles and buckle locks
- Glass filled Zytel® inner frame

COLOUR: BLACK, BLUE (CLEAR or COATED lens)





SWITCH BLOCK

CODE: ND0000772

Build: brass CZ121 body/connectors, acetal rack/pinion, stainless steel 316L circlip/spring and ball bearing, NBR Nitrile O-rings, a bright chrome plate finish and a weight of 230g Ergonomically designed to a single point breathing system Developed to allow the diver to switch from main cylinder to reserve with one handed easy action
Fits an AGA or OTS mask



OTS EYEWEAR KIT FOR GUARDIAN FFM

CODE: OTS-EYE-33

Add your prescription lenses to wire frames in your OTS Guardian Full Face Mask

Enjoy a clear view underwater with securely mounted, custom engineered and field-tested prescription ready eye gear
Patented compression lock screws for a secure lens fit.
User friendly-installs in seconds



OTS ABV® FOR SPECTRUM FULL FACE MASK

CODE: OTS-ABV-SFM-879110-000

Everything you need to start conserving air
It enables a diver to conserve air on the surface
A diver can breathe normally without removing the FFM and without using the air from their primary air source
A check valve on the ABV allows ambient air to enter the valve; air is then exhaled out through the reg



TORCH MOUNTING RAIL

CODE: MOD-0280-AGA RAIL or FFM-GUARDIAN-RAIL

Compatible with the OTS Guardian or Interspiro AGA Divator full face masks

Mount various accessories such as lights and cameras
Allows the diver to use both hands more freely
Features an up/down adjustable slider

No tools required to attach the rail system to the mask
Includes a universal and Mini Quest torch mount



OTS FULL FACE MASK BAG

CODE: OTS-GRD-BAG

420D nylon with polypro webbing and corrosion resistant plastic hardware

D-rings, strap hooks, tri-glide and zipper sliders
Closed cell foam padding and a shoulder strap
Drain holes in the bottom

Dimensions: 39*24*16cm (15.4*9.4*6.3")
Weight: 0.319kg (0.7lb)

HALF FACE MASKS & SNORKELS



BIO METAL STEALTH PRO

CODE: MASK-BIO-PRO-STEALTH-VERSION
Matt finished frame with type-D flange: low 100cc volume and AR (Anti-Reflection) lens
Avoids reflection from search lights or when an operator is covertly approaching a target
Available in pro and non mag variants
COLOUR: BLK



BIO METAL PRO

CODE: MASK-BIO-METAL-COLOUR
Strong, slim-line aluminium frame
Soft silicone skirt
Wide split style mask strap
Easy adjust 1-touch buckles
Low 100cc volume
Slim pillar for improves field of vision
COLOUR: BLUE, PRPLE, BRWN, GRN



PHANTOM CLEAR VISION

CODE: MASK-BIO-METAL-COLOUR
Rounded lens > superb field of vision
Coated lenses
Anti-fog technology
Soft silicone facial skirt & strap
Double feather-edge seal for comfort
Patented push-button buckles
COLOUR: BLK



4-WINDOW 413

CODE: MASK-MS413-COLOUR
Unique twin split lens design
Panoramic field of vision
Surgical grade silicone
Fits a wide range of face shapes
Comfortable fit
COLOUR: BLK, BLUE, RUBY



MILITARY M235

CODE: MASK-MS235-BLACK
Twin extended lens
Low volume design
Excellent field of vision
Surgical grade silicone
Fits a wide range of face shapes
COLOUR: BLK



PRO VISION W/CAMERA MOUNT

CODE: MASK-PRO-VISION

Tempered impact resistant glass lenses with integrated 3-prong mount for camera (camera not included)

Flexible soft silicone skirt

Adjustable buckle for comfort fit & seal

COLOUR: BLK



DEEP VISION

CODE: MASK-DEEP-VISION-COLOUR

Unique twin extended lens

Low volume design

Extended field of vision

Surgical grade silicone

Fits a wide range of face shapes

Comfortable fit

COLOUR: BLK, BLUE, YELL, RED



CRYSTAL M23

CODE: MASK-23-C

Frame-less single window design

Allows mask to fit closer to users face

Excellent field of vision

Easy purging of water inside mask

Surgical grade silicone

Fits a wide range of face shapes

COLOUR: CLEAR



BRAVA

CODE: MASK-BRAVA-COLOUR

Low volume and wide field of vision

Soft silicone skirt = comfort/perfect fit

Patented push-button buckles allow

easy, quick strap adjustment

Anti-fog tech provides clarity of vision

COLOUR: BLK, CLEAR, PINK, WHITE



CLASSIC FRAMELESS

CODE: MASK-M112B-BLACK

High grade tempered glass

Anti-scratch and shatterproof

Frameless single lens gives expansive field of view

Extremely small internal volume

Soft silicone skirt and single lever buckle

COLOUR: BLK

GOOGLES & SNORKELS



SEAL XP GOGGLES

CODE: SEAL XP

Clear lenses provide 180deg visibility
For use indoors or low light situations
Watertight skirt, low profile
One-piece molded construction
Unique Plexisol lens provides 100%
UVA and UVB protection

COLOUR: BLK/GREEN



BRAVA

CODE: SNORKEL-SN1084-COLOUR

Streamlined oval-shaped barrel
Semi-dry top with splash-guard
Patented quick-release, swivel keeper
Silicone flex-section and mouthpiece
Easy purge system with large self
draining chamber

COLOUR: WHITE, PINK



DRY TOP PURGE

CODE: SNORKEL-1239-COLOUR

Hinged valve that prevents water
entering the snorkel while submerged
Quick-release clip
Easy to connect to the mask strap
Crystal silicone flex section
One way purge valve

COLOUR: BLK, BLUE, YELL



SNAKEHEAD

CODE: SNORKEL-1030-COLOUR

Drop away non return valve for easy
purging of water
Flexi-tube offers comfort to the diver
Splash guard
Replaceable mouthpiece

COLOUR: BLK, GREY, YELL, GREEN



J-TYPE

CODE: MOD-ITEM 9 SNORKEL ASSY TUBE

Designed for the military
Rigid all black construction
No valve
Ideal for use in fast flowing waters and
seas with high salt content

COLOUR: BLK



Check out our website for the latest range of SCUBAPRO equipment we are stocking
www.ndiver.com/diving-equipment/scubapro



DUAL CODA FIN

CODE: FIN-CODA-V2-SIZE

Designed to keep you swimming for longer
Less fatigue during the dive, little risk of cramps
Maximum propulsion with minimum effort
Efficient split-fin design
Superb power and performance
Non-magnetic design ideal for Military use
Heavy duty build quality - specially formulated thermal plastic rubber, fine-tuned to give an excellent balance between flexibility and rigidity
Slice through the water with minimal resistance
A smooth and stable kicking motion
Drag-reducing vents where foot pocket and blade meet radically decrease drag
Full manoeuvrability for both slow and rapid movements in the water
Quick-connect swivel buckles allow for easy donning and doffing

COLOUR: BLK

SIZE: M (UK 4-6), L (UK 7-10), XL (UK 11+)



APOLLO BIO RANGER FIN

CODE: FIN-BIO FIN RANGER SIZE

100% natural rubber
Dynamic split blade technology – reduces fatigue
Secure stainless steel spring straps
Comfortable foot pocket with anti-slip high traction sole (easy to walk in)
Fits both Amphibious boots and standard Military footwear
Low magnetic permeability for EOD
COLOUR: BLK
SIZE: M/L (UK 7-10), L/XL (UK 9-13+)



APOLLO BIO FIN

CODE: MOD-FIN-BIO-SIZE-BLACK

Increases bottom time and cruise speeds, 100% rubber construction
Improves ability to swim against strong currents and safety
High performance, 20° blade angle
Comfortable to wear on the surface
Improves efficiency for free divers
Up to 40% reduction in muscle fatigue
COLOUR: BLK
SIZE: XS (UK 5-6), S (UK 6-7), M (UK 7-8), L (UK 8-9), XL (UK 10-11+)

FINS & FIN STRAPS



JET FIN

CODE: FIN-JETFIN-SIZE or FIN-JETFIN-QR-SIZE
x2 buckle styles (metal or plastic)
Tested in extreme diving conditions
Manufactured from high quality rubber
Exceptional finning power, robust and superb endurance
Vented design decreases drag on up stroke and enhances thrust on down stroke

COLOUR: BLK

SIZE: M (UK 4-5), L (UK 6-7), XL (UK 8-9), XXL (UK 9-10), XXXL (UK 11+)



POWER FIN

CODE: FIN-2081-SIZE-COLOUR
Twin blades joined with a soft middle section, allowing independent movement of each blade
Powerful thrust
Easy manoeuvring
Comfortable foot pocket
Adjustable quick release fins straps

COLOUR: BLUE, SILVER, YELL

SIZE: S/M (UK 4-6), M/L UK (7-9), L/XL (UK 9-11), XXL (UK 11+)



TROPICAL FIN

CODE: FIN-POOL-COLOUR SIZE
Offer excellent all-round performance
Lightweight with full foot pocket
Soft TPR material
Anti-skid sole
Flexible centre channel for independent thrust from each blade
Vents with a channel design aid movement, accelerating water over fin

COLOUR: BLK, NAVY BLUE

SIZE: S (UK 5-7), M (UK 7-9), L (UK 9-11), XL (UK 11-13+)



SPRING FIN STRAPS

CODE: FINSTRAP SPRING SIZE or FIN-SPRING-SIZE
Plastic or metal buckles
Quick release
Designed to make it easier to put on/remove fins
Fits to most brands of fin
Flexible rubber curves around the ankle

COLOUR: BLK

SIZE: S (UK 6-8), M (UK 9-11), L (UK 12-14), XL (UK 14+) (sold in pair)



CODA FIN STRAPS

CODE: FINSTRAP-CODA
Unique pin design for entering waters from high altitude without the risk of damage or loss of the pin
Compatible with the CODA fins supplied by Ndiver
Rubber strap fits comfortably around the users ankle

COLOUR: BLK

SIZE: ONE (pair)



RUBBER FIN STRAPS

CODE: FINSTRAP1
An essential item for your dive spares kit or scuba diving tool box
High quality rubber construction

COLOUR: BLK

SIZE: ONE (pair)



METAL RETAINING BUCKLES

CODE: FIN-JETFIN BUCKLE
Designed for the Jet fins
An essential item for your dive spares kit
Stainless steel construction

COLOUR: SILVER

SIZE: ONE (pair)



GUARDIAN

CODE: BCD-GUARDIAN15-SIZE

Fabric build: 1680D/1000D nylon
Ergonomically designed power inflator system, comprises LP/corrugated hoses, inflate/dump buttons, mouthpiece and Hook and Loop fastening retainer
3 pull dumps: shoulder, power inflator and kidney
13 D-rings: 9 stainless steel, 4 CETL plastic, 2 side clips
2 integrated quick-release weight pockets
Weight pocket capacity: 4kg (8.9lbs) lead block, 5kg (11lbs) lead shot
2 rear trim weight pockets (non-dump)
Trim weight pocket capacity: 2kg (4.4lbs) lead block, 2.3kg (5.1lbs) lead shot
Single cylinder housing (BCD suitable for use with a pony cylinder as an additional cylinder)
Reinforced webbing cylinder cam band with removable pocket for the Northern Diver Flexi-Light (Flexi-Light not included)
Adjustable hook and loop fastening webbing waist strap
Adjustable webbing waist, chest and shoulder straps with side-release clips
Sliders for vertical adjustment of chest strap
Padded shoulder straps
Moulded Protection Plate a moulded, padded back plate
2 large zipped pockets
Removable bungee cord with split ring attachment point
Supplied with Northern Diver carry bag

SIZE: DRY WEIGHT: M= 3.9kg (8.6lbs), L= 4kg (8.8lbs), XL= 4.3kg (9.5lbs). LIFT: M= 12.2kg (26.9lbs), L= 22.4kg (49.4lbs), XL= 27.5kg (60.6lbs)



FLIGHT

CODE: BCD-FLIGHT-SIZE

Fabric build: 420D nylon
Ergonomically designed power inflator system, comprises LP/corrugated hoses, inflate/dump buttons, mouthpiece and hook and loop fastening retainer
3 pull dumps: shoulder, power inflator and kidney
15 CETL plastic D-rings
2 integrated quick-release weight pockets
Weight pocket capacity: 4kg (8.9lbs) lead block, 5kg (11lbs) lead shot
Single cylinder housing (BCD suitable for use with a pony cylinder as an additional cylinder)
Reinforced webbing cylinder cam band with removable pocket for the Northern Diver Flexi-Light (light not inc)
Adjustable hook and loop fastening webbing waist strap
Adjustable webbing waist, chest and shoulder straps with side-release clips
Sliders for vertical adjustment of chest strap
Padded shoulder straps
Moulded Protection Plate a moulded, padded back plate
2 large zipped pockets
Subtle reflective piping on side panels
Removable bungee cord with split ring attachment point
Supplied with Northern Diver carry bag

SIZE:

DRY WEIGHT: M= 2.7kg (6lbs), L= 2.7kg (6lbs), XL= 2.9kg (6.4lbs).
LIFT: M= 12.2kg (26.9lbs), L= 22.4kg (49.4lbs), XL= 27.5kg (60.6lbs)



EVE

CODE: BCD-EVE-SIZE

Fabric build: 1680D/420D nylon

Ergonomically designed power inflator system, comprises LP/corrugated hoses, inflate/dump buttons, mouthpiece and Hook and Loop Fastening retainer

3 pull dumps: shoulder, power inflator and kidney

12 D-rings: 6 stainless steel, 6 CETL plastic

2 integrated quick-release weight pockets

Weight pocket capacity: 4.5kg (9.9lbs) lead block,

5.5kg (12.1lbs) lead shot

2 rear trim weight pockets (non-dump)

Trim weight pocket capacity: 2kg (4.4lbs) lead block,

2.3kg (5.1lbs) lead shot

Single cylinder housing (BCD suitable for use with a pony cylinder as an additional cylinder)

Reinforced webbing cylinder cam band with removable pocket for the Northern Diver Flexi-Light (Flexi-Light not included)

Easy Evacuation System (EES) an easy-access pull handle, for use by another diver to quickly release the wearer

Adjustable hook and loop fastening webbing waist strap

Adjustable webbing waist, chest and shoulder straps

Sliders for vertical adjustment of chest strap

Extra-padded shoulder straps and jacket sides

Moulded, extra-padded back plate with tricot mesh finish

2 large zipped pockets

Removable bungee cord with split ring attachment point

Supplied with Northern Diver carry bag

SIZE: DRY WEIGHT: S= 3.2kg (7.1lbs), M= 3.4kg (7.5lbs), L= 3.6kg (7.9lbs), XL= 3.8kg (8.4lbs). LIFT: S= 11.2kg (24.5lbs), M= 13.2kg (29.1lbs), L= 14.2kg (31.3lbs), XL= 16.3kg (35.9lbs)



QUICK RELEASE WEIGHT POCKET (SPARE)

CODE: BCD-POCKET

Compatible with Guardian BCDs

SIZE: ONE, 230*110*40mm (9.1*4.3*1.6")



SHOCK CORD

CODE: CLIP SHOCK LINE - BLUE

Heavy-duty flexible and extendable shock line, with multiple attachment options

SIZE: ONE



BCD POWER INFLATOR SYSTEM

CODE: BCD-POWER INFLATOR or BCD-INFLATOR ONLY-AIR HORN

A useful item for your dive spares kit, 54mm shoulder dump valve thread.

SIZE: ONE



INFLATION HOSE (BCD + WINGS)

CODE: NDA-NEW NDA 40" HOSE or NDA-NEW NDA HOSE STD

Low pressure BCD inflation hose

SIZE: L (33" - 85cm), XL (40" - 100cm)



GUARDIAN JUNIOR/KIDS BCD

CODE: BCD-GUARDIAN-JR

Build: 600D polyester/420D nylon

Dry weight: 2.3kg (5.1lbs)

Lift: 8.1kg (17.9lbs)

Ergonomically designed mini power inflator system, comprises LP/corrugated hoses, inflate/dump buttons, mouthpiece and Velcro retainer

3 pull dumps: shoulder, power inflator and kidney

14 CETL plastic D-rings

Single cylinder housing (BCD suitable for use with a pony cylinder as an additional cylinder)

Reinforced webbing cylinder cam band with removable pocket for the Northern Diver Flexi-Light EES (Easy Evacuation System) - an easy-access pull handle, located at the top of the protection plate

Adjustable webbing waist, chest and shoulder straps with side-release clips

Sliders for vertical adjustment of chest strap

Padded shoulder straps

Moulded protection back plate

2 large zipped pockets

Supplied with Northern Diver carry bag

SIZE: ONE adjustable 12-14yrs

42lb SIDEMOUNT

CODE: SIDEMOUNT

Perfect for narrow wreck passages and caves

Fabric build: 1680D nylon

Ergonomically designed power inflator system, comprises LP/corrugated hoses, inflate/dump buttons and mouthpiece

Kidney pull dump

10 stainless steel D-rings

2 rear trim weight pockets (non-dump)

Trim weight pocket capacity: 2kg (4.4lbs) lead block,

2.3kg (5.1lbs) lead shot

Adjustable buckled webbing waist strap

Adjustable webbing crotch, chest and shoulder straps

Neoprene-padded shoulder straps

Comfortable padded back rest

Subtle reflective piping on wing back panel

Removable bungee with split ring attachment point

Removable zipped access bag

Supplied with Northern Diver carry bag

Rigging kit

2 Reinforced webbing cylinder cam bands

4 snap bolts and 2 bungee cords

Bungee cords have snap bolts at one end and quick links at the other

SIZE: ONE (adjustable)

Dry weight: 4.2kg (9.6lbs)

Lift: 18.3kg (40.6lbs)



HYDRA REGULATORS

CE Approved

EN250-A Certified

Suitable for cold water, extreme diving, warmer waters and less intensive dives



HYDRA REGULATOR SET

CODE: REG-HYDRA-DIN or REG-ND-M50-ACLAMP +
REG-HYDRA-OCTO + NDB14-2007

Hydra second stage

Synthetic resin, highly resistant to impacts & abrasion
Is not attacked by UV rays and chemical agents
Silicone diaphragm, exhaust valve and poppet seat
Chrome-plated brass & stainless steel inner components
Mouthpiece is hypo-allergenic silicone
Connects to a low pressure (LP) port on the first stage through a flexible LP hose with high flow performance
Venturi lever (+/- lever) adjusts nozzle direction to release air that is breathed in by the diver
Venturi lever can be adjusted between two settings
Minus for normal dive conditions
Plus for more extreme conditions &/or deeper dives

Emergency auxiliary second stage (bail out)

Same tech spec and materials as standard second stage
Colour of the shield and hose are yellow not black
Especially designed for easy identification in an emergency
Bail out hose is 1m long for quick access

First stage (DIN or A-clamp adaptors available)

Environmentally sealed
Build: brass (single piece) and electro-galvanic process
Chrome/nickel coated brass internal component parts
Stainless steel springs & nitrile rubber seals
Separation diaphragm: rubber resistant to low temps
Internal mechanism: twin protection (saltwater/moisture)
Internal black diaphragm: high performance and reliability
Fully separates "heart" of reg from external environment
Outer silicone diaphragm allows exact transmission of external pressure to internal mechanism, without the use of complicated equipment or special fluids
System: based on a balanced diaphragm regulator
Gives an intermediate pressure that is always constant, regardless of tank pressure or depth
Air inlet protected by conical sintered filter, blocks impurities
Fitted with 4 low pressure ports (3/8" x 24 UNF thread) and 2 high pressure ports (7/16" x 20 UNF thread)

18L regulator case can be purchased separate

CODE: NDB14-2007



REGULATOR SERVICING

Our in house experiencing **A.S.S.E.T. trained** technicians are ready and waiting to service your Northern Diver regulators.

What's included?

- A visual check
 - looking for tears/damage to regulators and/or hoses
- A pre-check
 - submersion test to detect any leaks
- A strip down
 - to inspect all parts, replace any worn/damaged part before a cycle in the Ultrasonic cleaning machine
- A complete rebuild and bench test
- A final submersion test

Turn around is approx. 7 working days, please contact us to check our current turaround time



DIN 1ST STAGE FITTING

CODE: REG-ND-DIN CONVERTER

European standard connection type (DIN = Deutsche Industrie Norm)
Increased pressure capacity - DIN can handle up to 300 bar.



DIN SERVICE KIT

CODE: REG-ND SERVICE KIT JUPITER DIN

Inc: diaphragm, internal cone fitter, HP seat poppet, anti-extruder washer, diaphragm retainer washer, O-rings (4) and environmental seal



2ND STAGE SERVICE KIT

CODE: REG-ND SERVICE KIT

Inc: mushroom valves (4), diaphragms (2), retaining caps (2), Orings (8) and stem seats (2)



A-CLAMP 1ST STAGE CONVERTOR

CODE: REG-ND-M50-ACLAMP

Also known as International fitting, it uses A-clamp type mounting which places an 'A' shaped frame over the cylinder valve, up to 232 bar.



A-CLAMP SERVICE KIT

CODE: REG-ND SERVICE KIT JUPITER A

Inc: diaphragm, diaphragm retainer washer, internal cone fitter, snap ring, HP seat poppet, anti-extruder washer, environmental seal and O-rings (3)



QUICK RELEASE MOUTH PIECE

CODE: MOD-ITEM-MOUTH PIECE CLIP

Designed for safety and comfort
Adjustable quick-release straps
Textured inner so straps stay in place
Remove reg at speed in an emergency

GAUGES / CLASSIC SERIES



CLASSIC CONTENTS

CODE: INST 1

0 - 450 bar
Built-in thermometer
63mm (2.5") face size
Hose length 32"/81cm



CLASSIC CONTENTS + COMPASS

CODE: INST 2

0 - 400 bar
Swivel-hose gauge
40mm (1.6") face size
Hose length 32"/81cm



CLASSIC CONTENTS + DEPTH

CODE: INST 3

450 bar
Built-in thermometer
80m (262') MDI depth gauge
& calibration wheel
63mm (2.5") face size
Hose length 32"/81cm



CLASSIC CONTENTS + COMPASS + DEPTH

CODE: INST 4

0 - 450 bar
Built-in thermometer
80m (262') MDI depth gauge, compass & bezel
63mm (2.5") face size
Hose length 32"/81cm

GAUGES / COMPACT SERIES



COMPACT CONTENTS

CODE: INST 10

400 bar
42mm (1.7") face size
Hose length 32"/81cm



CLASSIC CONTENTS + COMPASS

CODE: INST 11

400 bar
42mm (1.7") face size
Hose length 32"/81cm



CLASSIC CONTENTS + DEPTH

CODE: INST 12

400 bar
70m (230') MDI depth gauge
42mm (1.7") face size
Hose length 32"/81cm



CLASSIC CONTENTS + COMPASS + DEPTH

CODE: INST 13

400 bar
70m (230') MDI depth gauge, compass & bezel
42mm (1.7") face size
Hose length 32"/81cm



DIGITAL DEPTH GAUGE & DOCK

CODE: ND0000628 (GAUGE) and ND0000753 (DOCKING STATION)

EN 133319:2002 and conforms with 2001/95/EC
 Maximum operational depth: 100m (328')
 Depth accuracy: +/-2% of actual depth
 Depth resolution: 0.1m (0.3')
 Time accuracy: 2 sec/day
 Maximum dive duration: 5h
 Stored dive history: 20 data sets
 Dive data download: Optical serial through front panel
 Display: 40*30mm (1.6*1.2") white colour dot matrix OLED
 Power source: Non-rechargeable Lithium battery
 Visual indication of remaining power
 Full brightness display: 20h continuous
 Dim display: 30h continuous
 Display off: 100h continuous
 Switch: manual > default dim, brightness, auto power off
 Saves record of the dive, which can be transferred to a PC
 Docking station available separate (USB connection)



WRIST COMPASS GAUGE

CODE: INST 5

Classic style wrist
 Rubber wrist strap
 Stainless steel buckle
 Rotating bezel & sturdy housing
 60mm (2.4") face size



80M WRIST DEPTH GAUGE

CODE: INST 6

Copper-beryllium diaphragm
 Rack/pinion movement
 Smooth, precise operation
 340° scale & luminous dial
 Adjustable screw (for diving in altitude)
 Available in imperial and metric
 63mm (2.5") face size



PRESSURE CHECKER

CODE: INST 22 or INST 22A

Up to 232 bar (Aclamp) 300 bar (DIN)
 High pressure contents indicator
 Push-button relief valve
 Attaches to cross flow valve to
 determine cylinder pressure
 Surface use only



HOSES (HP + BAIL)

CODE: INST 15 or INST 18

For use with our classic
 and/or compact gauges
 Swivel end
 Length: 31.5"/80cm





VARILUX LD MAX

CODE: TORCH-LD-MAX

Burn time : 3h-5h (2600lm-1300lm)
 Beam distance: 300m (984')
 Beam angle: 8°
 Impact resistance: 1.5m (4'9)
 Depth rating: 100m (328')
 Material: Anodised aluminium
 Colour: Black/gold
 LED: 1 x CREE XHP50.2
 LED lifespan: 100,000 h
 Brightness: 2600 lumen
 Color temp: Cold white light 6500K

Mode: High / low / stepless dimming with memory function
 Battery: 2x 26650 7.2V, 5000 mAh
 Switch design: Push-button
 Lens: 4mm (0.2") polycarbonate
 Length x head dia.size: 232*54mm (9.1*2.1")
 Weight (torch): 305g (10.8oz)
 (torch+batteries): 505g (17.8oz)

Supplied with: torch (1), batteries (2), USB cable (1), O rings (3), lanyard (1), tail cap lubricant (1), storage case (1) and user manual (1)



VARILUX ZOOM

CODE: TORCH-VL-ZOOM

Burn time : 2h-10h (1000lm-1000lm)
 Beam distance: 1000m (3280')
 Impact resistance: 0.5m (1'6)
 Depth rating: 100m (328')
 Material: Anodised aluminium
 Colour: Black/gold
 LED: 1 x CREE XPL
 LED lifespan: 100,000 h
 Brightness: 1000 lumen
 Color temp: White light

Mode: High/flash/beam width adjust
 Battery: 18650 3.7V, 2600mAh
 Switch design: Magnetic push
 Lens: Convex PMMA
 Length x head dia x tail dia size: 165*54*35mm (6.5*2.1*1.4")
 Handle bar length: 118mm (4.6")
 Weight (torch): 354g (12.5oz)
 (torch and batteries): 840g (29.6oz)

Supplied with: torch (1), built in battery (1), USB cable (1), O rings (3), lanyard (1), tail cap lubricant (1), storage case (1) and user manual (1)



VARILUX 3500

CODE: TORCH-VL3500-19

Burn time: 1.5h - 40h (200lm-3500lm)
 Beam distance: 1000m (3280')
 Peak beam intensity: 90000cd
 Impact resistance: 0.5m (1'6)
 Depth rating: 100m (328')
 Material: anodised aluminium
 LED: 4x CREE XM-L2
 LED lifespan: 100000 h
 Brightness: 3500 lumen
 Mode: High/dimming

Battery: 26650 3.7 V, 4000 mAh
 Switch design: magnetic slide
 Lens: coated glass
 Size: 217*69*130mm (8.5*2.7*5.1")
 Weight: (torch): 586g (20.7oz)
 (torch+batteries): 772g (27.2oz)

Supplied with: torch (1), batteries (2), battery charger (1), O rings (3), lanyard (1), tail cap lubricant (1), storage case (1) and user manual (1)



VARILUX TRAVEL EASY MAGNETIC CHARGING

CODE: TORCH-VLTRAVEL2

Burn time: 3.5h - 50h
Beam distance: 370m (1214')
Peak beam intensity: 35000cd
Impact resistance: 1m (3'3)
Depth rating: 100m (328')
Material: anodised aluminium
LED: SST40
LED lifespan: 100000 h

Brightness: 110lm-1100lm
Mode: high/low
Battery: 26650 3.7V, 5000 mAh
Switch design: push button
Lens: coated glass
Size: 158x45mm (6.2*1.8")
Weight: 282g (0.6lbs)
(torch+batteries)

Supplied with: torch (1), magnetic USB cable (1), magnetic connector (1), lanyard (1), storage case (1) and user manual (1)




VARILUX MICRO EASY MAGNETIC CHARGING

CODE: TORCH-VLMICRO2

Burn time: 2h - 28h
Beam distance: 280m (919')
Peak beam intensity: 20000cd
Impact resistance: 1m (3'3)
Depth rating: 100m (328')
Material: anodised aluminium
LED: SST40
LED lifespan: 100000 h

Brightness: 90lm-850lm
Mode: high/low
Battery: 18650 3.7V, 2600 mAh
Switch design: push button
Lens: coated glass
Size: 145x35.5mm (5.7*1.4")
Weight: 185g (0.4lbs)
(torch+batteries)

Supplied with: torch (1), magnetic USB cable (1), magnetic connector (1), lanyard (1), storage case (1) and user manual (1)



Sammy Campbell

UNDERWATER LIGHTING



Styles may vary visit the website for latest version

VARILUX U-XHP70 CABLE LAMP

CODE: TORCH-VL-U-XHP70

Burn time: 3.5h - 25h (280lm-4000lm)
 Beam distance: 500m (1640')
 Peak beam intensity: 20000cd
 Impact resistance: 1m (3'3")
 Depth rating: 100m (328')
 Material: anodised aluminium
 LED: 1 x CREE XHP70
 LED lifespan: 100000 h
 Brightness: 4000 lumen
 Mode: High/dimming
 Battery: 18650, 12.6V, 10.4AH
 Switch design: magnetic slide switch
 Lens: coated glass lens
 Size: torch 110 x 60mm (4.3"x 2.4"),
 battery canister 260 x 50mm (10.2"x 2"),
 cable 1000mm (39.4")
 Weight: (torch): 900g (31.7oz)
 (torch+batteries): 1.5kg (52.9oz)
 (torch+battery+charger): 2.2kg (77.6oz)

What's included? Battery and charger,
 O rings, lubricant, wrist/hand mount,
 canister mount, hard case and manual

Torch length:
 140mm (5.5")



LED STROBE

CODE: STROBE LED TORCH

Single 1W LED - 160 lumens output
 Upgraded 'silent' strobe unit
 Strobe visible up to 2 miles away
 Continuous burn time of up to 6 hours
 Depth tested to 50m (164')
 Magnetic 'function' switch
 One-piece impact resistant ABS body
 Twin attachment points
 Perfect emergency signalling device
 Handy to attach to a BCD or keep in your
 BCD pocket as a back-up torch
 Twin anchor points (fit 32mm webbing)
 Weight: 0.188kg (6.6oz)
 Supplied with wrist lanyard
 Requires 3 x AA batteries (not supplied)



FUSION R

CODE: TORCH-FUSION-R

Variable output 300 to 2000 lumens
 Colour temp 5300K to 7300K
 3.5 to 20 hours burn time
 IP68 waterproof rated
 Super bright SST40 LED
 LED lifespan 100,000 hours
 Depth tested to 100m (332')
 Magnetic USB charging port
 Beam distance 309m (1014')
 Beam intensity 24800 cd
 Impact resistance 1.5m (5')
 Modes high-med-low and strobe
 Built in 21700 rechargeable battery
 Weight: 196g (0.43oz)
 Supplied with wrist lanyard

Torch length:
 170mm (6.7")



MINI QUEST

CODE: TORCH-MINI-LUX-ND

230 lumens output
 Powerful 'spot' beam
 8.5hr total continuous burn time
 Variable output technology
 100% full power output for 3.5hrs,
 gradually decreases over the remaining
 NEW Philips Lumileds 3w Luxeon LED
 Depth tested to 95 metres
 Tough poly carbonate body with an
 aluminium torch head
 Double O-ring seals
 Rear mounted magnetic on/off switch
 Optional helmet mount
 Weight: 0.327kg (11.5oz)
 4 x AA alkaline batteries (supplied)



REEL + TORCH

CODE: REEL-TORCH

Anodized aluminium
Free-flowing spool with thumb operated spool-lock
Sprung reel handle for easy storage
Top mounted ultra-bright 6 LED torch
Continuous flash mode for emergency
Torch is removable
Can be used for wreck diving and deployment of DSMB's or lift bags
60 metres of orange line
Weight: 0.7kg (24oz)
Includes AA batteries
COLOUR: orange/black



GLARE HEAD TORCH

CODE: TORCH-GLARE-WHITE

Simple push button operation
Burn time: 1min-100hrs (280lm-12lm)
4 modes (s.high, high, mid, low)
Beam distance: 120m (393')
Impact distance: 1.5m-3m (4.9'-9'8)
IPX7 rating, CREE-XP-G2 LED light
Flick down red diffuser
Adjustable torch head
Adjustable non-slip head strap
Integrated SOS whistle
Weight: 0.232kg (8.2oz)
Includes 3x AA batteries
COLOUR: white



GUARDIAN ADVENTURE LED LIGHTS

CODE: LIGHT-ADV-COLOUR

Secure belt clip for easy attachments
Visible from all sides (Omni-directional)
Unique reverse polarity switching
Maximum visibility range: 3miles (5km)
LED life: 100,000 hours
Dual mode: constant or flashing
Mode: 100hr (constant), 250hr (flash)
Field of View: 180°
Water resistant up to 100m
Batteries: 2x CR-2032 lithium
Size: 40x30x30mm (1.6"x 1.2"x 1.2")
Weight: 20g
COLOUR: blue, green, white, red, yell



UNIVERSAL HELMET MOUNT

CODE: ND0001146


Our universal mount fits many torches and dive lights and boasts a variable turn and tilt function. It's quick and simple to use, allowing you to attach a torch to your helmet so you can see and light the way from your own point of view. Designed in the UK, this helmet mount is lightweight and extremely easy to use and attach.

Material: ABS plastic and marine-grade 316 stainless steel
Fit to most helmets and easy to assemble
Compatible with multiple torches (photos show the Tec and Micro)
Waterproof and perfect for underwater use
Anti-slip design, stable mount, adjustable angle
Easy access to your mounted torch
Size: 90 x 60 x 12mm (3.5"x 2.4"x 0.5")
Product weight: 53g (1.86oz)



FLEXI-LIGHTS . . .

... THE MODERN ALTERNATIVE TO CHEMICAL LIGHT STICKS



CODE: FLEXI-LGT-V3-COLOUR or FLEXI-LGT-V3-V-COLOUR

We are constantly using feedback to enhance our products. We have enhanced the prominence of the on/off switch to prevent Flexi-Light from being switched off unintentionally and to allow the user to easily activate the light when wearing a thicker glove

ORIGINALLY DEVELOPED FOR MILITARY USE.

The Flexi-Light was originally designed for military and special forces use to support troops on the ground and helicopters overhead as a more cost effective and environmentally friendly alternative to chemical light sticks. Unlike chemical light sticks, the user decides when to turn the Flexi-Light stick on or off. Replacing chemical light sticks with our reusable Flexi-Light can help make a significant cost savings.

V3 STANDARD COLOURS + LIGHT STICK MODES.

Press 1 > Mode 1: Low power, burn time 40 hours
Press 2 > Mode 2: High power, burn time 22 hours
Press 3 > Mode 3: Flashing, burn time 42 hours
With the fourth press, the Flexi-Light is switched off

MULTI-COLOURLED DESIGN.

The multi-coloured Flexi Light has flashing mode only and is built to the same standard as all other versions. It offers 4 colours in 1 light stick.

Press 1 > On / Flash / Red
Press 2 > Flash / Green
Press 3 > Flash / Blue
Press 4 > Flash / Yellow
Press 5 > Off

IR DESIGN.

We introduced the Infrared (IR) option for Military Ops (wavelength of the IR Flexi-Light is 625-635 NM), now available with an on/off switch to avoid confusion.

COLOUR: green, yellow, blue, red and white, multi-coloured (purple marker), infrared black (marker)

SIZE: 110*25*12mm (4.3*0.9*0.5")



Flexible silicone body



Improved easy press-to-operate button



IR version now with on/off switch

**WE'VE KEPT THE FEATURES THAT WORK.**

- Twist or bend the Flexi-Light when in storage or in use without causing any damage
- High intensity 8 lumens
- Burn up to 3x brighter than traditional glow sticks
- Visible distance: up to 3000m (9842')
- Depth tested up to 100m (328')
- Non-sparking and non-heat producing
- RoHS compliant double sealed construction
- Non-replaceable battery
- 100% waterproof
- Improved on/off push-button operation
- Can be repeatedly used with on/off switch

A RANGE OF USES.

Our Flexi-light sticks have become popular in a range of different markets as a cost effective, reusable product that can be useful in a range of activities.

- Military: covert ops
- Water rescue teams
- Mountain rescue teams
- Search and rescue teams
- Underwater
- Scuba diving
- Outdoors (camping, dog walking, trekking, hiking and walking)

OPTIONAL FIXING OPTIONS.

We have designed multiple fixing options depending on what you are using the Flexi-Light for.



Hook Velcro
(for application to loop velcro surfaces)



Removable pocket
(designed to clip to your drysuit)



Removable pocket
- attached to kit with Velcro closing strap



Nylon clip
- a simple way to attach a Flexi-Light to your kit



TORCH WRIST MOUNT

CODE: TORCH-VL-WRISTMOUNT

Designed to fit diving torches from 25-40mm (1"-1.6") in diameter
A convenient, hands-free light source
Velcro straps make for a secure close and comfortable fit on the hand
Secure torch with rubber strap



DIGITAL DISPLAY CHARGER

CODE: TORCH-VL-DIG-CHARGER

Intelligent 2-slot Li-ion Battery Charger
Input: 5.0V 2.0A
Output: 4.2V±1% 0.5A / 1.0A
Compatible with, 10440/14500/16340 /16650/18350/ 18500/18650/26650
Li-ion rechargeable battery



TRAVEL SMART CHARGER

CODE: TORCH-VLTRAVEL2 - CHARGER

Powered by USB
Displays charging progress
Switch to 0.5A + 1A charging current
1A for a fast charge
0.5A for an efficient charge (0.5A recommended)



MICRO CHARGER

CODE: TORCH-VLMICRO2 - CHARGER

5V, 2.1A Port
USB charging lead
Charges 1x battery
Compatible with micro torch



USB CAR ADAPTER

CODE: TORCH-VL-CAR ADAPTOR

5V, 2.1A Port
Blue LED light when in use
Fire retardant > tested to over 120 deg
Overcharge, over current, short-circuit and over temperature protection
CE, RoHS and FC standards



26650 BATTERY

CODE: TORCH-VL-BATTERY

Rechargeable battery
3.7 V, 4000 mAh
Compatible with our 3500, Tec and Travel torches, it may also be suitable for other electronic devices



18650 BATTERY

CODE: TORCH-VLMICRO2-BATTERY

Rechargeable lithium ion battery
3.7 V
2200 mAh
Compatible with our Micro, may also be suitable for other electronic devices



O-RINGS

CODE: O-RING-BS027-NBR70

Spare o-rings available for our 3500, Tec and Micro torches
Price includes qty: 2
Check out our website for the latest spares for our torch range



KN167 KNIFE

CODE: KNIFE-KN167-YELLOW

78mm (3") twin edge s/s blade
3.0mm (0.1") chisel point safety blade
Serrated/sharp edge and line cutter
Hard plastic protective sheath
Push button quick release system
Solid nylon comfort handle
Webbing, BCD or PFD attachment

COLOUR: HIGH VIS YELL



KN48 KNIFE

CODE: KNIFE-KN48-YELLOW

70mm (2.8") twin edge s/s blade
Serrated/sharp edge and line cutter
2.5mm (0.1") chisel point safety blade
Protective hard plastic sheath
Thumb-lock quick release system
Comfort handle / rear anchor point
Webbing, BCD, PFD or rope attachments

COLOUR: YELL



KN011 FOLDING KNIFE

CODE: KNIFE-KN011-COLOUR

90mm (3.5") s/s blade
ABS and poly PU coated handle
Molded comfort handle
Exceptionally good grip
Line cutter and thumb opening slot
Folds for safety when not in use
Rear anchor point

COLOUR: YELL, BLK



KN42B KNIFE

CODE: KNIFE-KN42B-YELLOW

120mm (4.75") s/s blade
Blunt tip blade
Blade: serrated & sharp edges
Built in line cutter
Smooth cutting, lightweight, durable
Plastic sheath to protect the knife and rubber leg straps are included
Smart quick lock / release system on the sheath for diver easy operating

COLOUR: YELL, BLK



LDK RESCUE KNIFE

CODE: KNIFE-LDK040

75mm (3") twin edged titanium blade
3.0mm (0.1") chisel point safety blade
Protective hard plastic sheath
Push button quick release catch
Handle with rear anchor point
Quick locate knife handle insert
Variable width attachment system
Bracket to attach 50mm (1.9") webbing

COLOUR: YELL, BLK



SQUEEZE LOCK KNIFE

CODE: KNIFE-SQUEEZE-SEC

75mm (3") s/s blade
Blunt tip safety blade
Blade: serrated and sharp edges
Built in line cutter
Easy squeeze secure locking system
Hard plastic yellow protective sheath
Compact and portable safety knife
Attaches to your BCD or PFD
Allows for quick emergency access

COLOUR: YELL/RED



ALPHA TITANIUM KNIFE

CODE: MOD-ITEM 53 KNIFE

Designed specifically for the military
120mm (4.7") titanium blade
Blade: serrated & sharp edges
Built in line cutter
Super sharp and lightweight
Metal handle butt

Positive lock mechanism
Black plastic hard-case sheath

COLOUR: BLK

HRC50 MILITARY COMBAT KNIFE

CODE: KNIFE-HRC50

The blade is made from high quality 50HRC beta titanium alloy, so it's an ideal dive knife for recreational scuba divers and professionals. With a full shank drop pointed tip blade, the knife is great for cutting, digging and prying. It also has a line cutter further down the blade enabling you to keep the line in place while the blade administers a swifter, cleaner cut - it's specially designed to cut through lines, webbing and rope. The top edge is serrated so the knife can easily be used for sawing.



125mm (4.9 inch) titanium blade
Overall length: 260mm (10.25 inch)
Self draining, squeeze & release locking nylon sheath
100% no rust, non magnetic, full shank drop point blade
Serrated top edge, line cutter
Sure hand curved grip
Neoprene leg harness included

COLOUR: BLK



KN166-P KNIFE

CODE: KNIFE-KN166-CANVAS

80mm (3.1") serrated blade
2.5mm (0.1") curve point safety blade
Single sided blade
Solid nylon handle with rear strike
Soft webbing protective sheath
Comfort handle
Rear anchor point

COLOUR: BLK



KN20 KNIFE

CODE: KNIFE-KN20-YELLOW

110mm (4.4") stainless steel blade
5mm (0.2") sharp tip
Blade: serrated & sharp edges
Built in line cutter
Smooth cutting, lightweight, durable
Compact quick-release mechanism
Leg straps and sheath included

COLOUR: YELL/BLK



GK ELITE KNIFE

CODE: KNIFE-GKELITE

176mm (6.9") stainless steel blade
Heavy duty commercial knife
Ultra sharp serrated edge
High impact luminescent sheath
Security shock cord
Stainless steel split D-rings
Twin aluminium carabiner clips

COLOUR: HIGH VIS YELL



MULTI TOOL/KNIFE

CODE: KNIFE-SRETOOL

Developed with the emergency medical and rescue services in mind. The tool's multi-functionality makes it indispensable for many of life's situations.

Tool length (closed) 115mm (4.5")
 Large blade, 78mm (3") length
 Phillips screwdriver, 28mm (1.1") length
 Window breaker, 5 x 25mm (0.2" x 0.9")
 F/head screwdriver, 5 x 30mm (0.5" x 1.9")
 Crate opener, 5 x 30mm (0.5" x 1.9")
 Cap/bottle opener, 2mm (0.08")
 Wire stripper, 2mm (0.08")
 Reamer/punch, 28mm (1.1") length
 Seat belt cutter, 88mm (3.5") length
 Tweezers, 40mm (1.6") length
 Toothpick, 42mm (1.7") length
 Disc saw for shatterproof glass, 82mm (3.2") length
 Luminescent yellow casing
 Nylon cord, 85mm (3.3") length
 Nylon pouch (Velcro closure)

COLOUR: HIGH VIS YELL



EMERGENCY ESCAPE HAMMER

CODE: ESCAPE-HAMMER

Shatter car windows/glass and cut yourself or others free from seatbelts and webbing quickly, easily and safely. Break free and escape from dangerous situations caused by accidents.

Pointed steel head excellent for breaking glass
 Sharp safeguarded razorblade seatbelt cutter
 Multi-functional and helpful tool
 Compact and lightweight
 Easily stored
 Includes hard plastic holder

COLOUR: HIGH VIS ORANGE



MULTI PURPOSE SCISSOR KNIFE

CODE: KNIFE-KN77-BLACK/GREY

90mm (3.5") stainless steel blade, reduced risk of rusting
 Sharp tip blade with serrations, 2 in 1 knife with scissor function
 Chromium plating on blades, compact quick-release sheath
 BC mounting kits are included, **COLOUR:** BLK/GREY



RUBBER KNIFE STRAPS

CODE: KNIFE STRAP

Adjustable to fit various sizes, approx 50*2cm (20*0.8")
 Can be threaded to most types of knife sheath
 Sold in pairs
COLOUR: BLK



WEIGHT & TRIM DIVING HARNESS

CODE: ND-WT17-SIZE

A unique approach to managing weight and buoyancy allowing fine tuning your weight distribution.

Comfortable and ergonomic
Ease of use
Ultimate buoyancy, stability and comfort system
Waistband: Velcro closing with adjustable buckle
Adjustable padded shoulder straps
Chest strap with up/down adjustment
2 side pockets house quick release weight pockets
Double stitching and bar-tacs to add strength
Each weight pocket is capable of holding up to 9kgs
Suitable for either lead block, lead shot or equipment
2 lower back pouches can hold our lead blocks
2 detachable thigh pockets with drains and leg straps
2 stainless steel D-rings give anchors to attach gear

SIZE:

S/M Chest 34 - 44" (86.4 - 111.8cm)
L/XL Chest 44 - 54" (111.8 - 137.2cm)
XXL Chest Over 54" (137.2cm)
Based on measuring over a suit

COLOUR: HIGH VIS YELL/BLK



WEIGHT POCKET HOUSING

CODE: ND-WTS-WGT-POCKET

The housing your weight pocket sits inside to attach to your harness
A squeeze button locks the housing securely to the shoulder straps
An adjustable 3-prong clip slots easily onto the harness and a side squeeze clip that your thigh pockets hang from D-ring gives an anchor to attach gear
Price is for two pockets (left + right)



WEIGHT POCKET

CODE: ND-WTS-POCKET

Weight pockets are securely fastened inside the weight pocket housing
Can be easily/independently jettisoned
Use for carrying weights or cargo
Clicks into place via a buckle
Offers plenty of space for our lead weight blocks or lead filled pouches
Closes securely using a Velcro
Price is for one pocket only



THIGH EQUIPMENT POCKET

CODE: ND-WTS-THIGH-POCKET

Attach to the weight and trim via the quick-release plastic fic loc buckle
Pocket closes securely with Velcro
3-pronged squeeze clip and buckle are adjustable so comfortably secure to the thigh of the wearer for additional support and stable weight distribution
316 stainless steel eyelets
Price is for one pocket only



POUCH WEIGHT BELT

CODE: ND-POCKET-W/B SIZE

Velcro pouches with drain holes

Pockets: 12*10x*2.5cm (4.7*3.9*1")

Each pocket fits 3kg (6.6lbs) of lead

WAIST: M 28-38" (71.1-96.5cm),

L 36-52" 91.4-132cm, XL 48-62" (122-157.5cm)



NYLON WEIGHT BELT

CODE: ND-WEIGHTBELT

50mm (2") wide webbing

Approx. 140cm (55.1") long

User adjustable

Can be trimmed to fit any diver

Includes a stainless steel quick release buckle



LEAD COATED WEIGHTS

CODE: LEAD BLOCK SIZEKG-COLOUR

Plastic coated for protection

Bright colours for added visibility

Rounded corners for comfort

Twin belt webbing slots

SIZE:


1kg, 7*8.4*2cm (2.8*3.3*0.8")

2kg, 9*9*3cm (3.5*3.5*1.2")

3kg, 10.5*10.5*3cm (4.1*4.1*1.2")

4kg, 11.5*11.2*3.5cm (4.5*4.5*1.4")

COLOUR: BLK, RED, GRN, BLUE, YELL



LEAD FILLED BAGS

CODE: LEAD POUCH SIZEKG

Heavy duty, durable bag

Contains un-graphited lead shot

Great alternative to or in addition to other BCD lead weights with extreme comfort & flexibility



V2 LEAD SHOT ANKLE WEIGHTS

CODE: W-ANKLE-SIZE

A must have to add negative buoyancy to the ankles and help bring the legs down into a correct horizontal position. The soft outer shell allows for a comfortable fit around the ankles, the weights are pre-filled with loose lead shot beads. Adjustable sizing with quick release plastic buckle closure.

SIZE: S: 450g (15.9oz) lead shot in each

Length of the small 33-40cm (13-15.7")

L: 750g (26.5oz) lead shot in each

Length of the large 40-46cm (15.7-18.1")

Ankle weights are supplied as a pair

DIVE BUOYS, REELS & ACCESSORIES



30M (98') WEIGHTED LINE REEL

CODE: MOD-UWSB-REEL-WEIGHTED

30m (98') of white line
A lead weighted core
304 stainless steel reel frame
Spring-loaded, anti-slip grip handle
Attachment point for LED torch
Note torch not included



5KG PELI FLOAT

CODE: PELIFLOAT-5KG

80m (262') of orange line
High vis strobe, burn time 7days+
High vis ABS yellow foam body
Quickly and easily deployed from the surface/underwater Available with 1kg (2.2lbs) and 5kg (11lbs) weights



600G PELI FLOAT

CODE: PELIFLOAT-600G

40m (131') of yellow line
High vis strobe, burn time 7days+
High vis ABS yellow foam body
Quickly and easily deployed from the surface/underwater
Available with 1kg (2.2lbs) weight



1.3m (4'3) DELAYED SMB

CODE: SMB10

Manual/auto over-inflation dump valve
Self-sealing and weighted opening
Oral/LP hose inflation tube
Attached webbing strap with stowage section (secured with Velcro patches)



45M (148') REEL

CODE: REEL-AR15

Perfect for cave and wreck diving
Rugged construction
45m (148') of white line
Comfortable handle with extra grip
Supplied with a gated line clip



30M (98') FINGER REEL

CODE: REEL-AC92H

30m (98') of white nylon line
Double ended marine grade brass 'bolt snap' style clasp
Corrosion resistant materials
Compact and convenient



UNDERWATER WRITING SLATE

CODE: WS3 WRIST SLATE

Comfortable position for writing on
Velcro strap for easy adjustment
Pencil, holder and elasticated cord
3 double sided accessible pages
Hard durable plastic finish
Dims: approx 15x15x5cm (6x6x2")



ND PARTNERS

CODE: SIZELTR CYLINDER or SIZE LITRE 300 BAR FABR

All our 232bar Faber steel diving cylinders are supplied complete with a standard DIN convertible cross-flow valve, compatible with all scuba diving regulators using the DIN or A-Clamp (International) 1st stage fitting.

Can be supplied O2 Clean (O2 serviced with an O2 clean cross-flow valve) and suitable for use with enriched air. This takes 7-10 working days and carries an extra charge, contact us for details.

STYLE: 232bar and 300bar available

SIZE: 3L, 7L, 10L, 12.2L, 12.5L, 15L (tall and dumpy variations available)



CYLINDERS/DIVE TANK ACCESSORIES



PONY CLAMP

CODE: PONYCLAMP ND

Allows you to join your pony cylinder to your main cylinder
 Pony bottle quick release system
 A 3L pony cylinder can be coupled to main air cylinder quickly
 Clamp plates supplied with rubber strips to provide a extra grip on the air cylinders
 Lightweight and seawater resistant
 Engineered from anodised aluminium
 Stainless steel jubilee clips with a protective rubber layer
 The system allows you to have either left or right side mount



MALE CLAMP PLATE

CODE: PONYCLAMP ND MALE

Anodised aluminium
 Size: 16*7*2.5cm (6.3*2.6*1")



FEMALE CLAMP PLATE

CODE: PONYCLAMP ND FEMALE

Anodised aluminium
 Size: 21.5*7*3cm (8.5*2.6*1.2")



JUBILEE CLIPS

CODE: PONY CLAMP CLIPS

x2 supplied
 Size: 36*1.8cm (14.2*0.7")



RUBBER STRIP INSERTS

CODE: PONYCLAMP-RUBBER-STYLE

Rubber lengths slide into place
 Helps protect the cylinder and plates from scratching and damage
 Male: 16*1.5cm (6.3*0.6")
 Female: 21*1.5cm (8.3*0.6")



CYLINDER CHARGING ASSEMBLY

CODE: ND0000310

DIN 240-300bar and Aclamp options
 G 1/4 hose connector
 Fits most UK compressor hoses
 Screw-type purge valve
 Tested pressure of 525bar



BACK PACK ASSEMBLY

CODE: BACKPACK HARNESS

Durable single tank backpack
 50mm (2") webbing/harness/strap
 Quick release stainless steel buckles
 Disperses weight across hips/back
 Standard slots/attachment points



TWIN BANDS

CODE: ND-TWIN BANDS

50mm (2") wide webbing cam belts
With plastic protective spacer blocks
316 marine stainless steel D-rings
Adjustable for use on all cylinder/
tank sizes
Compatible with all modern BCDs
Stainless steel style also available



TWIN HALO

CODE: CYLINDER-HALO

Protection for cylinder valves and
regulator first stages
Fully adjustable for any size twinset
Adjustable clamp system
Pivots and adapts to fit any size
from 7L to 18L cylinders/tanks
Enquire for single halos



CYLINDER/TANK HANDLE

CODE: TANK HANDLE

Universal handle for single tanks
Very secure - 2 bolt fixing
Safe and easy carrying of cylinders
Fits the neck of 10L, 12L, 15L
Tough, injection-moulded plastic



CYLINDER/TANK MESH

CODE: TANK MESH SIZE COLOUR

A lightweight method to protect
tanks from the wear and tear
Heavy duty protective mesh sleeve
SIZE: 7" (17.8cm) and 8" (20.3cm),
fits 10L, 12L, 15L
COLOUR: BLK, YELL



AIR RIFLE FILLING SYSTEM

CODE: 7 LITRE 300 BAR FABR
+ GUN CHARGING VALVE INC HOSE

7L 300bar high quality cylinder
fitted with the gun charging valve
dedicated to safe filling of pneumatic
pre-charged air guns. The design
features an integrated gauge to
show the pressure you have filled
your air gun to.

Cylinder and charging valve must
be bought as a complete set from
Northern Diver. For safety reasons
charging valve cannot be sold
separate. (Handle not include).



CYLINDER/TANK RUBBER BOOTS

CODE: CYLINDER BOOT SIZE

Stop your bottle falling over - this rubber boot simply
pushes on to the the bottom of your cylinder and gives a
flat base to help prevent the bottle from falling over.

Protect the base of your cylinders. The flat bottoms
allow the cylinders to stand upright and are vented with
ribs and drain holes to allow water to drain away to help
prevent corrosion.

Designed fit perfectly over the bottom of your steel
diving cylinder, providing superb impact protection and
improved stability, when back on dry land.

SIZE: 4" (10.2cm), 6" (15.3cm), 7" (17.8cm), 8" (20.3cm)



14L PRESSURE POT

CODE: MOD-ITEM 267 PRESSURE POT

Internal dimensions: 250*285mm (9.8*11.2")
 Maximum inlet pressure: 9 bar
 Pressure relief valves: 10.35 bar
 Maximum depth reading: 90m (295')
 Weight: 46.5kg (102.5lbs)
 Inlet connection: Hansen quick coupling
 6-point locking mechanism, quick release action
 Removable plastic liner
 Polycarbonate window
 Can also be used to check depth gauge accuracy
 Chrome plated mild steel
 Maximum depth reading of 90m (295')
 Straight forward display ensure simple & swift operation



POMA OXYGEN MONITOR

CODE: MOD-ITEM-192(LOT2)-POMA

Designed to measure oxygen levels in the range 0.1 - 100%, for tank oxygen level verification. The POMA is fitted with a large digital display & operates from an internal temperature compensated electrochemical oxygen sensor.

The unit is powered by a 9V battery, which will last for approximately 1 year before replacement is necessary. The oxygen monitor will automatically switch off after 10 minutes to ensure battery life is not compromised if the instrument is accidentally left turned on. Conforms to BS EN 50270 & BS EN 61000-6-3.



OXYGEN DIVING SENSOR

CODE: MOD-ITEM 35 (LOT2) OXYGEN SENS

Electrochemical transducers for measuring the oxygen partial pressure



DUAL EARPHONES + MICROPHONE

CODE: OTS-EM-OTS2

Allows the user to connect either hard-wire or through-water comms to a helmet or full face mask. Configured with Hot Mic® noise cancelling, salt-water resistant, pressure-resistant studio quality microphone.



BUDDY PHONE

CODE: OTS-BUD-D2

Through-water transceivers in a compact, affordable platform. Includes voice menus via push-to talk button to control channel, volume, squelch & a patented Hot Mic® or Super Mic®.



4-CHANNEL DIVER UNIT

CODE: OTS-SSB-2010

5 watt diver unit designed with search & rescue teams in mind. Includes: voice-operated transmitter, push-to-talk control, squelch, earphone volume, voice menu, removable transducer, & a heavy-duty design.



MK-7 BUDDYLINE 2-DIVER-STATION

CODE: OTS-MK-7

A compact, self-contained air intercom that gives clear comms in the 4-wire mode (round robin). Designed for search & rescue teams to have an underwater comms device that required minimal set-up time.



SURFACE CONVERSION KIT

CODE: OTS-CDK-6

To convert a PowerCom 3000D/5000D, MilCom 6000D, SSB-2010, SSB-2001B-2, or SSB-1001B into a portable surface station so you can talk to other divers and/or surface stations within range and on the same channel.



PORTABLE DIVER RECALL SYSTEM

CODE: OTS-PDR-100

Designed with a rugged housing and durable underwater speaker, this Portable Diver Recall system is made for a long working life under harsh environments. Includes: PDR-100 Unit, Underwater Speaker, Battery & Charger.



SP-100D-2, 2-CHANNEL STATION

CODE: OTS-SP-100D-2

Uses state-of-the-art digital signal processing (DSP) circuitry to ensure great performance and clarity. Operates with all single side-band acoustic underwater devices within range/on the same frequency.



STX-101, 4-CHANNEL STATION

CODE: OTS-SSX-101

This surface transceiver is a 5-watt, multi-channel, single side-band underwater telephone designed with search & rescue teams in mind. The STX-101 offers four channels that match the SSB-2010.



COMBOX 1-DIVER STATION

CODE: OTS-COMBOX

A compact, self-contained one diver air intercom, the ComBox allows clear 2-wire communications using a powerful 20-watt amplifier. With a rugged PTT control & "silver bullet" front speaker.



MK-2 DCI 2-DIVER-STATION

CODE: OTS-MK2-DCI

The versatile OTS MK2-DCI provides one or two divers with clear communications in either 2-wire or 4-wire mode. In 4-wire mode, up to 6 divers can be 'stacked' and communicating with each other.



MK-III 3 DIVER AIR INTERCOM

CODE: OTS-MKIII

Communicate with 3 divers simultaneously in loud, hard working conditions due to it's powerful speaker. The panel displays a 3 diver colour coded section to allow a surface tender to identify and adjust volumes on the fly.



Floating ComRope

CODE: OTS-COMROPE

Floating Communications Cables were made with Public Safety and Aquarium divers in mind. This buoyant cable helps minimise entanglements hazards by keeping the bulk of the cable on the surface.



ComRope

CODE: OTS-COMROPE


CR-4 is 100% Polyester, 7/16" static kernmantle rope designed with four specially configured wires down the centre. We offer the CR-4 by the foot but also sell it complete with the connectors on each end.



TCA-35 CABLE

CODE: OTS-TCA-35

Transducer assembly cable for SP100D2 & STX-101



TRANSDUCER CABLE

CODE: OTS-TC-55M

Transducer Cable, for STX-101M Surface Station (55' – does not include transducer).



OPEN RANGE

The MCH 22, 30 & 36 Coltri Open Compressors are some of Northern Diver's largest breathing air compressors. These units will be more than capable of satisfying even the largest of dive shops or diving centres. The OPEN model was conceived to meet the needs of very intensive uses, large refilling capacities, in warm, poorly ventilated environments or in tropical countries.

4 front filling connections for high pressure hoses (from 232 to 420 bar), a control panel and an electrical display. Equipped with a three-phase electric motor and powerful pumping units. Optionals include: electronic touch screen panel, Presec for filter saturation control and remote filling panel

MCH 22

CODE: COLTRI-MCH22-OPEN

MCH 36

CODE: COLTRI-MCH36-OPEN

MCH 30

CODE: COLTRI-MCH30-OPEN



MARK 3 RANGE

A series of uncompromised breathable air compressors for intensive use in warm, poorly ventilated or tropical environments. Designed with an improved cooling system and a filtering system with two hyperfilters, this series is powered by a three-phase electric motor, equipped with four different pumping units (MCH 13, MCH 16, MCH 21 and MCH 23), all in TPS (Tropical Plus Superdry) version and available with operation monitoring system and electrical display to automatically shutdown the compressor.

MCH 13

CODE: COLTRI-MCH13-MK3

MCH 21

CODE: COLTRI-MCH21-MK3

MCH 16

CODE: COLTRI-MCH16-MK3



ERGO ET RANGE

Stands out for its robustness, portability and great efficiency. Equipped with three different pumping units and powered by three-phase electric motors. Each ERGO compressor has a monitoring system panel that includes an interstage pressure gauge, autostop with adjustable pressure switch, automatic condensate drain and a phase control for rotation direction. The models in this series have two connections for high pressure hoses (from 232 to 330 bar) and a Maxifilter system. The remote filling panel is available as an optional extra.

MCH 11

CODE: COLTRI-MCH11-ERGO-ET

MCH 16

CODE: COLTRI-MCH16-ERGO-ET

MCH 13

CODE: COLTRI-MCH13-ERGO-ET



SMART RANGE

These compressors give the performance required of a dive shop or dive club from a unit able to operate off a single phase supply. All models are equipped with two connections for high pressure hoses (from 232 to 330 bar), a single-phase or three-phase electric motor, robust pumping units (MCH 8, MCH 13 or MCH 16 depending on the specific model) and a compact frame with handles, suitable for transport. External refilling panels and an electrical display are available as optional extras, with various automatic features including automatic condensate drainage and an autostop pressure gauge.

MCH 8

CODE: COLTRI-MCH8-SMART

MCH 13

CODE: COLTRI-MCH13-SMART

MCH 11

CODE: COLTRI-MCH11-SMART

MCH 16

CODE: COLTRI-MCH16-SMART



MCH6 SILENT RANGE

The Coltri MCH 6 Silent is designed for filling a single cylinder. It is neither designed nor intended for filling cascade storage systems of any kind.

With the same performance of every model equipped with the MCH 6 pumping unit, the Coltri breathable air compressors of the SILENT series are extremely silent and the large space offered by the frame allows the use of a filter system with Maxifilter. Available with single-phase or three-phase electric drive and integrated control panel with hour meter, they have as standard the automatic condensate drain and the autostop. The equipment includes a filling connection for flexible tube with operating pressure from 232 to 300 bar.

MCH6 ET

CODE: COLTRI-MCH6ET-SILENT

MCH6 EM

CODE: COLTRI-MCH6EM-SILENT



MCH6 RANGE

The MCH 6 Compressor range is one of Northern Diver's most compact and lightweight breathing air compressors, being easy to handle.

The most used portable compressors in the world are part of the Coltri BASIC series. Compact and lightweight, the models meet the needs of high pressure breathable air for the diving world, recreational activities, fire-fighting services and small paintball facilities. All equipped with the MCH 6 popular pumping unit, they are available with petrol or electric engines, both three-phase and single-phase. The equipment includes a filling connection with flexible tube with operating pressures from 232 to 300 bar.

ADDITIONAL OPTIONS FOR THE MCH6

These are available upon request, please contact us

Pressure maintaining valve (+DRV filling valve)
Automatic condensate drain with timer (EM & ET only)
Autostop (EM & ET only)
Digital hour meter (SH only)
Remote intake tube kit
Filling hoses (lengths: 1.5 to 10m / 4.9 to 32.8ft)
Stainless steel frame

MODELS AVAILABLE:

EM - Single-phase electric motor
(supplied with a single phase plug)
ET - Three-phase electric motor
SH - Honda Petrol Engine



MCH EM

CODE: COLTRI-MCH6EM

MCH ET

CODE: COLTRI-MCH6/ET

MCH SH

CODE: COLTRI-MCH6SH

COLTRI COMPRESSOR ACCESSORIES



PRESSURE MAINTAINING VALVE

CODE: COLTRI-PMV

Use only with BC filling connection



CO CATALYST 1L

CODE: COLTRI-CO-CATALYST-1LT
(SC000355)



PRESSURE REDUCER

CODE: COLTRI-PRESSURE-REDUCER


DIN w/safety valve, 300 bar F/232 bar M



DIGITAL HOUR TACHO METER


CODE: COLTRI-TACHO-METER

This product is available only for HONDA



HYPERFILTER CARTRIDGE

CODE: COLTRI-FILTER-HYPERFILTER-CC
MCH 22/32/36



MAXIFILTER CARTRIDGE

CODE: COLTRI-FILTER-MAXIFILTER
MCH 8/11/13/16/18



3M REMOTE INTAKE KIT

CODE: COLTRI-REMOTE-INTAKE

3m (9'8) pipe + 20mm (0.8") diameter



SPECIALIST MOTOR OIL

CODE: COLTRI-SPECIAL-OIL

For gasoline and diesel engines



SYNTHETIC OIL ST 755 1L


CODE: COLTRI-SYNTHETIC-OIL-3
(SC000871)



CAPS + DISCS SET

CODE: COLTRI-FILTER-CAPS-DISCS

6pc kit for hyperfilter air filter cartridges



MCH6 AIR FILTER CARTRIDGES

CODE: SC000340/STYLE

Molecular sieve + activated carbon



MOLECULAR SIEVE 1L

CODE: COLTRI-MOLECULAR SIEVE 1LT
5L version is also available, call us



ACTIVATED CARBON 1L

CODE: COLTRI-ACTIVE CARBON 1LT

5L version is also available, call us

RECOVERY VEST



RECOVERY VEST (RVEST)

CODE: R-VEST B/P or R-VEST B/P XL

Our R-VEST combines a recovery harness, cylinder attachment, quick-release weight belt and work vest with tool attachment points into one body-hugging unit. Can be used to lift an unconscious diver from the water.

Tested and compliant with EN 15333-1:2008

Tested in accordance with ADCI guidelines

Built from ultra-durable materials, ensures a long product life without compromising on comfort
Sea-water resistant

Each of the 9 D-rings has been independently tested to a breaking strength of 1000kg

Each lifting point (and the adjustment buckles) can withstand a tensile force of 9,000N

Has lifting points on both the back and front

Quick release sat bag for tools

Quick release weight pockets

Loop for carrying hammer

Backpack with cam band for attaching cylinders

Adjustable waist and crotch straps

316 Stainless Steel Marine Grade fittings

SIZE: STD (91cm - 116cm | 36" - 46"),
XL (121cm - 162cm | 48" - 64")

RECOVERY VEST ACCESSORIES



COMMERCIAL TOOL BAG

CODE: SAT BAG - ND

Fabric build: PVC Tarpaulin

Strong & sturdy zips

Drainage eyelets

2x compartments, the main for large tools the smaller front compartment for all those smaller awkward tools

D-rings for attaching items that may float away

Large stainless steel D-rings for securing carabiners on the outer side of tool bag

SIZE: ONE, 29*19*6cm (11.4*7.5*2.4")



R-VEST WEIGHT POCKET (SPARES)

CODE: R-VEST POCKETS

Fabric build: 50mm (2") wide webbing

Fitted with a set of 3 weight pouches that are connected to each other by their material backing and attached onto a flexible plastic rod

The plastic rod enables quick-release if a diver is in trouble
Pouches are designed to carry plastic coated lead blocks to aid buoyancy control as you would with a weight belt or weight and trim harness

SIZE: ONE



BELL SAFETY HARNESS

CODE: COMMERCIAL DIVING BELL HARNESS
or COMMERCIAL BELL HARNESS-SMALL

Tested and compliant with EN 15333-1:2008
Can be used to lift an unconscious diver from the water
Has lifting points on both the back and front
Each lifting point (and the adjustment buckles) can withstand a tensile force of 1000kg
Stainless steel slide lock adjustment buckles (qty 6)
Certified diver recover lifting points - special triangular shaped stainless steel d-rings (qty 5)
UK and USA umbilical D-rings
Approved stainless steel equipment d-rings (qty 4)
Highly visible 50mm (2") heavy duty webbing build
Easily adjustable shoulders, chest, waistband and leg straps are all secured with hook and loop Velcro so there is no risk of snag hazards
Manufactured and tested to IMCA's guidelines
Reinforced red stitched areas provides additional strength and is easily identifiable for inspections

SIZE: Small, chest 91-116cm(36-46")
or Standard, chest 121-162cm (48-64")



BELL SAFETY HARNESS W/BACKPACK

CODE: COMMERCIAL HARNESS B/P

Tested and compliant with EN 15333-1:2008
Can withstand a tensile force of 1000kg
Heavy duty harness designed for use by commercial divers operating from a diving bell
Can lift an unconscious diver from the water
Built with integrated heavy-duty back plate (can be fitted with twin cylinders, if twin bands are purchased)
Very comfortable worn with or without cylinders
Stainless steel slide lock adjustment buckles (qty 6)
Certified diver recover lifting points - special triangular shaped stainless steel d-rings (qty 5)
UK and USA umbilical D-rings
Approved stainless steel equipment d-rings (qty 4)
High vis 50mm wide heavy duty, durable webbing build
Easy adjust shoulders, chest, waistband and leg straps
Straps are secured with Velcro so no risk of snagging
Manufactured and tested to IMCA's guidelines
Reinforced red stitched areas provide additional strength and is easily identifiable for inspections

SIZE: ONE adjustable



COMMERCIAL UNDERWATER TOOLS

Marine & Civil Solutions



DIVEWISE
EQUIPMENT
ND PARTNERS



CAVITATION PISTOL

CODE: CW200



RETRO CAVITATION CLEANING

CODE: CW250 or CW350



UNDERWATER DRILL

CODE: DR200



VERTICAL UNDERWATER GRINDER

CODE: GR200



HIGH PRESSURE UNITS

CODE: HDE10 or HDE18 or HDMD18 or HDMP18



PORTABLE HIGH PRESSURE UNITS

CODE: CNZ35 or CNZ370

PLEASE ENQUIRE FOR LATEST PRICES ON UNDERWATER TOOLS

For product specs visit www.ndiver-commercial.com/equipment/underwater-tools

COMMERCIAL UNDERWATER TOOLS

Designed for a full range of applications including underwater construction, salvage and demolition. Whether for commercial companies or governmental organizations, Stanley offers the marine equipment needed to build. Stanley underwater tools are found everywhere from oil platforms & dam construction sites to mining explorations & archaeological expeditions.



CUT OFF SAW

CODE: CO23



GRINDER

CODE: GR29



BREAKER/DRIVER

CODE: BR45 or BR67 or BR87



CORE DRILL

CODE: CD07



HAMMER DRILL

CODE: HD25



PEANUT GRINDER

CODE: PG04



CHIPPING HAMMER

CODE: CH15



IMPACT WRENCH

CODE: IW12



IMPACT WRENCH

CODE: IW16

Full specification sheets can be supplied by our team



ND PARTNERS



All Northern Diver PFDs benefit from a tough 500D Ripstop Cordura® outer combined with internal ISO approved flotation foam

ARCTIC SURVIVOR EVO PRO 5

CODE: PFD-EVOPRO5-SIZE

50mm (2") quick release chest harness
Includes cowtail, carabiner and 316 stainless steel O-ring, the self locking carabiner is CE approved and conforms to EN 12275:2013, EN 362:2004/B), kN26 (↔) & kN9 (↕)
Adjustable shoulder straps with reflective stitching
25mm (1") Reflexite® prismatic bands
4-way lash tabs on the front and rear
Plastic d-rings (bottom of the pockets)
Single-handed quick release buckles
Two front Velcro close cargo pockets with internal plastic D-rings/clip-in points and drain holes
Removable orange pealess whistle on fixed cord
25mm (1") removable crotch/leg straps (black)
Removable encapsulated ID on the rear (customisable)
Reinforced stitching strengthens high wear areas



ARCTIC SURVIVOR EVO PRO 6

CODE: PFD-EVOPRO6-SIZE

50mm (2") quick release chest harness
Includes cowtail, carabiner and 316 stainless steel O-ring
The self locking carabiner is CE approved and conforms to EN 12275:2013, EN 362:2004/B), kN26 (↔) & kN9 (↕)
Padded adjustable shoulder straps with reflective detailing
Snag resistant strap storage pockets for excess webbing
Fail Safe System load tested to 3.2kN and meets ISO 12402 test standards
25mm (1") Reflexite® prismatic bands
4-way lash tabs on the front, shoulders and rear
Plastic d-rings (top and bottom of the pockets)
Single-handed quick release buckles
Two front Velcro close cargo pockets with internal plastic D-rings/clip-in points and drain holes
Removable orange pealess whistle on retractable cord
25mm (1") removable crotch/leg straps (high vis yellow)
2 removable encapsulated IDs on the rear (customisable)
Removable light stick pocket on the rear, attaches to the fabric tab and houses our Flexi-lights which are available in 5 colours (see lighting section for product info)
Anti slip waist prevents PFD from riding up when in use
Internal hand warmer/documents pockets
Reinforced stitching strengthens high wear areas

EN 12402-5:2006 & 12402-6:2006

Evo Pro 5 & Evo Pro 6 sizing:

M (>90N)


Chest >106cm (42"), weight 76kg (167.5lb)

L (110N)

Chest >116cm (46"), weight 95kg (209.4lb)

XL (>120N)

Chest >142cm (56"), weight 115kg (253.5lb)



This personal flotation device is
US Coastguard Approved

ARCTIC SURVIVOR **EVO PRO 6s**

CODE: PFD-EVOPRO6S-SIZE

Our PFD has been specially developed and designed to meet United States Coastguard Approval.

Fabric build

Woven 500D Ripstop nylon

UL approved ergonomic PVC foam

50mm (2") quick release chest harness

Inc. cowtail, carabiner and 316 stainless steel O-ring

Self locking carabiner is CE approved and conforms to

EN 12275:2013, EN 362:2004/B), kN26 (↔) & kN9 (↕)

Cowtail Velcro fixing point for additional security

Padded adjustable shoulder straps (reflective detailing)

38mm (1.5") strong adjustable webbing built into jacket

Snag resistant strap storage for excess webbing

Fail Safe System load tested to 3.2kN

25mm (1") SOLAS approved bands

50mm (2") 4-way lash tabs on the front and rear

32mm (1.3") plastic d-rings (top and bottom of pockets)

38mm (1.5") single-handed quick release buckles

Vertical Velcro strip to aid user in closure of the jacket

2x front Velcro close cargo pockets with internal plastic

D-rings/clip-in points and drain holes

Removable orange pealess whistle on retractable cord

25mm (1") removable crotch/leg straps (high vis yellow)

2 removable encapsulated IDs on rear (customisable)

Anti slip waist prevents PFD from riding up when in use

Internal hand warmer/documents pockets

Reinforced stitching strengthens high wear areas

A storage bag and Think Safe pamphlet is included

Please note this product is in development.

Contact the rescue team for more information.

USCG 6s PFD sizing:

M (>100N)

Chest >106cm (42"), weight 76kg (167.5lb)

L (110N)

Chest >116cm (46"), weight 95kg (209.4lb)

XL (>120N)

Chest >142cm (56"), weight 115kg (253.5lb)

Standards

USCG Approval number: coming soon

CE Approved

EN ISO 12402-5:2006

EN ISO 12402-6:2006



Evo X PFD sizing:

Medium (>75N)

Chest up to 106cm (42"), weight 76kg (167.5lb)

Large (80N)

Chest up to 116cm (46"), weight 95kg (209.4lb)

XL (>85N)

Chest up to 142cm (56"), weight 115kg (253.5lb)

ARCTIC SURVIVOR EVO X

CODE: PFD-EVOX-SIZE

EN 12402-5:2006 & 12402-6:2006

38mm (1.5") quick release chest harness

Includes cowtail, carabiner and 316 stainless steel O-ring

The self locking carabiner is CE approved and conforms to EN 12275:2013, EN 362:2004/B), KN26 (↔) & KN9 (↕)

Quick release fix-loc buckle

Padded adjustable shoulder straps with reflective detailing

Snag resistant strap storage pockets for excess webbing

Fail Safe System load tested to 3.2kN and meets

ISO 12402 test standards

25mm (1") Reflexite® prismatic bands

Tough grip shoulder panels and front/rear 4-way lash tabs

Front zipped pouch and plastic D-rings

Removable orange pealess whistle on retractable cord

25mm (1") removable crotch/leg straps (high vis yellow)

2 removable encapsulated IDs on the rear (customisable)

Removable light stick pocket on the rear, attaches to the fabric tab and houses our Flexi-lights (see lighting section)

Anti slip waist prevents PFD from riding up when in use

Reinforced stitching strengthens high wear areas

Internal hand warmer/documents pockets



APPROACH PFD WATERSPORTS VEST

CODE: APPROACH-PFD-SIZE

Our Approach PFD is a stylish and functional buoyancy aid, designed specifically for all aspects of recreational water sports, such as kayaking, canoeing, stand up paddle boarding, canyoning and other similar activities.

Features

- > Type 3 PFD
- > Front and rear zipped pockets
- > Front mesh pouch with Velcro® close
- > Safety SOS whistle
- > Adjustable side and shoulder straps
- > Neoprene lined shoulder straps for additional comfort
- > Subtle reflective detailing

XS-S Chest size: 71 - 91cm (28 - 35.8")

Bodyweight: 30 - 40kg (66 - 88lbs) Min. buoyancy: (45N)

M-L Chest size: 91 - 111cm (35.8 - 43.7")

Bodyweight: 50 - 70kg (110 - 154lbs) Min. buoyancy: (60N)

XL-XXL Chest size: 111 - 127cm (43.7 - 50")

Bodyweight: 70kg+ (154+lbs) Min. buoyancy: (70N)

ENCAPSULATED PANELS

CODE: N/A

Available with standard wording, for example, RESCUE, MOUNTAIN RESCUE, POLICE, WATER RESCUE or can be customised with team names and/or artwork.

Hook Velcro is fixed to the back, to allow the badge to be removed from any object that has the loop fastener fitted. A minimum MOQ will apply.

SIZE: 3 sizes of encapsulated panel are available
(L) 300*100mm (11.8*3.9")
(M) 240*100mm (9.4*3.9")
(S) 50*150mm (2*5.9")

COLOUR: CUSTOM | **MOQ:** 15 PIECES



COWTAIL

CODE: PFD-COWS-TAIL-COLOUR

SIZE: Unstretched: 500mm (19.7") inc ring, stretched 950mm (37.4") inc ring

COLOUR: BLK or YELL



DUAL LOCK CARABINER

CODE: CARABINER-BLUE-SILVER

SIZE: length: 125mm (4.9"), gate opening: 23mm (0.9"), MSS 26kN, EN 12275:2013, EN 362:2004/B



CROTCH STRAPS

CODE: PFD-CROTCH STRAPS

SIZE: ONE (adjustable)
25mm wide black webbing

COLOUR: BLK, YELL



RETRACTABLE CORD

CODE: PFD-RETRACTABLE-CORD

SIZE: ONE

Snap hook at one end to fasten to PPE



PEA-LESS MARINE WHISTLE

CODE: WHISTLE

SIZE: ONE

COLOUR: ORANGE



FLEXI-LIGHT VELCRO POCKET

CODE: POCKET-FLEXLIGHT

SIZE: 150*50*30mm (5.9*1.9*1.2")

COLOUR: BLK

RESCUE PFD ACCESSORIES & SPARE PARTS



Specifically designed to offer excellent utility in any rescue environment. The Lug Pouch can carry anything from Carabiners, Prusiks & Flexi-Lights to Medical equipment & can be stored on the Lug Pouch Storage Bag prior to use, ready for any call-out.

LUG POUCH

CODE: LUG POUCH

Velcro securely fastens to PFDs & Storage Bag
Securely fits to Velcro panel on our Evo Pro 5 & 6 PFDs
Accessible storage without adding cumbersome to jacket
Space to fit custom removable Encapsulated Panel
Additional space to attach our Flexi-Light sticks
Webbing loop for easy & quick one-handed removal
Large interior space with split compartment
Mesh exterior removes the risk of any water build up
Size: 305*160*40mm (12*6.3*1.6") approx.

LUG POUCH STORAGE BAG

CODE: LUG POUCH BAG

Easy loading & storage of multiple Lug Pouches
Quickly accessible
Space for 8 Lug Pouches
25mm (0.9") strong webbing carry handles
Versatile 316 stainless steel snaphook clips & D-rings
Folds down to a compact, transportable size
Storage bag size: 700*750mm (27.6*29.5") approx.



Designed with
Mountain Rescue
England & Wales, P.B



Versatile piece of safety kit that rolls up compactly and fits neatly in PFD front pocket. Ideal for use in rescue situations.

Materials: 25mm (0.9") nylon tape

4m (13'1) SAFETY SLING

CODE: SAFETY-SLING-4M-RED


Used as a towing sling or anchor
Two sewn end loops
Weight: 146g | Bright red colour



5M (16'4) RESCUE TAPE

CODE: SAFETY-TAPE-5M-YELL

One sewn end loop
Weight: 188g
High vis yellow colour



0098/2019



275N AUTOMATIC LIFE JACKET

CODE: LIFE-JACKET-275 or LIFE-JACKET-275-BLUE

Supplied with a 60g (2.1oz) CO2 inflation cylinder, the Northern Diver Arctic Survivor 275N life jacket is a high performance device for offshore use and severe environmental conditions, when maximum protection is required or where heavy waterproof clothing is being worn.

This life jacket helps prevent drowning of those who cannot help themselves, for example if they are unconscious.

This life jacket has been designed in consultation with rescue training organisations responsible for training the emergency services. It can be customised with logos.

60g (2.1oz) CO2 auto inflation cartridge
Whistle and oral inflation tube
Flexi-Light stick pocket fitted to the left side of jacket, please note Flexi-light is not included
Adjustable crotch straps

**This item cannot be guaranteed to self right in all instances when unconscious user wearing heavy waterproofs or clothing. During tests it has been proved to self right in the vast majority of cases.*

SIZE: ONE (Adjustable)

COLOUR: RED, BLUE

275N TWIN CHAMBER SOLAS LIFE JACKET

CODE: LIFE-JACKET-275N


The 275N life jacket has two independent chambers, two UML automatic inflators with manual activation cords and an additional Halkey Roberts oral inflator. A light beacon, buddy line and 4-way lash tab (for attaching objects) are also included.

Red PVC outer shell, thickness of PVC: 0.5mm (0.2")
Weight of PVC: 630g (22.2oz) per sq/m
Breaking strength is over 120kg (264lb)
Two UML automatic inflators
One Halkey-Roberts oral inflator
Rescue light and buddy pouch with over 1m (3'3) of line
Harness loop plus 4-way lash tab (left side)
UTX signal whistle
Locator beacon window, 80*45mm (3.1*1.8")
50mm (1.9") SOLAS certified reflective tape
316 stainless-steel adjuster and lifting loop
Dual YKK® 25mm (1") quick burst zipper
Life jacket weight: 1.6kg (3.5lb)
Two independent bladders, urethane coated bladder material for superior strength and durability
Bladder fabric thickness: 0.3mm (0.01")
Bladder weight: 280g (9.9oz) per sq/m
Quick release crotch straps with reflective detailing

SIZE: ONE (Adjustable) (Inflated: 70*40*5cm (27.5*15.7*2"))

COLOUR: RED

ISO 12402-3



150N MANUAL or AUTOMATIC LIFE JACKETS

CODE: LIFE-JACKET-150-MAN or LIFE-JACKET-150-AUTO

Our superior in-water performance jackets are highly visible when inflated. Available in two styles, manual and automatic, these classic life jackets are compact and comfortable for everyday use, suitable for swimmers and non-swimmers in both coastal and offshore waters, these jackets can be used in all weather conditions.

- Velcro closing burst jacket
- Holds a 33g (1.2oz) CO2 inflation cylinder
- Pea-less whistle and inflation tube
- 4-way lash tab located on the left
- 50mm (1.9") SOLAS certified reflective tape
- Heavy duty harness belt
- Integrated harness offers a 316 stainless steel buckle including a 'D ring' for attaching a life line
- Compact & light weight design
- Quick release crotch straps
- Zippered pocket located on the left
- Durable, long lasting outer cover

SIZE: ONE (Adjustable) (Inflated: 70*40*5cm (27.5*15.7*2"))

COLOUR: RED/GREY



STORAGE BAG

CODE: LIFE-JACKET-POUCH


Fits all ND life jackets
Zipped closure

SIZE: ONE
30*18*10cm (11.8*7*3.9")

COLOUR: BLK/CLEAR


RESCUE LIFE JACKETS & ACCESSORIES

Rearming kits are an essential piece of equipment when using life jackets. Unless you are knowledgeable about life jackets, we recommend that you send yours to us to be re-armed and re-packed. We service a huge amount of life jackets each year and we see a large amount of incorrectly packed or incorrectly 'loaded' life jackets which render them useless.



ANNUAL SERVICE KIT INCLUDING C02 CARTRIDGE

CODE: LIFE-JACKET RE-ARM DEVICE



ANNUAL SERVICE KIT NO C02 CARTRIDGE

CODE: LIFE-JACKET RE-ARM DEVICE



AUTOMATIC RE-ARMING KIT INCLUDING C02 CARTRIDGE

CODE: LIFE-JACKET RE-ARM DEVICE



MANUAL RE-ARMING KIT NO C02 CARTRIDGE

CODE: LIFE-JACKET RE-ARM DEVICE



33G C02 CARTRIDGE

CODE: LIFE-JACKET-CO2-33G

SIZE: 33g (1.2oz)



60G C02 CARTRIDGE

CODE: LIFE-JACKET-CO2

SIZE: 60g (2.1oz)



SCHRADER VALVE

CODE: 8500



GAS SEAL O-RING

CODE: UMO 00005



AUTOMATIC FIRING CARTRIDGE

CODE: UMA 5000



MANUAL FIRING INDICATOR

CODE: UMS 4014



MAIN BODY O-RING

CODE: UMO 4009

MANTA SAR HELMETS

High performance multi-role technical rescue helmet for the most demanding work environment, with the facility to fit a variety of accessories. Used by many Fire, SAR, Coastguard, Ambulance and Rescue teams around the world. There are 3 variants of the Manta available: MH/2, MH/3 & MH/4.

CONFORMS TO:

EN 14052:2005
High performance safety helmet
PAS 028:2002
Marine safety helmet
FS/ATV1
Quad & ATV helmet
EN 1384 Equestrian helmet
EN 352-3:1997 Hearing protection
EN 166:2002 Industrial eye protection
EN 12492 Working at height / Mountaineering
EN 397 (Flame Resistance)
NFPA1951:2007 Protective ensembles for technical rescue
NFPA1952:2010 Surface Water Operations Protective Clothing & Equipment, 2010 Edition
ANSI Z89.1 Type 2 Class C American National Standard for Industrial Head Protection

EN 16471:2014 fire fighters helmets for wildland fire fighting (**MH/4 ONLY**)
EN 16473:2014 fire fighters helmets for technical rescue (**MH/4 ONLY**)

Meets US & Canadian Coastguard requirements

FEATURES:

Impact protection:
Crown=100 joules
Side/Front/Rear = 90 joules
Shell thickness: 3-6mm (0.1" - 0.2")
Liner thickness: 18-22mm (0.7" - 0.9")
Helmet weight: 550g (19.4oz)
High impact ABS shell
Available in up to 9 colours
Removable ventilation covers (available in black or reflective)
Good ventilation and airflow
Internal retractable visor fitted
Secure 4-point chin strap
SOLAS approved reflective tape
Easy lockable adjustment ratchet
Deluxe replaceable sweatband
Easy attachment of accessories

SIZE: ONE, head circumference:
52-62cm (20.4- 24.4")

COLOUR: RED, BLK, GRN, BLUE, NAVY BLUE, ORANGE, WHITE, YELL



Manta helmet uses:

Working at height
Urban climbing
Abseil & rope access
Search and rescue
Quad bike
All terrain vehicles (ATV)
Ambulance
Emergency medical services (EMS)
Water rescue and swift water rescue
Powerboat, RIBS & hovercraft
Confined space
Chemical, bacteriological, radiological and nuclear environments
Tactical assistance
Snowmobile and jet ski
Equestrian & animal rescue
Industrial safety
Forestry and wildfire fire fighting
Maritime rescue
Coastal border security
Arboriculture



MH/4

CODE: HELMET-MANTA-MH/4-COLOUR



CUSTOM TEAM BRANDING
Visit branding section



MH/3

CODE: HELMET-MANTA-COLOUR



MH/2

CODE: HELMET-MANTA-MH2-COLOUR

MANTA COMPATIBLE ACCESSORIES



EAR DEFENDERS

CODE: HELMET-MANTA-EAR DEFENDERS

A compact, self-contained air intercom



INTEGRAL VISOR

CODE: HELMET-MANTA-VISOR INTEGRAL

Available in amber or clear



HALF MARINE VISOR

CODE: HELMET-MANTA-HALF VISOR

Made from strong clear thermoplastic



FULL FACE MARINE VISOR

CODE: HELMET-MANTA-VISOR

For extra protection



HELMET PAD (SELF ADHESIVE)

CODE: HELMET-MANTA-COMFORT PAD

Used inside the helmet to add comfort



BASIC NYLON RATCHET HARNESS

CODE: HELMET-MANTA-HARNESS

Cost effective replacement sweatband



DELUXE RATCHET HARNESS

CODE: HELMET-MANTA-Superior Harness

Includes extra padding to add comfort



CLIP TORCH MOUNT

CODE: HELMET-MANTA-MOUNT-SIDE

Low profile mount for your lighting needs



HELMET TORCH BRACKET

CODE: HELMET-MANTA-MOUNT-FRONT

Self adhesive backing



SOLAS REFLECTIVE TAPE

CODE: HELMET-MANTA-REFLECTIVE

Highly reflective for low light situations



PHOTOLUMINESCENT VENT COVERS

CODE: HELMET-MANTA-VENT COVER

Glow in the dark increasing the visibility



COLOURED VENT COVERS

CODE: HELMET-MANTA-VENT COVER

Available in black, green, red and yellow

SAFETY HELMETS

DESIGNED FOR RESCUE TEAMS



ELE V8

CODE: HELMET-ELEV8-COLOUR

Compact, durable and lightweight
Certified to EN 12492 (working at height)
ABS outer shell with EPS foam lining and removable cushion
10x ventilation points all protected with mesh to prevent debris
Vents allow water to flow through helmet when used in water
Adjustable - twist mechanism at the rear
Padded adjustable chin strap secures with quick release clasp
Equipped with mounting points for ear defenders, a visor and a headlamp – all of which are available separately
Branding and reflective panels available upon request
Impact resistance: 100 joules (crown)
90 joules (sides/front/rear)

SIZE: ONE, head circumference: 51-62cm (20 - 24.4")

COLOUR: RED, YELL, BLK, WHITE



ELE V8 HALF VISOR

CODE: HELMET-ELEV8-VISOR

EN 166-2002, EN 14458-2004, ANSI Z87.1-2010
Polycarbonate visor
Scratch and fog-resistant
Provided with a non-cut and non-drip rubber edging



ELE V8 EAR DEFENDERS

CODE: HELMET-ELEV8-EARDEFND

Attaches easily via helmet mounting points
Hearing protection in the workplace
Adjustable for a secure fit
Compatible with the EleV8 helmets only



SEAHAWK

CODE: HELMET-HAWK-COLOUR

Conforms to EN 1385:2012
All-round protection great for white/swift water rescue
Split-mould injection process creates a very rigid shell
Ergonomic "negative draft" shape follows the natural curves of the head, protecting the forehead and base of the cranium
Lightweight ABS plastic shell
Extends to ears for added protection and stability
Twist lock adjustment

SIZE: ONE, head circumference: 55-62cm (21.7- 24.4")

COLOUR: GLOSS RED, WHITE, ORANGE, MATT YELL, BLK



PREDATOR

CODE: PREDATOR-HELMET-COLOUR

Certified EN:1385
Occipital Protuberance-hugging (OP-Hug) shape
High-impact Ralvek® thermoplastic shell
Closed-cell waterproof EVA foam inner
Easy to adjust inner cradle
Ventilation holes
Adjustable chin strap with release buckle
Includes custom fit pads

SIZE: ONE, head circumference: 55-62cm (21.7-24.4")

COLOUR: WHITE, YELL, RED



2.0MM NEOPRENE SKULL CAP

CODE: HD-SKULL CAP SIZE

Cap fits perfectly without any creasing
Windproof, reliable and effective protection from cold
Superstretch neoprene
Low profile design for comfort
Ideal for keeping your head warm in colder conditions for use under helmets, openwater swimming or diving
Designed to cover the top of your head and your ears
Velcro chin strap so you can adjust the fit
Reflective or branding can be added upon request

SIZE: S/M, L/XL

COLOUR: BLK



Carl Cooper UK ISAR

SPECIALIST RESCUE REFLECTIVE LINE 4 SIZES AVAILABLE

THROW BAGS WITH REFLECTIVE LINE

CODE: THROW-BAG-RL-SIZE

Useful in swift water rescue situations as they can be thrown into the water ahead of the moving casualty. The bags are often attached to the rescuer's personal protective equipment for quick access. Supplied complete with the nylon webbing guide belt.

STORAGE BAG:

- Ripstop Cordura®
- Drawstring neck closure
- Rapid drying time
- High visibility reflective bands
- Great for use at night
- Quick-clip attachment point

8MM (0.3") REFLECTIVE TECHNICAL FLOATING POLYPROPYLENE LINE:

- Load tested to 900kg (1984lb)
- High resistance to rotting/ mildew
- Braided sheath over the main load bearing core, sheath provides up to 25% of ropes strength, absorbs most abrasion and protects the load-bearing core

15M (49')

SIZE: 27*11*11cm (10.6*4.3*4.3")

WEIGHT: 0.7kg (1.54lb)

20M (65')

SIZE: 35*11*11cm (13.8*4.3*4.3")

WEIGHT: 0.9kg (1.98lb)

25M (82')


SIZE: 38*11*11cm (14.9*4.3*4.3")

WEIGHT: 1.1kg (2.42lb)

30M (98')

SIZE: 40*11*11cm (15.7*4.3*4.3")

WEIGHT: 1.2kg (2.64lb)





60M (196') + 100M (328') RESCUE BACK PACK

CODE: FLOATING LINE LENGTH

STORAGE BAG:

Ripstop Cordura® nylon
Drawstring neck closure allows for easy access to contents
Quick-clip line attachment point
Fully adjustable rucksack straps
Internal stainless steel D-ring

ROPE: 10mm (0.4") reflective technical floating polypropylene line
Load tested to 900kg (1984lb)
High resistance to rotting/ mildew

COLOUR: YELL (60m), BLUE (100m)



200M (656') RESCUE BACK PACK

CODE: ROPE-PP-200M

STORAGE BAG:

Ripstop Cordura® nylon
Drawstring neck closure allows for easy access to contents
Quick-clip line attachment point
Fully adjustable rucksack straps
Internal stainless steel D-ring

ROPE: 200m (656') of 8.5mm (0.3") reflective technical floating polypropylene line
Load tested to 900kg (1984lb)

COLOUR: ORANGE



100M (328') TECHNICAL BACK PACK

CODE: ROPE-UHMWPE-100M

STORAGE BAG:

Ripstop Cordura® nylon
Drawstring neck closure allows for easy access to contents
Quick-clip line attachment point
Fully adjustable rucksack straps
Internal stainless steel D-ring

ROPE: 10mm (0.4") technical floating HUMWPE rope, load tested to 4000kg (8818lb), high resistance to chemicals, water and ultraviolet light

COLOUR: RED



ROPE STORAGE BAG

CODE: THROW-BAG-BAG

Fit 15m to 30m rope lengths
Ripstop Cordura® nylon
Drawstring neck + mesh base
Quickclip clean line attachment point
High visibility reflective bands
Guide belt not included
SIZE: 40*11*11cm (15.7*4.3*4.3")



GUIDE BELT

CODE: THROW-BAG-BELT

Fits all throw bag sizes
Threads through bag belt loops
Reinforced nylon webbing
Push-button quick release clasp
Easy pull toggle
SIZE: ONE (Adjustable)

LIGHTWEIGHT 4 LENGTHS



LIGHTWEIGHT CARBON FIBRE REACH POLES

CODE: REACH POLE-LENGTH

A rapid, agile method to reach a conscious in-water casualty. The poles can equally be used to retrieve items from the water. Pole sections cannot be fully separated, each section has a clamp that unlocks a section and enables easy adjustment for fast extraction and retraction. On the tip of the pole is an aluminium bayonet fitting for use with the poles quick-release accessories.

Pole material: carbon fibre, clamps material: reinforced resin, attachments: 316 stainless steel and a rubber base.

When you buy a 6m, 9m or 15m reach pole you are supplied with: the pole, grapple hook, shepherds crook, pole extension, inflatable bouy and a storage bag. When you buy a 4.5m reach pole you are supplied with: the pole and shepherds crook.




Extended: 4.5m (14'8), retracted: 1.78m (5'8), sections x3, weight 1.1kg (2.4lb)



Extended: 6m (19'7), retracted: 1.80m (5'9), sections x4, weight 2.2kg (4.9lb)



Extended: 9m (29'5), retracted: 1.86m (6'1), sections x6, weight 2.8kg (6.2lb)



Extended: 15m (49'2),retracted: 1.88m (6'2), sections x10, weight 4.1kg (9lb)



GRAPPLE HOOK

CODE: REACH-POLE-GRAPPLE

Dims: 36*25*25cm (14.2*9.8*9.8")

Weight: 0.95kg (2.09lb)

Included with 6, 9 & 15m poles



SHEPHERDS CROOK

CODE: REACH-POLE-CROOK

Dims: 33*17*3cm (13*6.7*1.2")

Weight: 0.38kg (0.84lb)

Included with 4.5, 6, 9 & 15m poles



NARROW HOOK

CODE: REACH-POLE-NARROW-HOOK

Dims: 38*19*3cm (14.9*7.5*1.2")

Weight: 0.3kg (0.66lbs)

NOT included with a reach pole

RESCUE REACH POLE ACCESSORIES + WADING POLES



GO PRO ATTACHMENT

CODE: REACH-POLE-GOPRO-FITTING
 Dims: 10.5*5*3.5cm (4.1*1.9*1.4")
 Weight: 0.09kg (0.19lb)
 Camera not included
 NOT included with a reach pole



WATER RESCUE JAWS

CODE: REACH-POLE-CLAW
 Closed: 38*70*9cm (14.9*27.6*3.5")
 Open: 109*70*9cm (42.9*27.6*3.5")
 Weight: 1.1kg (2.43lb)
 NOT included with a reach pole



NET ATTACHMENT

CODE: REACH-POLE-GOPRO-FITTING
 Dims: 6*3*3cm (2.4*1.2*1.2")
 Weight: 0.1kg (0.22lb)
 NOT included with a reach pole



INFLATABLE BUOY

CODE: MOD-ITEM-95-FLOAT
 Dims: 24.5*21*78cm (9.6*8.3*30.7")
 Weight: 0.7kg (1.54lb)
 Included with 6, 9 & 15m poles



EXTENSION ATTACHMENT

CODE: REACH-POLE-EXTENSION
 Dims: 41*3*3cm (16.1*1.9*1.9")
 Weight: 0.18kg (0.39lb)
 Included with 6, 9 & 15m poles



36L STORAGE BAG

CODE: REACH POLE-BAG
 Dims: 44*38*22cm (17.3*14.9*8.7")
 Weight: 0.2kg (0.44lb)
 Included with 6, 9 & 15m poles

FLOATING WADING POLES

CODE: WADING-POLE-1.7M

Compact, robust and lightweight
 T-bar handle
 Weighted non-slip foot
 1.7m (5'6) length
 Telescopic 2pc and 1pc available
 Construction: fibre glass tubing
 Reflective depth markers can be added
 in-house by our creative team

2 PIECE

1 PIECE



Fully extended length: 1.7m (5'6) and retracted length: 1.5m (4'9)



75L MEDICAL PACK

CODE: RESCUE PACK

Manufactured from heavy duty top span PVC
 Secured with an arched zip and top-mounted carry handle
 Adjustable, padded shoulder straps
 Waist strap for extra stability and weight distribution
 4x removable medical equipment bags (2 small, 1 medium, 1 large), 1 removable gas cylinder bag (5L cylinder or smaller) and a rescue encapsulated panel, 300x100mm (11.8"x 3.9")
MAIN: HxWxD: 57*44*25cm (22.4*17.3*9.8")
FRONT POCKET: HxWxD: 45*30*9cm (17.7*11.8*3.5")
WEIGHT: 1.2kg (2.64lb)



46L RESPONDER PACK

CODE: SOS-RESPONDER SPORT

Green top span PVC, water resistant/wipe clean
 Transparent pocket for interchangeable panels
 Dual front pocket and clamshell opening for fast, easy access
 Lined with quilted diamond velvet nylon
 2x Velcro padded cylinder protectors
 4x zipped removable internal compartments
 HD splash proof zips with 'easy grab' zip pullers
 Comfort carry handles and adjustable shoulder straps
MAIN: HxWxD: 58*40*20cm (22.8*15.7*7.9")
FRONT POCKET: HxWxD: 35*32*5cm (13.8*12.6*2")
WEIGHT: 1.5kg (3.3lb)



30L OXYGEN/ANALGESIC PACK

CODE: SOS-OXY-BARREL BAG or SOS-ANALGESIC BARREL BAG

Removable panels for changeable logos (both sides)
 Internal padded cylinder protector and side pockets
 Heavy duty splash proof zips and removable shoulder strap
 Comfortable dual rubber carry handle on the top
 Made from ripstop nylon with a protective PVC base
COLOUR: green (oxygen), blue (analgesic)
SIZE: HxWxD: 60*25*20cm (23.6*9.8*7.9")
WEIGHT: 0.7kg (1.54lb)



23L PROFESIONAL RESPONDER PACK

CODE: SOS-PROF-RESPONDER

Green top span PVC, water resistant and wipe clean
 Transparent pocket on front for interchangeable panels
 Clamshell opening for fast, easy access
 Lined with quilted diamond velvet nylon
 Velcro close padded cylinder protector fitted
 3x zipped removable internal compartments
 Heavy duty splash proof zips and adjustable shoulder straps
 Comfortable carry handles on both the top and side
SIZE: HxWxD: 60*32*12cm (23.6*12.6*4.7")
WEIGHT: 1kg (2.2lb)

METALUX 200G CASUALTY BAG

CODE: CASUALTY-BAG

CONSTRUCTION

Outside bag: black Metalux 200gsm
Internal build: synthetic resinous wadding & tin foil thermal film
Inside bag: red thermal soft fleece
Fixed 8mm (0.3") neoprene mat built in
High wear nylon base

OTHER FEATURES

Lightweight
Comfortable and warm for casualties 6x 2 way plastic zippers for quick and easy access to all parts of the bag
8x neoprene padded carry handles built into bags base for extra strength
10x elasticated compression straps
Circular drawstring panel to keep casualties head/neck fully insulated
Mesh documents pocket with Velcro closure, dims approx 350*295mm (13.8*11.6")
Machine washable
Easy to roll up and stow away
Carry handle on top




This Metalux casualty care bag has been developed for use in the harshest of conditions. Perfect for air ambulance, mountain rescue and search and rescue. If this bag was to be saturated in water it would still keep its thermal properties and keep the casualty warm.

ROLLED: LxWxH: 70*30*25cm (27.5*11.8*9.8")

WEIGHT: 4.5kg (9.9lb)

TOG RATING: 4.3



ENQUIRE FOR PRICING

RUTH LEE

ND PARTNERS

TRAINING MANIKINS

The water rescue manikins of choice for British and US Navies, all UK Fire Services and NATO forces worldwide - these dummies perfectly simulate unconscious casualties in water.

BODY RECOVERY TRAINING MANIKIN:

Ideal for Police dive teams training to recover bodies from inland waterways and from under ice.

CONSCIOUS CASUALTY TRAINING MANIKIN:

Suitable for jet ski rescue training and other general water rescue scenarios.

MAN OVERBOARD TRAINING MANIKIN:

Ideal for search and rescue exercises in the open ocean, streams, lakes or other inland waterways.

SEARCH & RESCUE TRAINING MANIKIN:

Extensively used by Police and police dive teams, Royal Navy, Offshore operators, Coastguards & Lifeguards and Inland Water Rescue Teams.



DMAC MEDICAL KIT

CODE: FIRST-AID-KIT

The Diving Medical Advisory Committee (DMAC) specifies medical kits that they recommend to be held on the surface and in saturation chambers at dive sites. The kits include equipment for use in an immediate first aid situation, equipment and drugs that may be used by personnel with advanced medical training such as a dive medic. Includes items that would be commonly used in an emergency situation during diving operations in a remote location the kits are an essential component at a dive site. Visit our website for a full list of contents



ZOLL MEDICAL KIT

CODE: N/A

This kit includes the 23L Professional Responder Pack, a Zoll Debrillator, a Medical kit and 400L Medi Vital Cylinder

The bag organises kit to give easy access in an emergency

The Zoll AED Plus coaches you quickly and simply through every important step of the rescue process

Cylinder has a pressure regulator integrated with cylinder valve for fitting to gas cylinders used for medical gases

The medical kit contains wipes, dressings, bandages etc for a full breakdown of the kit please visit our website or contact us for the latest datasheet



BELL/CHAMBER KIT

CODE: N/A

Designed to serve commercial diving operations, and also advanced sports diving activities

The kit can be configured to cover the requirements for saturation and air diving operations

The medical kit contains bandages, masks, airways, gloves, blankets, wound dressings, scissors, tourniquet and more, for a full list check online

CODE: ND0006114

**This item is not for medical use*

- Safe and simple to use
- Fully portable
- Lightweight oxygen cylinder with built in regulator
- Variable flow rates from 1 to 15 litres per minute
- Essential lifesaving equipment
- A complete self-contained, portable oxygen kit for mobile applications

Oxygen demand valve (ND0003142)
Oxygen regulator (ND0003143)
PIN index oxygen cylinder (ND0003144)
Single use oropharyngeal airways, size 3 (ND0003148) and size 4 (ND0003149)
Single use resuscitation face masks (ND0003150)
High concentrated oxygen therapy mask (ND0003151)
Pocket mask with port (ND0003152)
Adult B.V.M resuscitation system (ND0003153)
23L professional responder rucksack (ND0006154)



INFLATABLE EQUIPMENT RANGE



Shoreham By Sea, Demo Day

Our inflatable brand was established by the founder of Northern Diver over 30 years ago under the name Osprey. Development began at Northern Diver's Appley Bridge factory when 2500+ inflatable boats were produced in the UK and sold worldwide.

Good design and quality manufacturing have always been a hallmark of the Northern Diver brand and soon became equally associated with the inflatable equipment we produced due to our expertise in the specialist rescue, commercial and military sectors.

It's from this heritage that we continue to offer our ever growing range of inflatable equipment from leisure and performance to commercial and lightweight series.

We have an inflatable to suit your every possible need and if you can't find it we will look to create it for you.

WHY CHOOSE AN SRE INFLATABLE?

- Safe/effective in rescue operations
- Rapid-deployment for rescuers
- Easy to recover a man overboard
- Highly manoeuvrable
- Efficient in shallow waters
- Fast inflation system
- Floor options, removable or light (boats)
- Large buoyancy tubes
- Safe and stable
- Heavy duty and lightweight
- Easy to fold and to carry
- Transportable by a two men crew
- Easy maintenance
- Fully equipped to deploy in the field

Obtain incomparable style with SRE inflatables.

Easy to stow, our compact inflatable equipment can more than hold their own against competitor models. Their ability to plane at full capacity makes these crafts equally comfortable for crew and passengers. They're highly manoeuvrable and efficient even in shallow waters.


Competitively priced. You're sure to find a great inflatable option for you from our range. They're heavy duty but surprisingly lightweight as well as being easy to maintain and inflate. Their fast inflation is why they're easy to rapidly deploy in rescue operations.

Built with safety in mind. Our inflatable equipment offers outstanding life spans for their owners. The large diameter tubes provide buoyancy and improved stability, and our range is CE approved. Every inflatable is designed and built to the highest standards of efficiency and safety, and your chosen model will be reassuringly safe, seaworthy, buoyant and stable.

Our inflatable equipment is proven to be safe and effective on the water. Professionals expect and demand top performance, quality and reliability, that's why they chose specialist rescue equipment (SRE) by Northern Diver.

Made to last with ISO 9001 quality. From factory to you, we control and monitor quality to ensure you get quality, in build and design. We use the best available technology and materials in inflatable's, using either Double Walled Fabric (DWF) Hypalon or PVC, to ensure a quality end product.

This provides you with a craft that is virtually unaffected by weather, even the excesses of heat, cold or humidity. The make up of the design also protects against, fuel, oil, strong sunlight and everyday abrasion. The use of the DWF construction method means we eradicate pin-holes, cracks and surface air-bubbles on all inflatable floors. Also, Double Walled Fabric (DWF) means our inflatable equipment is more air tight and can withstand a higher maximum air pressure to allow us to use it on any kind of model. Our passion for quality further extends to our top quality components and additional parts.



Combine style, performance, and functionality

Made from PVC fabric, the Leisure Series boats are lightweight and give guaranteed flexibility and reliability in all-weather conditions.



3.2M (10'4) NAVAJO INFLATABLE WITH ALUMINIUM FLOOR AND INFLATABLE KEEL

With a maximum capacity of 4 on 2 benches, the Navajo is a small but mighty option for a range of applications.

Spec Details	3.2m (10'4) Navajo
Max. loading	4 persons, 650kg (1433lb)
Outer dims	L: 3.2m (10'4), W: 1.52m (5'0)
Internal width	70cm (27.6")
Tube dia.	41cm (16.1")
Aluminium floor	4 folding panels, 15kg (33lb)
Weight (inflatable only)	47kg (103lb)
Chambers	3 + inflatable keel
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2 + 2 + 2
Reccomended outboard	15HP Max. or Electric 11Kw
Colours	Grey with blue trim
Reinforced rubbing strakes	Boat tubes + underside keel

CODE: BOAT-INFLATABLE 3M



Accessories included: both the Navajo and the Apache boats come with paddles, paddle holders, oar locks, maintenance kit, double action pump and storage bag.

3.6M (11'8) APACHE INFLATABLE WITH ALUMINIUM FLOOR AND INFLATABLE KEEL

Our 3.6m (11'8) inflatable, the Apache gives you more space for an extra person without compromising on stability or speed.

Spec Details	3.6m (11'8) Apache
Max. loading	5 persons, 800kg (1763lb)
Outer dims	L: 3.6 (11'8), W: 1.7m (5'6)
Internal width	80cm (31.5")
Tube dia.	45cm (17.7")
Aluminium floor	4 folding panels, 15kg (33lb)
Weight (inflatable only)	59kg (130lb)
Chambers	3 + inflatable keel
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	2 + 2 + 2
Reccomended outboard	20HP Max. or Electric 15Kw
Colours	Grey with blue trim
Reinforced rubbing strakes	Boat tubes + underside keel

CODE: BOAT-INFLATABLE 3.6M

ALLOY HULL PERFORMANCE BOAT SERIES

Take your leisure time at a performance pace

Our alloy hull, lightweight RIBs easy to transport and launch. Designed with a classic inflatable look and functionality to provide a lot of quality in a compact package.



3.8M (12'5) RIB INFLATABLE WITH ALLOY HULL

CODE: BOAT-RIB-4M-RED



5.5M (18'0) RIB INFLATABLE WITH ALLOY HULL

CODE: BOAT-RIB-5-6M



6.0M (19'7) RIB INFLATABLE WITH ALLOY HULL

CODE: N/A



PARSUN OUTBOARD MOTORS

CODE: OUTBOARD-PARSUN

Spec Details	3.8m RIB (AR380)	5.5m RIB (AR550)	6.0m RIB (AR600)
Outer dims	L: 380cm (12'5), W: 172cm (5'6)	L: 550cm (18'0), W: 208cm (6'8)	L: 600cm (19'7), W: 235cm (7'7)
Internal width	88cm (2'9)	118cm (3'9)	135cm (4'4)
Tube dia.	42cm (16.5")	45cm (17.7")	50cm (19.7")
Aluminium hull thickness	3mm (0.1")	4mm (0.2")	4mm (0.2")
Hull design	Non-slip EVA deck	Non-slip EVA deck, 2 transom boxes, 100L tank, fuel inlet on bow locker	Non-slip EVA deck, 2 transom boxes, 100L tank, fuel inlet on bow locker
Weight	80kg (176lb)	200kg (440lb)	300kg (661lb)
Chambers	3	5	5
Max. tube pressure	.35bar/ 5 psi	.35bar/ 5 psi	.35bar/ 5 psi
Handles, lines, benches	5+2+2	6+2+0	6+2+0
Max. loading / persons	860kg (1896lb) / 6 persons	1700kg (3748lb) / 9 persons	1980kg (4365lb) / 10 persons
Recommened outboard	30HP included in price	90HP Max. or Electric 66Kw	150HP Max. or Electric 110Kw
Jockey consoles	1 person jockey console	1 person jockey console	1 person jockey console
Other	Indespension trailer included in price	Black A-frame	Black A-frame



Staffordshire Fire & Rescue Service

For work on the water

Built tough so they work hard for rugged private and commercial use.

The Commercial series boats are a lightweight, utility option. Packed with high performance features, these versatile aluminium floored boats are the perfect solution for a range of uses.



MVS Rushdon Unit, Sarah Smith, PR Officer



North Yorkshire FRS

Spec Details	3.2m Boat (DS320)	3.6m Boat (DS360)	3.8m Boat (DS380)
Max. loading	4 + 1 persons, 566kg (1248lb)	5 + 1 persons, 689kg (1519lb)	6 persons, 727kg (1602lb)
Outer dims	L: 3.2m (10'4), W: 1.51m (4'9)	L: 3.6m (11'8), W: 1.7m (5'6)	L: 3.8m (12'5), W: 1.7m (5'6)
Internal width	70cm (27.6")	80cm (31.5")	80cm (31.5")
Tube dia.	42cm (16.5")	45cm (17.7")	45cm (17.7")
Aluminium floor	4 folding panels, 20kg (44lb)	5 folding panels, 22kg (48lb)	5 folding panels, 24kg (53lb)
Weight (inflatable only)	32kg (70lb)	36kg (79lb)	43kg (94.8lb)
Chambers	3 + 1 (keel)	3 + 1 (keel)	3 + 1 (keel)
Max. tube pressure	.35bar/ 5 psi	.35bar/ 5 psi	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi	.7bar/ 10psi	.7bar/ 10psi
Handles, lines, benches	6 + 2 + 2	6 + 2 + 2	6+2+2
Reccomended outboard	15HP Max. or Electric 11Kw	20HP Max. or Electric 15Kw	30HP Max. or Electric 22.4Kw
Colours	red, yell, orange, black, green	red, yell, orange, black, green	red, yell, orange, black, green

CODE: BOAT-INFLATABLE 3M-COL

CODE: BOAT-INFLATABLE 3.6M

CODE: BOAT-INFLATABLE 3.8M-COL

COMMERCIAL BOAT SERIES // ALUMINIUM FLOORS

Spec Details	4.2m Boat (DS420)	4.6m Boat (DS460)
Max. loading	7 persons, 1140kg (2513lb)	8 persons, 1200kg (2645lb)
Outer dims	L: 4.2m (13'8), W: 1.9m (6'2)	L: 4.6m (15'0), W: 1.9m (6'2)
Internal width	94cm (37")	94cm (37")
Tube dia.	48cm (18.9")	48cm (18.9")
Aluminium floor	5 folding panels, 30kg (66lb)	6 folding panels (36kg/79lb)
Weight (inflatable only)	54kg (119lb)	59kg (130lb)
Chambers	3 + 1 (keel)	5 + 1 (keel)
Max. tube pressure	.35bar/ 5 psi	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi	.7bar/ 10psi
Handles, lines, benches	8 + 2 + 2	8 + 2 + 2
Reccomended outboard	30HP Max. or Electric 22.4Kw	40HP Max. or Electric 30Kw
Colours	red, yell, orange, black, green	red, yell, orange, black, green

CODE: BOAT-INFLATABLE 4.6M-COL

CODE: BOAT-INFLATABLE 4.6M-COL



DS500 COMMERCIAL INFLATABLE

Inflatable with aluminium floor

Built tough so they work hard for rugged private and commercial use, the Commercial series are a lightweight, utility option. Packed with high performance features, these versatile aluminium floored boats are the perfect solution for a range of uses.


Our inflatable boats are perfectly geared for shallow waters, they can be easily transported (inflated or deflated) and quickly deployed. These stable and highly manoeuvrable boats are highly responsive and are designed to aid the effective recovery of in-water casualties.

Spec Details	5m Boat (DS500)
Max. loading	10 persons, 1450kg (3197lb)
Outer dims	L: 5.2m (17'0), W: 2m (6'6)
Internal width	108cm (42.5")
Tube dia.	50cm (19.7")
Aluminium floor	6 folding panels (50kg/110lb)
Weight (inflatable only)	70kg (154lb)
Chambers	5 + 1 (keel)
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	11 + 2 + 2
Reccomended outboard	50HP Max. or Electric 37.2Kw
Colours	red, yell, orange, black, green

CODE: BOAT-INFLATABLE 5M-COLOUR



INFLATABLE HULL BOAT SERIES



Lightweight and easy to handle and launch

The lightweight inflatable hull series with DWF is easily transportable by a two-man crew. The floor panels, when inflated, come together to give the boat a keel. The Lightweight series are easy to carry, stow and fold. All of the boats in this series come complete with keel rubbing strake and have a lifting handle that's also a towing eye combined in one. The DWF system of drop threads between two flat rubber composites gives a high pressure, fully flat surface, as strong as a traditional aluminium floor without the weight.



Spec Details	3.2m Boat (DS320)	4m Boat (DS400)
Max. loading	4 persons, 900kg (1984lb)	8 persons, 1500kg (3306lbs)
Outer dims	L: 3.2m (10'4), W:1.52m (5'9)	L: 4m (13'1), W:1.9m (6'2)
Internal width	70cm (27.6")	94cm (37")
Tube dia.	42cm (16.5")	48cm (18.9")
Inflatable floor	Drop thread, 8cm (3.1")	Drop thread, 8cm (3.1")
Weight	36kg (79lb)	58kg (128lb)
Chambers	3 tubes + 2 floor	4 tubes + 2 floor
Max. tube pressure	.35bar/ 5 psi	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi	.7bar/ 10psi
Handles, lines, benches	4 + 2 + 1	4 + 2 + 2
Recommened outboard	15HP Max. or Electric 11Kw	25HP Max. or Electric 22.4Kw
Colours	red, yell, orange, black, green	red, yell, orange, black, green

CODE: BOAT-INFLATABLE 3M-VIB-COL

CODE: BOAT-INFLATABLE 4M-VIB-COL

DS500

EASY TO TRANSPORT.

Inflatable boat with inflatable floor

Spec Details	5m Boat (DS500)
Max. loading	10 persons, 1950kg (4299lb)
Outer dims	L: 5m (16'4), W:2m (6'6)
Internal width	103cm (40.5")
Tube dia.	50cm (19.7")
Inflatable floor	Drop thread, 10cm (3.9")
Weight	80kg (176lb)
Chambers	5 tubes + 2 floor
Max. tube pressure	.35bar/ 5 psi
Max. pressure inflatable floor	.7bar/ 10psi
Handles, lines, benches	4 + 2 + 2
Reccomended outboard	40HP Max. or Electric 30Kw
Colours	red, yell, orange, black, green
Reinforced rubbing strakes	Boat tubes + underside keel
Lifting stainless steel D-rings	4
Transom mounted tow eyes	2

CODE: BOAT-INFLATABLE 5M-VIB-COL



All boats include: soft grip carry handles, grab handles, double grab handles, oar locks, stainless steel D-rings, a bow handle or towing eye and at least one boat bench.

Included accessories: 2x 165cm (65") T-bar paddles (designed to float), Inflation valve fittings, maintenance kit, storage bag and HP2 inflation hand pump

Shoreham-by-sea at the Adur Centre

BOOK YOUR DEMO DAY



Book your demo day

We are available at your location to allow you to try and test our equipment.

Training

We offer training days on life jacket servicing and the maintenance and repairs of suits.

Products designed for you

Have a design in mind? We can help. We can work together to create a product that meets your teams requirements perfectly.

Shoreham By Sea



Gloucester FRS & Severn Area Rescue

RR2 > 2.6M (8'5) WATER RESCUE SLED



CODE: RESCUE SLED-RR2

Spec Details	RR2 Rescue Raft
Overall length	300cm (118")
Overall width	100cm (39.4")
Internal width	n/a
Sponson/pontoon dia.	n/a
Floor materials	DWF
Floor thickness	15cm (5.9")
Weight	23.5kg (51.8lb)
Carton/packing dims.	110*60*28cm (43.3* 23.6*11")
Chambers	1
Max inlet fill	0.7bar/10psi
SS316 stainless steel D-rings	4S + 10M + 5L
Handles	6 + 5
Max loading	300kg (661lb)
Max persons	2 + 1

RR3 > 3.0M (9'8) WATER RESCUE SLED



Ambulance HART IWO

CODE: RESCUE SLED-RR3-COLOUR

Spec Details	RR3 Rescue Raft
Overall length	300cm (118")
Overall width	113cm (44.5")
Internal width	73cm (28.7")
Sponson/pontoon dia.	20cm (7.9")
Floor materials	DWF
Floor thickness	15cm (5.9")
Weight	27.5kg (60.6lb)
Carton/packing dims.	110*50*32cm (43.3*19.7*12.6")
Chambers	2 + 1
Max inlet fill (sponsons)	0.35bar/5psi
Max inlet fill (floor)	0.7bar/10psi
SS316 stainless steel D-rings	4S + 7M
Handles	6 + 4
Max loading	350kg (772lb)
Max persons	3 + 1

INFLATABLE SLEDS & RAFTS

RR4 > 3.6M (11'8) WATER RESCUE SLED



CODE: RESCUE SLED-RR4-COLOUR

Spec Details	RR4 Rescue Raft
Overall length	360cm (141.7")
Overall width	116cm (45.7")
Internal width	70cm (27.6")
Sponson/pontoon dia.	23cm (9")
Floor materials	DWF
Floor thickness	15cm (5.9")
Weight	36kg (79.3lb)
Carton/packing dims.	110*60*35cm (43.3*23.6*13.8")
Chambers	2 + 1
Max inlet fill (sponsons)	0.35bar/5psi
Max inlet fill (floor)	0.7bar/10psi
SS316 stainless steel D-rings	4S + 15M
Handles	5 + 4
Max loading	450kg (992lb)
Max persons	4 + 1

RR5 > 4.7M (15'4) RAPID DEPLOYMENT RAFT



CODE: RESCUE SLED-RR5

Spec Details	RR5 Rescue Raft
Overall length	470cm (185")
Overall width	140cm (55.1")
Internal width	70cm (27.6")
Sponson/pontoon dia.	35cm (13.8")
Floor materials	DWF
Floor thickness	15cm (5.9")
Weight	47.5kg (104.7lb)
Carton/packing dims.	110*60*40cm (43.3*23.6*15.7")
Chambers	2 + 1
Max inlet fill (sponsons)	0.35bar/5psi
Max inlet fill (floor)	0.7bar/10psi
SS316 stainless steel D-rings	6M
Handles	18
Max loading	400kg (882lb)
Max persons	4

2.4M (7'9) INFLATABLE RAFT



CODE: RESCUE-RAFT CSB-R

Spec Details	2.4m Raft
Overall length	240cm (94.5")
Overall width	130cm (51.9")
Internal width	60cm (23.6")
Sponson/pontoon dia.	35cm (13.8")
Floor materials	8cm (3.1") DWF + PVC
Weight	25kg (55.1lb)
Carton/packing dims.	92*67*25cm (36.2*26.4*9.8")
Chambers	2 + 1
Max inlet fill (sponsons)	0.35bar/5psi
Handles	6
Max loading	400kg (881.8lb)
Max persons	2 + 1

INFLATABLE RAFTS

2.7M (8'9) INFLATABLE RAFT



CODE: BOAT-INFLATABLE-CMO270

Spec Details	2.7m Raft
Overall length	270cm (106")
Overall width	140cm (55.1")
Internal width	64cm (25.2")
Sponson/pontoon dia.	38cm (13.8")
Floor materials	8cm (3.1") DWF + PVC
Weight	28kg (61.7lb)
Carton/packing dims.	100*57*36cm (39.4*22.4*14.2")
Chambers	2 + 1
Max inlet fill (sponsons)	0.35bar/5psi
316 stainless steel D-rings	1L
Max loading	450kg (992.1lb)
Max persons	3
Recommended outboard	4HP Max. or electric

3.3M (10'8) INFLATABLE RAFT



CODE: BOAT-INFLATABLE-CMO330

Spec Details	3.3m Raft
Overall length	330cm (130")
Overall width	140cm (55.1")
Internal width	64cm (25.2")
Sponson/pontoon dia.	38cm (13.8")
Floor materials	8cm (3.1") DWF + PVC
Weight	33kg (72.8lb)
Carton/packing dims.	100*57*40cm (39.4*22.4*15.7")
Chambers	2 + 1
Max inlet fill (sponsons)	0.35bar/5psi
316 stainless steel D-rings	1L
Max loading	500kg (1102.3lb)
Max persons	4
Recommended outboard	4HP Max. or electric

RR-MAX > 3MX2M (9'8X6'6) RESCUE RAFT



CODE: RESCUE SLED-RRMAX-COLOUR

Spec Details	RR-Max Rescue Raft
Overall length	300cm (118")
Overall width	200cm (78.7")
Internal width	130cm (51.2")
Sponson/pontoon dia.	35cm (13.8")
Floor materials	DWF
Floor thickness	15cm (5.9")
Weight	42.5kg (93.6lb)
Carton/packing dims.	130*60*40cm (51.2*23.6*15.7")
Chambers	3 + 1
Max inlet fill (sponsons)	0.35bar/5psi
Max inlet fill (floor)	0.7bar/10psi
SS316 stainless steel D-rings	13M
Handles	5 + 4
Max loading	700kg (1543lb)
Max persons	7
Recommended outboard	10HP Max. or electric

INFLATABLE SLEDS & RAFTS

3.3M (10'8) INFLATABLE CATAMARAN




CODE: BOAT-INFLATABLE-CAT-330COLOUR

Spec Details	Catamaran
Overall length	330cm (129.9")
Overall width	184cm (72.4")
Internal width	100cm (39.4")
Sponson/pontoon dia.	42cm (16.5")
Floor materials	DWF + PVC
Floor thickness	8cm (3.1")
Weight	55kg (121.3lb)
Carton/packing dims.	110*62*40cm (43.3*24.4*15.7")
Chambers	4 + 1
Max inlet fill (sponsons)	0.35bar/5psi
Max inlet fill (floor)	0.7bar/10psi
SS316 stainless steel D-rings	12M + 4L
Handles, lines, benches	4 + 2 + 2
Max loading	570kg (1256.6lb)
Max persons	4
Recommended outboard	10HP Max. or Electric

INFLATABLE WALKWAYS & TRACKS



INFLATABLE WALKWAY



CODE: WALKWAY-LENGTH

Spec Details	5m Walkway	2m Walkway
Overall length	500cm (196")	200cm (78.8")
Overall width	120cm (47.2")	120cm (47.2")
Internal width	n/a	n/a
Sponson/pontoon dia.	30cm (11.8")	30cm (11.8")
Floor materials	DWF	DWF
Floor thickness	10cm (3.9")	10cm (3.9")
Weight	37kg (81.6lb)	25kg (55.1lb)
Carton/packing dims.	125*68*40cm (49*26.8*15.7")	
Chambers	2 + 1	2 + 1
Max inlet fill (sponsons)	0.35bar/5psi	0.35bar/5psi
Max inlet fill (floor)	0.7bar/10psi	0.7bar/10psi
SS316 stainless steel D-rings	4L + 22M	4L + 12M
Handles	4	4
Max loading	750kg (1653lb)	300kg (661lb)
Max persons	7 + 1	3

INFLATABLE AIR TRACK



Spec Details	10m (32'8)	8m (26'2)	5m (16'4)	2m (6'6)	1m (3'3)
Overall length	1000cm (393.7")	800cm (314.9")	500cm (196.8")	200cm (78.7")	100cm (39.4")
Overall width	140cm (55.1")	140cm (55.1")	140cm (55.1")	100cm (39.4")	100cm (39.4")
Internal width	n/a	n/a	n/a	n/a	n/a
Sponson/pontoon dia.	n/a	n/a	n/a	n/a	n/a
Floor materials	DWF	DWF	DWF	DWF	DWF
Floor thickness	8cm (3.1")	8cm (3.1")	8cm (3.1")	8cm (3.1")	8cm (3.1")
Weight	38kg (83.8lb)	32.5kg (71.7lb)	25kg (55.1lb)	8kg (17.6lb)	3kg (6.6lb)
Carton/packing dims.	140*35*38cm 55.1*13.8*14.9"	140*35*35cm 55.1*13.8*13.8"	140*35*30cm 55.1*13.8*11.8"	105*35*15cm 41.3*13.8*5.9"	110*35*10cm 43.3*13.8*3.9"
Chambers	1	1	1	1	1
Max inlet fill	0.7bar/10psi	0.7bar/10psi	0.7bar/10psi	0.7bar/10psi	0.7bar/10psi
SS316 stainless steel D-rings	28+	25+	20+	4+	4+
Handles	4	4	4	2	2
Max loading	840kg (1851lb)	672kg (1481lb)	420kg (925lb)	120kg (264lb)	60kg (132lb)
Max persons	8 + 1	6 + 1	4	1	1

CODE: INFLATABLE-AIR-TRACK-LENGTH

INFLATABLE TUBES

INFLATABLE RESCUE TUBE/HOSE



Available in 5m (16'4), 7m (22'9) and 10m (32'8) lengths. A first response solution for water rescue and invaluable in situations where the casualty is conscious and able to assist.

The system can be deployed in numerous ways during a rescue operation, depending on the prevailing conditions. The tube is easy to carry into remote locations i.e. mountain tarns and gorges.

Lightweight and highly visible
Stainless steel 316 marine grade D-rings located every 2m (6'6) along the tube
Inflates by hand pump or from a compressed air cylinder

Inflation valve fittings, HP2 inflation hand pump, storage bag and repair kit included.

CODE: INFLATABLE HOSE-SIZE

INFLATABLE BOARDS, TUBES & KAYAKS



1.6M (8'5) RESCUE LIFE BOARD



SDIS 37, France

CODE: RESCUE-LIFEBOARD-185Y

Spec Details	Life Board
Overall length	185cm (72.8")
Overall width	105cm (41.3")
Internal width	N/A
Sponson/pontoon dia.	N/A
Floor materials	DWF
Floor thickness	15cm (5.9")
Weight	14kg (30.9lb)
Carton/packing dims.	105*63*22cm (41.3*24.8*8.7")
Chambers	1
Max inlet fill (floor)	0.7bar/10psi
SS316 stainless steel D-rings	2M + 5L
Handles	12
Max loading	200kg (441lb)
Max persons	1 + 1

3.9M (12'8) 2MAN KAYAK



CODE: BOAT-INFLATABLE-KAYAK-390B

Spec Details	3.9m Raft
Overall length	390cm (153.5")
Overall width	95cm (37.4")
Internal width	35cm (13.8")
Sponson/pontoon dia.	30cm (11.8")
Floor materials	Raft Bottom
Weight	20kg (44lb)
Carton/packing dims.	110*60*35cm (43.3*23.6*13.8")
Chambers	2 + 1
Max inlet fill (sponsons)	0.35bar/5psi
SS316 stainless steel D-rings	10M
Max loading	320kg (705.5lb)
Max persons	2



DID YOU KNOW ...

WE SELL PADDLE BOARDS





Check out our range of inflatable paddle boards and find the perfect board to suit your lifestyle. Quick to inflate and convenient to transport and store, our inflatable paddle boards ensure hassle-free fun on the water.

All Northern Diver SUPS include easy travel back pack, telescopic floating paddle, safety leash, hand pump and repairs kit.




Spec Details	Viking 15'0" SUP	Cruiser LX 14'0" SUP	Aquarious 10'6" SUP
Length	457cm (15'0)	426cm (14'0)	320cm (10'6)
Max loading	up to 550kg (1212lbs)	up to 716kg (1578lbs)	up to 275kg (606lbs)
Inflated dims L*W*H	457*86*20cm (180*34*8")	426*120*20cm (167.7*47.2*7.9")	320*82*15cm (126*32.3*5.9")
Rolled dims L*Dia	95*30cm (37.4*11.8")	128*40cm (50.4*15.7")	90*30cm (35.4*11.8")
Deck surface	EVA Foam	EVA Foam	EVA Foam
SUP Weight	9.98kg (22lbs)	15kg (33lb)	12kg (27lb)
Volume	628L	820L	310L
Main body materials	20cm (7.9") PVC	20cm (7.9") DWF	15cm (5.9") DWF
Valve type	Halkey-Roberts	Halkey-Roberts	Halkey-Roberts
Parts	SS D-Rings 14, handles 5, fins 2	SS D-Rings 11, handles 2, fins 3	SS D-Rings 5, handles 1, fins 3
Cargo system	Elasticated Strap System	Bungee cargo net	Bungee cargo net
Recommended PSI	15	15	15

CODE: SUP-ND-15'

CODE: SUP-ND-11'6"-CRUISER

CODE: SUP-ND-10'6"-WHBL



Spec Details	Aquarius 10'6" SUP	Aquarius Travel 10'6" SUP	Nitro 9'4" Kids SUP
Length	320cm (10'6)	457cm (15'0)	285cm (9'4)
Max loading	up to 275kg (606lbs)	up to 550kg (1212lbs)	up to 142kg (313lbs)
Inflated dims L*W*H	320*82*15cm (126*32.3*5.9")	457*86*20cm (180*34*8")	285*71*10cm (112*28*3.93")
Rolled dims L*Dia	90*30cm (35.4*11.8")	95*30cm (37.4*11.8")	88*27cm (34.6*10.6")
Deck surface	EVA Foam	EVA Foam	EVA Foam
SUP Weight	12kg (27lb)	9.98kg (22lbs)	7.7kg (17lbs)
Volume	310L	628L	162L
Main body materials	15cm (5.9") DWF	20cm (7.9") PVC	10cm (3.9") DWF
Valve type	Halkey-Roberts	Halkey-Roberts	Halkey-Roberts
Parts	SS D-Rings 5, handles 1, fins 3	SS D-Rings 14, handles 5, fins 2	SS D-Rings 6, handles 3, fins 2
Cargo system	Bungee cargo net	Elasticated Strap System	Elasticated Strap System
Recommended PSI	15	15	15

CODE: SUP-ND-10'6-AQGR

CODE: SUP-ND-10'6-TRAVEL

CODE: SUP-ND-9'4"-Y



SUP SAFETY LEASH

CODE: SUP-LEASH

0.7m (2'3) long coiled and expands to 3.0m (9'8)
Sits comfortably around ankle/calf with 316 stainless steel swivels and strong urethane cord. Attaches to any D-Ring on your SUP.



TELESCOPIC FLOATING SUP PADDLE

CODE: SUP-PADDLE

A lightweight fibreglass paddle with a strong, stiff shaft and a powerful/durable ABS blade is perfect for your paddleboard adventures. Max length – 210cm (82.6"). Min length – 160 cm (62.9") Weight: 920g (2.02lbs).

INFLATION OPTIONS

Every inflatable boat comes with a hand or foot pump as standard. However, we can provide options to help you inflate quicker for when you need to get on the water fast.



SATURN REG INFLATION KIT

CODE: REG-ND-M4-DIN

A first stage reg for use with a cylinder
Assists with speedier chamber inflation
Use DIN 300bar or A-Clamp 232bar tanks
Saturn reg inflation kit is set at 2.5 bar outlet pressure
Fitted with a 2m (78") inflation hose



HP2 INFLATION PUMP

CODE: BOAT-PUMP-HP2

EN 16051
Built-in shockproof pressure gauge
Seal/anti-sand filter
Switch for double/single action
Capacity: 1.8 + 1.8L
Dimensions: 12*25*55cm (4.7*9.8*21.7")



HP4 INFLATION PUMP

CODE: BOAT-PUMP-HP4

Halkey roberts nozzle
Built-in shockproof pressure gauge
Seal/anti-sand filter
2 cylinders with triple action
Capacity: 3.5 + 3.5 L
Dimensions: 19*31*21cm (7.5*12.2*8.3")



12V SPEEDY AIR PUMP WITH CROC CLIPS

CODE: BOAT-PUMP DC

High speed fan and high-pressure piston pump
Adjustable from 2.2 PSI up to a maximum of 12 PSI
Auto stop when your chosen pressure is reached
Reliable design to reduce wear
Gator clips for quick connection to the car battery
All necessary adaptors are included



MAINS POWER SPEEDY AIR PUMP

CODE: BOAT-PUMP AC

High-pressure inflator pump
1200W at maximum power
Auto stop feature
Easily transportable at just 1.9kg (4.18lb)
Maximum output flow of 2100L/min
Maximum air pressure of 31KPa



NRS-55L NERAUS SERIES ELECTRIC OUTBOARD

CODE: OUTBOARD-P-ELEC

Low noise, reliable and more power for your money
Thrust: 25kg (55lb)
Input power: 12V, 52A 624W
Shaft length: 0.915m (36")
Complete with a transom bracket, telescopic handle, 5 forward and 3 reverse speeds
Designed for salt and/ or freshwater use
Anti-corrosion and anti-dust properties
Easily lift the motor and adjust it's height to avoid objects in shallow water. The nylon mount bracket enables a 90 degree lever-lock system
Flexible 2-blade machete propeller
10-level LED power indicator
AWM standard US cable and UL certificate
Please note battery is not included



SAIL 95D31R BATTERY

CODE: OUTBOARD-ELEC-BATTERY

Voltage 12V, Capacity 80ah, 600 A
LxWxH: 310x182x256mm (12.2"x 7.2"x 10")
Weight: 20.4kg (45lb)
Maintains power even in low temperature conditions

SMART POWER BATTERY BOX

CODE: OUTBOARD-ELEC-BATTERY BOX

Suitable for batteries up to 100ah capacity
Internal LxWxH: 355x190x260mm (13.9"x 7.5"x 10.2")
Carry weight: 35kg (77.2lb)
12volt power station
5v USB socket, great for recharging a phone or tablet
60amp breaker on 12volt connections



BUNK-STYLE ROAD TRAILERS FOR INFLATABLES

We'll work with the manufacturers to ensure that we get you the most suitable trailer for your SRE inflatable at the best price possible.

Bunk trailers are adjustable, so your boat gets maximum protection. The trailers are fitted with sealed for life bearings. Fully welded and hot dip galvanised, the trailers we supply conform to current road use regulations.

INFLATABLE ACCESSORIES

SUZUKI 4-STROKE OUTBOARD MOTORS


Reliable. Compact. High Performance.

Suzuki offer powerful, reliable and fuel-efficient boat engines. Every engine across their ranges is specifically designed for marine use. Their user-friendly motors are supported by their 50 years of industry leading innovation.

High performance, lightweight, compact and low on fuel consumption: you really can have it all in one!



**THE
ULTIMATE
4-STROKE OUTBOARD**



SINGLE BLADE T-BAR PADDLE

CODE: BOAT-OAR

Strong blade with easy grip handle



DOUBLE BLADE PADDLE

CODE: RESCUE SLED-PADDLE

Lightweight aluminium build



FLOATING DOUBLE PADDLE

CODE: RESCUE SLED-PADDLE-KPF-225

Perfect for kayaking and water sports



PROPELLOR GUARD

CODE: PROP-SIZE-COLOUR

Size: 9" (22cm) 4-20HP, or 11" (27cm) 20-35HP



OUTBOARD BRACKET

CODE: BOAT-OUTBOARD-BRACKET

Fits a 15HP (max) outboard



EVA NON SLIP 3M FLOOR

CODE: N/A

Approx size: 2.4*0.7m (94.4*27.5")



REPAIR PATCHES

CODE: REPAIR PATCHES

3x 50mm (2") and 3x 100mm (3.9")



TRACTION PADS

CODE: BOAT-PADS

Size: 25.5*8cm (10*3") antislip EVA foam



3-PRONG D-RING TOW POINT

CODE: BOAT-DRING-TOW-3P-COLOUR

Available in various colours



CIRCULAR D-RING TOW POINT

CODE: BOAT-DRING-TOW-C-COLOUR


Available in various colours



RECTANGLE D-RING TOW POINT

CODE: BOAT-DRING-TOW-R-COLOUR

Available in various colours



REFLECTIVE PANELS

CODE: BOAT-REFLECTIVE-COLOUR

SOLAS reflective tape



INFLATION VALVES

CODE: N/A

ND version and Leaffield valves available



RELIEF VALVES

CODE: N/A

DWF (small) or pontoon (large valve)



PLASTIC VALVE TOOLS

CODE: N/A

DWF (small) or pontoon (large valve)



MTM SPECIALISTS

We've been creating tailored suits for over 40 years, so, if a stock suit is not for you, why not build your own?

Are you struggling to fit into a stock sized drysuit? Don't worry we can help. Our made to measure service ensures you purchase a drysuit that fits you perfectly. Northern Diver's state of the art computerised cutting system ensures that all suits are precision made to your exact measurements.

Each suit is designed, planned and graded digitally, then transferred to the cutting bed, which gives a clean and accurate cut, ensuring maximum seam integrity. Suits can be customised with pockets, fly zips, branding and much more, we are happy to help with any requirement you have.

Contact our experienced team to discuss your made to measure options on:

+44 (0) 1257 25 44 44 or info@ndiver.com

DIVE IN!


The first multi-purpose indoor diving facility in the North West.

A 22.5m (73'8) test facility that is perfect for equipment trials and training Military, Commercial and Scuba divers.

Contact +44 (0) 1257 25 44 44 to discuss.



22.5 meters





PERSONALISE YOUR KIT

We are now able to add branding to a range of our products. They can be specially branded with your name / company / team logos.



STANDARD LOGO	SIZE
Small Logo	Up to 70*70mm (2.6*2.6")
Medium Logo	Up to 110*110mm (4.3*4.3")
Large Logo	Up to 150*150mm (5.9*5.9")
X-Large Logo	Up to 250*250mm (9.8*9.8")
Custom Size Logo	Over 250*250mm (9.8*9.8")

Maximum logo size is 290*290mm (11.4*11.4"). Any larger logos can be looked at to work out the best method of application, this will need to be discussed with the branding team.

REFLECTIVE LOGO	SIZE
Small Logo	Up to 70*70mm (2.6*2.6")
Medium Logo	Up to 110*110mm (4.3*4.3")
Large Logo	Up to 150*150mm (5.9*5.9")
X-Large Logo	Up to 250*250mm (9.8*9.8")
Custom Size Logo	Over 250*250mm (9.8*9.8")

Reflective text or simple shaped panels can be applied to a range of Northern Diver products. Contact us to discuss your branding needs.

OTHER	SIZE
Inflatable logo panels	Custom to fit



SUIT REPAIR & ALTERATIONS




Photo credit: Louise, one of our Repairs Team Leaders in action. Using her 27 years' experience to cut and custom fit repairs & alterations.



Stock suits.

Custom tailoring.

We can help you tailor suits so they better support you in the field. If you need to add different elements to standard suits we provide, just ask. We can change neck, wrists, socks, and boots to suit your requirements. We can add pockets, fly zips, valves, Kevlar® reinforcement in high wear areas to name a few...

Please note: tailoring options are dependent on the type of stock suit you have purchased from us (neoprene, membrane or rubber).



Suit repairs.

With over 60 years of combined experience, our Repair Technicians are some of the best in the business. A dedicated and diligent team, they know how important it is that their work be perfect, every time.

Waiting times can vary dependent on our workload, however turnaround can sometimes be as fast as one day. If you need your repairs for a certain time, please advise our team of this. You can check on current time frames prior to booking suits in.

Repairs department: +44 (0) 1257 25 69 37
Opening times: Mon - Fri 8.30am to 5.00pm

Book it in.

Online repair system.

We now offer a full ONLINE repair and alterations service for our suits, this can include fixing leaks, adding new parts to your suit i.e. socks, seals, pockets or alterations, trade customers registered online will receive trade pricing!



We've made it easier for you to:

1. Book in your suit - from anywhere
2. Get updates and check on progress at any time
3. Accept quotations and easily pay online

All you need to do is log in to your online account to get started with the 8 steps to book your repair, www.ndiver.com/login

Not comfortable booking it in online?

Don't worry, all suits that enter our repairs and alteration department now use the online system, once your suit(s) arrive we will book them onto your account for you, all you need to do is log in and view its progress or check the email updates that we send to the address on the account.



REPAIR & ALTERATION PRICING

PART	OPTIONS	SIZES
NECK SEAL	NEOPRENE NECK	12.5" - 18"
	SHORT NEOPRENE NECK	12.5" - 18"
	LATEX NECK	S, M, L, XL, XXL
	LATEX NECK + WARMER	S, M, L, XL, XXL
	THOR NECK DAMS (DESCO, GENESIS, K.M & AH 5/7)	ONE
WRIST SEALS	NEOPRENE WRIST SEALS	6.5" - 8"
	LATEX WRIST SEALS (CONICAL)	S, M, L, XL
	LATEX WRIST SEALS (BOTTLE NECK)	S, M, L, XL
	LATEX WRIST SEALS (MANCHETTE)	S, M, L, XL
	LATEX WRIST SEALS + NEOPRENE WARMERS	S, M, L, XL
	FIXED CUFF RING SYSTEM + LATEX SEALS	M, L, XL
	FIXED CUFF RING SYSTEM + GLOVES	M, L, XL
	DRY GLOVE RING SYSTEM	S, M, L, XL
VALVES	INFLATION VALVE (INC TEST)	ONE
	EXHAUST VALVE (INC TEST)	ONE
	LOCKING CUFF DUMP (INC TEST)	ONE
	HALCYON P-VALVE	ONE
	BLANK OFF VALVE (INC BADGE)	ONE
	REPOSITION VALVE	N/A
	RESEAT VALVE	N/A
ZIPS	MEDIUM DUTY BDM METAL ZIP (FE, RE & BIB)	28" > 42"
	HEAVY DUTY BDM METAL ZIP (FE, RE & BIB)	30" > 42"
	YKK PLASTIC ZIP (FE, RE & BIB)	32" > 40"
FLY ZIPS	MEDIUM DUTY BDM METAL ZIP	28.5 CM
	HD BDM METAL ZIP	28.5 CM
	YKK PLASTIC ZIP	29.0 CM
POCKETS	RADIO ARM POCKET	VARIED - GO ONLINE
	LIGHTSTICK ARM POCKET	VARIED - GO ONLINE
	KNIFE LEG POCKET	VARIED - GO ONLINE
	BELLOWS OR TRANSPORTER LEG POCKET	VARIED - GO ONLINE
SOCKS	NEOPRENE SOCKS	UK 3 - 13
	LATEX SOCKS	S, M, L, XL
	LATEX SOCKS + WARMERS	S, M, L, XL
	BREATHABLE SOCKS	UK 4 - 13
BOOTS	STD RUBBER BOOTS	UK 3 - 13
	SAFETY BOOTS	UK 4 - 12
	PVC SAFETY WELLINGTONS	UK 3 - 13
	DUNLOP SAFETY WELLINGTONS	UK 4 - 13
	QUATTRO SAFETY WELLINGTONS	UK 4 - 13

PART	OPTIONS	SIZES
PROTECTIVE PADS	KEVLAR ELBOWS	CUSTOM MADE
	NEOPRENE ELBOWS	CUSTOM MADE
	KEVLAR KNEEPAD	VARIED - GO ONLINE
	RUBBER / KEVLAR KNEE PAD	VARIED - GO ONLINE
	KEVLAR SEAT AREA	CUSTOM MADE
ALTERATIONS	SHORTEN ARMS AND LEGS	CUSTOM SERVICE
	LENGTHEN ARMS AND LEGS	CUSTOM SERVICE
OTHER PARTS	FULL SUIT RETAPE	N/A
	NEOPRENE HOOD ATTACHED	S, M, L, XL, XXL, XXXL
	LATEX HOOD ATTACHED	M, L, XL
	BRACE SUSPENDERS	ONE/ADJUSTABLE
	STAINLESS STEEL D-RING	ONE
	PLASTIC D-RINGS	ONE
	SOLAS REFLECTIVE STRIPS	ONE
	LEAK REPAIR NEOPRENE SUIT (EACH)	N/A
	LEAK REPAIR MEMBRANE SUIT (EACH)	N/A
	ASL 2000 REPAIR GLUE (PART A + B)	1L
	ASL 2000 REPAIR GLUE (PART A + B)	250ML
	RUBBER TAPE (25MM WIDE)	1M
	CELL TAPE (25MM WIDE)	1M
SERVICES	SUIT PRESSURE TEST	N/A
	SUIT CLEANING	N/A



CYLINDER SERVICING

Our trained technicians will be carrying out the cylinder testing and servicing to IDEST standards, so you can rest assured your cylinder is in the safest of hands.

We are providing cylinder testing services to all customers, from individuals who dive recreationally, to large military and commercial clients.

Regulations state that all cylinders carrying compressed gases, not only diving cylinders, are required to be inspected and tested periodically. Any cylinder with a diving valve, even for surface use (airguns, paintball etc.) must be tested as a diving cylinder as it could potentially be used for diving.

Cylinders require a visual test 2.5 years from the date of manufacture (as per stamped on cylinder). From the manufacture date they are also required to be Hydrostatically Tested every 5 years, with a visual inspection every alternate 5 years. This process is an ongoing cycle and will mean your cylinder should be tested every 2.5 years, alternating between the 2 tests.

What's included in a service?

- A visual check - looking for tears/damage to the regulators and/or hoses
- A pre-check - submersion test to detect any leaks
- A strip down - to inspect each part, replace any worn or damaged parts before a cycle in the Ultrasonic cleaning machine
- A complete rebuild and bench test
- A final submersion test

Turn around is approx. 2 working days, please contact us to check our current turaround time.

Contact us for more details

LIFE JACKET SERVICING COURSES



We are authorised to service, maintain and repair various life jacket types. We will inspect and pressure test your life jacket, replace out of date, faulty, or corroded parts and issue a service certificate.

All life jackets will undergo a rigorous inspection by a fully qualified technician to ensure it is fit for purpose and maximise its performance if needed in an emergency.

We advise life jackets should be serviced every 12 months by a qualified agent.

We offer servicing courses to groups and individuals, contact us for course dates +44 (0) 1257 25 69 34

Contact us for more details

HAVE YOU HAD YOUR REGULATOR SERVICED?



Our in house experiencing **A.S.S.E.T. trained** technicians are ready and waiting to service your Northern Diver regulators.

What's included?

A visual check - looking for tears/damage to regulators and/or hoses

A pre-check - submersion test to detect any leaks


A strip down - to inspect all parts, replace any worn/damaged part before a cycle in the Ultrasonic cleaning machine

A complete rebuild and bench test

A final submersion test

Turn around is approx. 7 working days, please contact us to check our current turaround time

Contact us for more details



REPAIRS COURSES

Learn how to carry out repairs and alterations to both neoprene and membrane suits, this will include:

- Fitting of neck/cuff seals (latex/neoprene)
- Correct internal taping
- Boot change, tting and taping to the suit
- Cleaning and tting of a zip into the suit
- Repairing leaks
- Fitting pockets and kneepads

Anything specific you wish to learn can also be included, let us know before the course date.

Contact us for more details

NDIVER MERCHANDISE



THERMICORE HAT + GLOVES

CODE: THERMICORE HAT/GLOVE SET-SIZE

COLOUR: BLK/RED

SIZE: S, M, L, XL



WINTER HAT

CODE: HAT FUR LINED

COLOUR: BLK

SIZE: ONE



SHORT SLEEVE BRANDED TEE

CODE: ND-SS-TEE-SIZE

COLOUR: BLK

SIZE: S, M, L, XL, XXL



LONG SLEEVE BRANDED TEE

CODE: ND-LS-TEE-SIZE

COLOUR: BLK

SIZE: S, M, L, XL, XXL



BRANDED JACKET

CODE: ND-JACKET-SIZE

COLOUR: BLK

SIZE: S, M, L, XL, XXL



VANITY CASE

CODE: ND-VANITY-CASE

COLOUR: SILVER

SIZE: ONE



WALLET

CODE: ND-WALLET

COLOUR: BLK/BLUE

SIZE: ONE



GIFT CARDS

CODE: VOUCHER CARD AMOUNT

USE: ONLINE

AMOUNT: ANY

NOTES

FINDING NORTHERN DIVER

HEAD OFFICE

Northern Diver Int Ltd, East Quarry, Appley Lane North,
Appley Bridge, Wigan, Lancs, WN6 9AE, UK.

We are located just off J27 of the M6, 40 mins from Liverpool or Manchester airports and our main rail station in Wigan is only 2 hrs from London Euston. If you are visiting we are more than happy to collect you from either airport or train station and return you.

VISIT OUR WEBSITE

www.ndiver.com, www.ndiver-commercial.com,
www.ndiver-rescue.com or www.ndiver-military.com

Online you will find new product releases, latest news, size guides, manuals and special offers. Why not open an account? Buy online for overnight deliveries to most locations.

Call: +44 (0) 1257 25 44 44, email info@ndiver.com

